



Energy saving lamp in decorative Globe shape

DECO GLOBE

The Globe range is energy saving lamp with Globe shape which gives the environment soft white light.

Benefits

- Gives a soft, diffuse light
- Decorative shape design
- Suitable for applications where lamp is visible

Features

- Reduce energy costs by 80% over Incandescent lamp

Application


- Well-suited for many decorative fixtures
- Not suitable for dimmers, or electronic switches or remote controls

Versions



18W, E27, GL110

Dimensional drawing



Product	D (max)	C (max)	F (max)
DECO GLOBE 18W CDL E27 110-127V 1CT/12	111 mm	169 mm	50.5 mm
DECO GLOBE 18W WW E27 220-240V 1CT/6	111 mm	169 mm	50.5 mm

Operating and Electrical	
Input Frequency	50 or 60 Hz
General Information	
Cap-Base	E27
Rated Lifetime (Hours)	6000 h
Light Technical	
Lumen Maintenance 2000 h (Nom)	80 %
Lumen Maintenance 5000 h (Nom)	70 %
Mechanical and Housing	
Bulb Shape	GL110

Operating and Electrical

Order Code	Full Product Name	Lamp Current (Nom)	Voltage (Nom)	Wattage Equivalent	Power (Rated) (Nom)	Starting Time (Nom)	Warm Up Time To 60% Light (Max)	Warm Up Time To 60% Light (Min)
929689415303	DECO GLOBE 18W WW E27 220-240V 1CT/6	120 mA	220-240 V	-	18 W	-	-	-
929689973602	Deco Globe 18W CDL E27 110-127V 1CT/12	245 mA	110-127 V	75 W	18.0 W	0.2 s	40 s	5 s

General Information

Order Code	Full Product Name	Nominal Lifetime (Nom)	Switching Cycle
929689415303	DECO GLOBE 18W WW E27 220-240V 1CT/6	-	-

Order Code	Full Product Name	Nominal Lifetime (Nom)	Switching Cycle
929689973602	Deco Globe 18W CDL E27 110-127V 1CT/12	6000 h	5000X

Light Technical (1/2)

Order Code	Full Product Name	Chromaticity Coordinate X (Nom)	Chromaticity Coordinate Y (Nom)	Color Code	Color Designation	Correlated Color Temperature (Nom)	Color Rendering Index (Min)	Color Rendering Index (Nom)
929689415303	DECO GLOBE 18W WW E27 220-240V 1CT/6	463	420	827	Warm White (WW)	2700 K	81	82
929689973602	Deco Globe 18W CDL E27 110-127V 1CT/12	313	337	865	Cool Daylight	6500 K	-	80

Light Technical (2/2)

Order Code	Full Product Name	Limf At End			
		Lifetime (Nom)	Of Nominal		Luminous Flux (Rated) (Nom)
			Luminous Efficacy (rated) (Nom)	Luminous Flux (Nom)	
929689415303	DECO GLOBE 18W WW E27 220-240V 1CT/6	-	56 lm/W	1000 lm	-

Order Code	Full Product Name	Limf At End			
		Lifetime (Nom)	Of Nominal		Luminous Flux (Rated) (Nom)
			Luminous Efficacy (rated) (Nom)	Luminous Flux (Nom)	
929689973602	Deco Globe 18W CDL E27 110-127V 1CT/12	50 %	54 lm/W	980 lm	980 lm

Approval and Application

		Energy Consumption	Mercury (Hg)
Order Code	Full Product Name	kWh/1000 h	Content (Max)
929689415303	DECO GLOBE 18W WW E27 220-240V 1CT/6	-	-

Order Code	Full Product Name	Energy Consumption	Mercury (Hg)
		kWh/1000 h	Content (Max)
929689973602	Deco Globe 18W CDL E27 110-127V 1CT/12	18 kWh	2 mg

Controls and Dimming

Order Code	Full Product Name	Dimmable
929689415303	DECO GLOBE 18W WW E27 220-240V 1CT/6	-

Order Code	Full Product Name	Dimmable
929689973602	Deco Globe 18W CDL E27 110-127V 1CT/12	No

