PHILIPS

Lighting



Philips PowerBalance Gen2: sustainable performance

PowerBalance gen2

When it comes to lighting office spaces with LED luminaires, businesses are willing to invest in sustainability, provided they get a payback on their investment. At the same time, the system should comply with office lighting norms to ensure a comfortable working environment. Philips PowerBalance Gen2 is our most energy-efficient, office-compliant LED luminaire. Designed for circularity and enhanced wellbeing, this office luminaire also promises future-proof connectivity. State-of-the-art efficacy (at CRI >90), upgradability features, a long lifetime, repairability, and design for recyclability make PowerBalance Gen2 a true 'green choice'. One that also delivers significantly lower operational costs to ensure an attractive payback that meets the needs of businesses and the specification market.The Gen2 architecture in the latest PowerBalance range has enabled us to create a range of highly-versatile modular and semi-modular luminaires. These LED luminaires can be easily mounted in ceilings with an exposed T-bar or concealed T-bar, as well as plaster ceilings and bandraster-type ceilings. PowerBalance is a solution with superior lighting specifications combined with a best-in-class connectivity designed for Circularity & enhanced Wellbeing using Interact Pro - all with a sustainable approach to high-performance office lighting.

Benefits

- Extremely-efficient LED luminaire with upto 174 lm/W
- Complies with office norms
- Comfortable, glare-free light
- Significantly reduces operational costs for an attractive payback time
- Sustainable and best-in-class connected offer

Features

- Best-in-class efficacy up to 174lm/W supports green building design and energy saving subsidy criteria
- 3000K, 4000K, Tunable White options with CRI >90
- Long lifetime 50,000 hours @L90
- Prepared for circularity (no glue, replaceable electronics, upgradable system, efficient and long lifetime)
- Environmental Product Declaration (EPD) guide
- Connected system ready with Interact Pro scalable platform using integrated sensors and/or wireless drivers for data collection, occupancy, daylight regulation and wayfinding


Application

- Offices
- Education
- Healthcare

Warnings and Safety

- The product is IP20 and, as such, is not protected against water ingress. Therefore we strongly recommend that the environment in which the luminaire is to be installed should be suitably checked
- If the advice above is not taken and the luminaires are subject to water ingress, Philips / Signify cannot guarantee safe failure and the product warranty will become void

Versions




IPPR RC460Bi 0025


IPPR_RC460Bi_0043-Product photo

IPPR_RC460Bi_0053-Product photo

Dimensional drawing



Dimensional drawing



Product details



IPDP_RC460Bi_0153-Detail photo



Upradable sensor

Product details



IPDP_RC460Bi_0039-Detail photo



IPDP_RC460Bi_0041-Detail photo



IPDP_RC460Bi_0043-Detail photo




IPDP_RC460Bi_0045-Detail photo



IPDP_RC460Bi_0047-Detail photo



IPDP_RC460Bi_0049-Detail photo



IPDP_RC460Bi_0051-Detail photo



IPDP_RC460Bi_0053-Detail photo

Product details



IPDP_RC460Bi_0054-Detail photo



IPDP_RC460Bi_0055-Detail photo



IPDP_RC460Bi_0073-Detail photo



IPDP_RC460Bi_0081-Detail photo



IPDP_RC460Bi_0103-Detail photo



PowerBalance_RC461_W31L125_I A4-DPP

General Information	
Driver included	Yes
ENEC mark	ENEC mark
Flammability mark	For mounting on normally flammable surfaces
Gear	-
Light source replaceable	No
Number of gear units	1 unit
Light Technical	
Optic type	Wide beam office compliant
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1
Stroboscopic effect visibility measure (SVM)	0.4
Operating and Electrical	
Input Voltage	220 to 240 V
Line Frequency	50 to 60 Hz
Temperature	
Ambient temperature range	+10 to +40 °C
Mechanical and Housing	
Housing Color	White
Approval and Application	
Protection class IEC	Safety class I
Mech. impact protection code	IK02
Ingress protection code	IP20/40
Initial Performance (IEC Compliant)	
Luminous flux tolerance	+/-10%
Application Conditions	
Maximum dim level	1%

General Information (1/2)

Order Code	Full Product Name	CE mark	Glow-wire test	Lamp family code	Embedded control
910505100265	RC461B LED34S/940 PSD W60L60 CPC W	Yes	Temperature 650 °C, duration 30 s	LED34S	-
910505100271	RC463B LED34S/940 PSD W62L62 CPC W	Yes	Temperature 650 °C, duration 30 s	LED34S	-
910505100425	RC463B LED34S/940 PSD W62L62 CPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505100426	RC463B LED40S/940 PSD W62L62 CPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505100489	RC463B LED34S/930 PSD W62L62 CPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505100490	RC463B LED40S/930 PSD W62L62 CPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505100277	RC461B LED34S/940 PSD W60L60 PCV PIP	Yes	Temperature 650 °C, duration 30 s	LED34S	-
910505100251	RC463B LED28S/940 PSD W62L62 VPC W	Yes	Temperature 650 °C, duration 30 s	LED28S	-
910505100259	RC463B LED34S/940 PSD W62L62 VPC W	Yes	Temperature 650 °C, duration 30 s	LED34S	-
910505100278	RC463B LED40S/940 PSD W62L62 VPC PIP	Yes	Temperature 650 °C, duration 30 s	LED40S	-
910505100416	RC463B LED28S/940 PSD W62L62 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505100417	RC463B LED34S/940 PSD W62L62 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505100418	RC463B LED34S/930 PSD W62L62 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505100488	RC463B LED28S/930 PSD W62L62 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505101680	RC463B LED80S/TW9 DIA W62L62 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505101681	RC468B LED80S/TW9 DIA W67L67 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505101684	RC463B LED28S/BU840 PSD W62L62 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505101685	RC468B LED28S/BU840 PSD W67L67 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505101688	RC463B LED80S/TW9 DIA W62L62 CPC W	Yes	Temperature 650 °C, duration 30 s	-	-
910505101689	RC468B LED80S/TW9 DIA W67L67 VPC W	Yes	Temperature 650 °C, duration 30 s	-	-
910505101692	RC463B LED40S/BU840 PSD W62L62 CPC W	Yes	Temperature 650 °C, duration 30 s	-	-
910505101693	RC468B LED40S/BU840 PSD W67L67 VPC W	Yes	Temperature 650 °C, duration 30 s	-	-
910505103386	RC463B LED80S/TW9 SIA W62L62 VPC U4 PIP	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor

Order Code	Full Product Name	CE mark	Glow-wire test	Lamp family code	Embedded control
910505103393	RC463B LED80S/TWBU SIA W62L62 VPC U4 PIP	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505103639	RC463B 28S/840 PSD W62L62 VPC PIP UE	CE mark	Temperature 650 °C, duration 30 s	-	-
910505103640	RC463B 34S/840 PSD W62L62 VPC PIP UE	CE mark	Temperature 650 °C, duration 30 s	-	-
910505103641	RC463B 34S/840 SRD W62L62 VPC U4 PIP UE	CE mark	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505103642	RC463B 40S/840 PSD W62L62 VPC PIP UE	CE mark	Temperature 650 °C, duration 30 s	-	-
910505103643	RC463B 40S/840 SRD W62L62 VPC U4 PIP UE	CE mark	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505100419	RC463B LED40S/930 PSD W62L62 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505100245	RC461B LED34S/940 PSD W60L60 VPC PIP	Yes	Temperature 650 °C, duration 30 s	LED34S	-
910505100249	RC461B LED40S/940 PSD W60L60 VPC W	Yes	Temperature 650 °C, duration 30 s	LED40S	-
910505100250	RC461B LED40S/940 PSD W60L60 VPC PIP	Yes	Temperature 650 °C, duration 30 s	LED40S	-
910505100252	RC461B LED40S/940 PSD W60L60 VPC ELD3 P	Yes	Temperature 850 °C, duration 30 s	LED40S	-
910505100256	RC461B LED34S/940 PSD W60L60 VPC W	Yes	Temperature 650 °C, duration 30 s	LED34S	-
910505100261	RC461B LED40S/930 PSD W60L60 VPC W	Yes	Temperature 650 °C, duration 30 s	LED40S	-
910505100266	RC461B LED40S/940 PSD W60L60 VPC W AIR	Yes	Temperature 650 °C, duration 30 s	LED40S	-
910505100269	RC461B LED34S/930 PSU W60L60 VPC PIP	Yes	Temperature 650 °C, duration 30 s	LED34S	-
910505100270	RC461B LED34S/940 PSD W60L60 VPC W SC	Yes	Temperature 650 °C, duration 30 s	LED34S	-
910505100595	RC461B LED40S/930 PSD W60L60 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505101678	RC461B LED80S/TW9 DIA W60L60 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505101679	RC461B LED80S/TW9 DIA W60L60 VPC PIP SC	Yes	Temperature 650 °C, duration 30 s	-	-
910505101682	RC461B LED28S/BU840 PSD W60L60 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505101683	RC461B LED28S/BU840 PSD W60L60 VPC PIPSC	Yes	Temperature 650 °C, duration 30 s	-	-
910505101690	RC461B LED40S/BU840 PSD W60L60 PCV W	Yes	Temperature 650 °C, duration 30 s	-	-
910505101691	RC461B LED40S/BU840 PSD W60L60 PCV W SC	Yes	Temperature 650 °C, duration 30 s	-	-

Order Code	Full Product Name	CE mark	Glow-wire test	Lamp family code	Embedded control
910505103383	RC461B LED80S/TW9 SIA W60L60 VPC U4 PIP	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505103385	RC461B 80S/TW9 SIA W60L60 VPC U4 PIP SC	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505103390	RC461B LED80S/TWBU SIA W60L60 VPC U4 PIP	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505103392	RC461B 80S/TWBU SIA W60L60 VPC U4 PIP SC	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505103620	RC461B 28S/840 PSD W60L60 VPC PIP UE	CE mark	Temperature 650 °C, duration 30 s	-	-
910505103622	RC461B 28S/840 PSD W60L60 VPC PIP SC UE	CE mark	Temperature 650 °C, duration 30 s	-	-
910505103624	RC461B 34S/840 PSD W60L60 VPC PIP UE	CE mark	Temperature 650 °C, duration 30 s	-	-
910505103626	RC461B 34S/840 SRD W60L60 VPC U4 PIP UE	CE mark	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505103628	RC461B 34S/840 PSD W60L60 VPC PIP SC UE	CE mark	Temperature 650 °C, duration 30 s	-	-
910505103630	RC461B 34S/840 SRD W60L60 VPC U4PIP SCUE	CE mark	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505103632	RC461B 40S/840 PSD W60L60 VPC PIP UE	CE mark	Temperature 650 °C, duration 30 s	-	-
910505103634	RC461B 40S/840 SRD W60L60 VPC U4 PIP UE	CE mark	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505103636	RC461B 40S/840 PSD W60L60 VPC PIP SC UE	CE mark	Temperature 650 °C, duration 30 s	-	-
910505103638	RC461B 40S/840 SRD W60L60 VPC U4PIP SCUE	CE mark	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505100236	RC463B LED40S/940 PSD W31L125 CPC PIP	Yes	Temperature 650 °C, duration 30 s	LED40S	-
910505100422	RC463B LED34S/930 PSD W31L125 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505100423	RC463B LED40S/940 PSD W31L125 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505100424	RC463B LED40S/930 PSD W31L125 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505100427	RC463B LED34S/940 PSD W31L125 CPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505101668	RC463B LED80S/TW9 DIA W31L125 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505101671	RC463B LED28S/BU840 PSD W31L125 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-

Order Code	Full Product Name	CE mark	Glow-wire test	Lamp family code	Embedded control
910505101674	RC463B LED80S/TW9 DIA W31L125 CPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505101677	RC463B LED28S/BU840 PSD W31L125 CPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505103388	RC463B LED80S/TW9 SIA W31L125 VPC IA4PIP	Yes	Temperature 650 °C, duration 30 s	-	Interact SNS210 sensor
910505103395	RC463B 80S/TWBU SIA W31L125 VPC IA4 PIP	Yes	Temperature 650 °C, duration 30 s	-	Interact SNS210 sensor
910505103644	RC463B 34S/840 PSD W31L125 VPC PIP UE	CE mark	Temperature 650 °C, duration 30 s	-	-
910505103645	RC463B 34S/840 SRD W31L125 VPC IA4 PIPUE	CE mark	Temperature 650 °C, duration 30 s	-	Interact SNS210 sensor
910505103646	RC463B 40S/840 PSD W31L125 VPC PIP UE	CE mark	Temperature 650 °C, duration 30 s	-	-
910505103647	RC463B 40S/840 SRD W31L125 VPC IA4 PIPUE	CE mark	Temperature 650 °C, duration 30 s	-	Interact SNS210 sensor
910505100232	RC461B LED34S/940 PSD W30L120 VPC W	Yes	Temperature 650 °C, duration 30 s	LED34S	-
910505100234	RC461B LED34S/930 PSD W30L120 VPC PIP	Yes	Temperature 650 °C, duration 30 s	LED34S	-
910505100235	RC461B LED40S/940 PSD W30L120 VPC PIP	Yes	Temperature 650 °C, duration 30 s	LED40S	-
910505100238	RC461B LED40S/940 PSD W30L120 VPC W	Yes	Temperature 650 °C, duration 30 s	LED40S	-
910505100241	RC461B LED34S/940 PSD W30L120 VPC PIP	Yes	Temperature 650 °C, duration 30 s	LED34S	-
910505101666	RC461B LED80S/TW9 DIA W30L120 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505101667	RC461B LED80S/TW9 DIA W30L120 VPC PIP SC	Yes	Temperature 650 °C, duration 30 s	-	-
910505101669	RC461B LED28S/BU840 PSD W30L120 VPC PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505101670	RC461B LED28S/BU840 PSD W30L120 VPCPIPSC	Yes	Temperature 650 °C, duration 30 s	-	-
910505101675	RC461B LED28S/BU840 PSD W30L120 PCV PIP	Yes	Temperature 650 °C, duration 30 s	-	-
910505101676	RC461B LED28S/BU840 PSD W30L120 PCVPIPSC	Yes	Temperature 650 °C, duration 30 s	-	-
910505103384	RC461B 80S/TW9 SIA W30L120 VPC IA4 PIPSC	Yes	Temperature 650 °C, duration 30 s	-	Interact SNS210 sensor
910505103387	RC461B LED80S/TW9 SIA W30L120 VPC IA4PIP	Yes	Temperature 650 °C, duration 30 s	-	Interact SNS210 sensor
910505103391	RC461B 80S/TWBU SIA W30L120 VPC IA4PIPSC	Yes	Temperature 650 °C, duration 30 s	-	Interact SNS210 sensor
910505103394	RC461B 80S/TWBU SIA W30L120 VPC IA4 PIP	Yes	Temperature 650 °C, duration 30 s	-	Interact SNS210 sensor
910505103619	RC461B 28S/840 PSD W30L120 VPC PIP UE	CE mark	Temperature 650 °C, duration 30 s	-	-
910505103621	RC461B 28S/840 PSD W30L120 VPC PIP SC UE	CE mark	Temperature 650 °C, duration 30 s	-	-

Order Code	Full Product Name	CE mark	Glow-wire test	Lamp family code	Embedded control
910505103623	RC461B 34S/840 PSD W30L120 VPC PIP UE	CE mark	Temperature 650 °C, duration 30 s	-	-
910505103625	RC461B 34S/840 SRD W30L120 VPC IA4 PIPUE	CE mark	Temperature 650 °C, duration 30 s	-	Interact SNS210 sensor
910505103627	RC461B 34S/840 PSD W30L120 VPC PIP SC UE	CE mark	Temperature 650 °C, duration 30 s	-	-
910505103629	RC461B 34S/840 SRD W30L120 VPC IA4 SC UE	CE mark	Temperature 650 °C, duration 30 s	-	Interact SNS210 sensor
910505103631	RC461B 40S/840 PSD W30L120 VPC PIP UE	CE mark	Temperature 650 °C, duration 30 s	-	-
910505103633	RC461B 40S/840 SRD W30L120 VPC IA4 PIPUE	CE mark	Temperature 650 °C, duration 30 s	-	Interact SNS210 sensor
910505103635	RC461B 40S/840 PSD W30L120 VPC PIP SC UE	CE mark	Temperature 650 °C, duration 30 s	-	-
910505103637	RC461B 40S/840 SRD W30L120 VPC IA4 SC UE	CE mark	Temperature 650 °C, duration 30 s	-	Interact SNS210 sensor
910505101727	RC461B LED34S/940 SRD W30L120 VPC IA4 W	Yes	Temperature 650 °C, duration 30 s	-	Interact SNS210 sensor
910505101728	RC463B LED34S/940 SRD W31L125 VPC IA4PIP	Yes	Temperature 650 °C, duration 30 s	-	Interact SNS210 sensor
910505101729	RC463B LED40S/940 SRD W31L125 VPC IA4PIP	Yes	Temperature 650 °C, duration 30 s	-	Interact SNS210 sensor
910505101730	RC463B LED60S/940 SRD W31L125 VPC IA4PIP	Yes	Temperature 650 °C, duration 30 s	-	Interact SNS210 sensor
910505101731	RC461B LED34S/940 SRD W30L120VPCIA4PIPSC	Yes	Temperature 650 °C, duration 30 s	-	Interact SNS210 sensor
910505101710	RC461B LED34S/930 SRD W60L60 VPC U4 W	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505101711	RC461B LED34S/940 SRD W60L60 VPC U4 W	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505101712	RC461B LED40S/940 SRD W60L60 VPC U4 W	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505101713	RC463B LED28S/940 SRD W62L62 VPC U4 PIP	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505101714	RC463B LED34S/940 SRD W62L62 VPC U4 PIP	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505101715	RC463B LED40S/940 SRD W62L62 VPC U4 PIP	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505101716	RC463B LED60S/940 SRD W62L62 VPC U4 PIP	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505101717	RC461B LED34S/930 SRD W60L60 VPC U4 PIP	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor

Order Code	Full Product Name	CE mark	Glow-wire test	Lamp family code	Embedded control
910505101718	RC461B LED34S/940 SRD W60L60 VPC U4 PIP	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505101719	RC461B LED34S/930 SRD W60L60 VPC U4PIPSC	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505101720	RC461B LED34S/940 SRD W60L60 VPC U4PIPSC	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505101721	RC461B LED34S/940 SRD W60L60 VPC U4 W SC	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor
910505101722	RC461B LED40S/940 SRD W60L60 VPC U4PIPSC	Yes	Temperature 650 °C, duration 30 s	-	Upgradable sensor slot with SNS210 sensor

General Information (2/2)

Order Code	Full Product Name	Product family code	Service tag
910505100265	RC461B LED34S/940 PSD W60L60 CPC W	RC461B	Yes
910505100271	RC463B LED34S/940 PSD W62L62 CPC W	RC463B	Yes
910505100425	RC463B LED34S/940 PSD W62L62 CPC PIP	RC463B	Yes
910505100426	RC463B LED40S/940 PSD W62L62 CPC PIP	RC463B	Yes
910505100489	RC463B LED34S/930 PSD W62L62 CPC PIP	RC463B	Yes
910505100490	RC463B LED40S/930 PSD W62L62 CPC PIP	RC463B	Yes
910505100277	RC461B LED34S/940 PSD W60L60 PCV PIP	RC461B	Yes
910505100251	RC463B LED28S/940 PSD W62L62 VPC W	RC463B	Yes
910505100259	RC463B LED34S/940 PSD W62L62 VPC W	RC463B	Yes
910505100278	RC463B LED40S/940 PSD W62L62 VPC PIP	RC463B	Yes
910505100416	RC463B LED28S/940 PSD W62L62 VPC PIP	RC463B	Yes
910505100417	RC463B LED34S/940 PSD W62L62 VPC PIP	RC463B	Yes
910505100418	RC463B LED34S/930 PSD W62L62 VPC PIP	RC463B	Yes
910505100488	RC463B LED28S/930 PSD W62L62 VPC PIP	RC463B	Yes
910505101680	RC463B LED80S/TW9 DIA W62L62 VPC PIP	RC463B	-
910505101681	RC468B LED80S/TW9 DIA W67L67 VPC PIP	RC468B	-
910505101684	RC463B LED28S/BU840 PSD W62L62 VPC PIP	RC463B	-
910505101685	RC468B LED28S/BU840 PSD W67L67 VPC PIP	RC468B	-
910505101688	RC463B LED80S/TW9 DIA W62L62 CPC W	RC463B	-
910505101689	RC468B LED80S/TW9 DIA W67L67 VPC W	RC468B	-
910505101692	RC463B LED40S/BU840 PSD W62L62 CPC W	RC463B	-
910505101693	RC468B LED40S/BU840 PSD W67L67 VPC W	RC468B	-
910505103386	RC463B LED80S/TW9 SIA W62L62 VPC U4 PIP	RC463B	-
910505103393	RC463B LED80S/TWBU SIA W62L62 VPC U4 PIP	RC463B	-

Order Code	Full Product Name	Product family code	Service tag
910505103639	RC463B 28S/840 PSD W62L62 VPC PIP UE	RC463B	-
910505103640	RC463B 34S/840 PSD W62L62 VPC PIP UE	RC461B	-
910505103641	RC463B 34S/840 SRD W62L62 VPC U4 PIP UE	RC461B	-
910505103642	RC463B 40S/840 PSD W62L62 VPC PIP UE	RC461B	-
910505103643	RC463B 40S/840 SRD W62L62 VPC U4 PIP UE	RC461B	-
910505100419	RC463B LED40S/930 PSD W62L62 VPC PIP	RC463B	Yes
910505100245	RC461B LED34S/940 PSD W60L60 VPC PIP	RC461B	Yes
910505100249	RC461B LED40S/940 PSD W60L60 VPC W	RC461B	Yes
910505100250	RC461B LED40S/940 PSD W60L60 VPC PIP	RC461B	Yes
910505100252	RC461B LED40S/940 PSD W60L60 VPC ELD3 P	RC461B	Yes
910505100256	RC461B LED34S/940 PSD W60L60 VPC W	RC461B	Yes
910505100261	RC461B LED40S/930 PSD W60L60 VPC W	RC461B	Yes
910505100266	RC461B LED40S/940 PSD W60L60 VPC W AIR	RC461B	Yes
910505100269	RC461B LED34S/930 PSU W60L60 VPC PIP	RC461B	Yes
910505100270	RC461B LED34S/940 PSD W60L60 VPC W SC	RC461B	Yes
910505100595	RC461B LED40S/930 PSD W60L60 VPC PIP	RC461B	Yes
910505101678	RC461B LED80S/TW9 DIA W60L60 VPC PIP	RC461B	-
910505101679	RC461B LED80S/TW9 DIA W60L60 VPC PIP SC	RC461B	-
910505101682	RC461B LED28S/BU840 PSD W60L60 VPC PIP	RC461B	-
910505101683	RC461B LED28S/BU840 PSD W60L60 VPC PIPSC	RC461B	-
910505101690	RC461B LED40S/BU840 PSD W60L60 PCV W	RC461B	-

Order Code	Full Product Name	Product family code	Service tag
910505101691	RC461B LED40S/BU840 PSD W60L60 PCV W SC	RC461B	-
910505103383	RC461B LED80S/TW9 SIA W60L60 VPC U4 PIP	RC461B	-
910505103385	RC461B 80S/TW9 SIA W60L60 VPC U4 PIP SC	RC461B	-
910505103390	RC461B LED80S/TWBU SIA W60L60 VPC U4 PIP	RC468B	-
910505103392	RC461B 80S/TWBU SIA W60L60 VPC U4 PIP SC	RC461B	-
910505103620	RC461B 28S/840 PSD W60L60 VPC PIP UE	RC461B	-
910505103622	RC461B 28S/840 PSD W60L60 VPC PIP SC UE	RC461B	-
910505103624	RC461B 34S/840 PSD W60L60 VPC PIP UE	RC461B	-
910505103626	RC461B 34S/840 SRD W60L60 VPC U4 PIP UE	RC461B	-
910505103628	RC461B 34S/840 PSD W60L60 VPC PIP SC UE	RC461B	-
910505103630	RC461B 34S/840 SRD W60L60 VPC U4PIP SCUE	RC461B	-
910505103632	RC461B 40S/840 PSD W60L60 VPC PIP UE	RC461B	-
910505103634	RC461B 40S/840 SRD W60L60 VPC U4 PIP UE	RC461B	-
910505103636	RC461B 40S/840 PSD W60L60 VPC PIP SC UE	RC461B	-
910505103638	RC461B 40S/840 SRD W60L60 VPC U4PIP SCUE	RC461B	-
910505100236	RC463B LED40S/940 PSD W31L125 CPC PIP	RC463B	Yes
910505100422	RC463B LED34S/930 PSD W31L125 VPC PIP	RC463B	Yes
910505100423	RC463B LED40S/940 PSD W31L125 VPC PIP	RC463B	Yes
910505100424	RC463B LED40S/930 PSD W31L125 VPC PIP	RC463B	Yes
910505100427	RC463B LED34S/940 PSD W31L125 CPC PIP	RC463B	Yes
910505101668	RC463B LED80S/TW9 DIA W31L125 VPC PIP	RC463B	-
910505101671	RC463B LED28S/BU840 PSD W31L125 VPC PIP	RC463B	-
910505101674	RC463B LED80S/TW9 DIA W31L125 CPC PIP	RC463B	-
910505101677	RC463B LED28S/BU840 PSD W31L125 CPC PIP	RC463B	-
910505103388	RC463B LED80S/TW9 SIA W31L125 VPC IA4PIP	RC463B	-
910505103395	RC463B 80S/TWBU SIA W31L125 VPC IA4 PIP	RC463B	-
910505103644	RC463B 34S/840 PSD W31L125 VPC PIP UE	RC461B	-
910505103645	RC463B 34S/840 SRD W31L125 VPC IA4 PIPUE	RC461B	-
910505103646	RC463B 40S/840 PSD W31L125 VPC PIP UE	RC461B	-
910505103647	RC463B 40S/840 SRD W31L125 VPC IA4 PIPUE	RC461B	-
910505100232	RC461B LED34S/940 PSD W30L120 VPC W	RC461B	Yes
910505100234	RC461B LED34S/930 PSD W30L120 VPC PIP	RC461B	Yes
910505100235	RC461B LED40S/940 PSD W30L120 VPC PIP	RC461B	Yes
910505100238	RC461B LED40S/940 PSD W30L120 VPC W	RC461B	Yes
910505100241	RC461B LED34S/940 PSD W30L120 VPC PIP	RC461B	Yes
910505101666	RC461B LED80S/TW9 DIA W30L120 VPC PIP	RC461B	-
910505101667	RC461B LED80S/TW9 DIA W30L120 VPC PIP SC	RC461B	-
910505101669	RC461B LED28S/BU840 PSD W30L120 VPC PIP	RC461B	-
910505101670	RC461B LED28S/BU840 PSD W30L120 VPCPIPSC	RC461B	-
910505101675	RC461B LED28S/BU840 PSD W30L120 PCV PIP	RC461B	-
910505101676	RC461B LED28S/BU840 PSD W30L120 PCVPIPSC	RC461B	-
910505103384	RC461B 80S/TW9 SIA W30L120 VPC IA4 PIPSC	RC461B	-
910505103387	RC461B LED80S/TW9 SIA W30L120 VPC IA4PIP	RC461B	-
910505103391	RC461B 80S/TWBU SIA W30L120 VPC IA4PIPSC	RC461B	-
910505103394	RC461B 80S/TWBU SIA W30L120 VPC IA4 PIP	RC461B	-
910505103619	RC461B 28S/840 PSD W30L120 VPC PIP UE	RC461B	-
910505103621	RC461B 28S/840 PSD W30L120 VPC PIP SC UE	RC461B	-
910505103623	RC461B 34S/840 PSD W30L120 VPC PIP UE	RC461B	-
910505103625	RC461B 34S/840 SRD W30L120 VPC IA4 PIPUE	RC461B	-
910505103627	RC461B 34S/840 PSD W30L120 VPC PIP SC UE	RC461B	-
910505103629	RC461B 34S/840 SRD W30L120 VPC IA4 SC UE	RC461B	-
910505103631	RC461B 40S/840 PSD W30L120 VPC PIP UE	RC461B	-
910505103633	RC461B 40S/840 SRD W30L120 VPC IA4 PIPUE	RC461B	-
910505103635	RC461B 40S/840 PSD W30L120 VPC PIP SC UE	RC461B	-
910505103637	RC461B 40S/840 SRD W30L120 VPC IA4 SC UE	RC461B	-
910505101727	RC461B LED34S/940 SRD W30L120 VPC IA4 W	RC461B	-
910505101728	RC463B LED34S/940 SRD W31L125 VPC IA4PIP	RC463B	-
910505101729	RC463B LED40S/940 SRD W31L125 VPC IA4PIP	RC463B	-
910505101730	RC463B LED60S/940 SRD W31L125 VPC IA4PIP	RC463B	-
910505101731	RC461B LED34S/940 SRD W30L120VPCIA4PIPSC	RC461B	-

Order Code	Full Product Name	Product family code	Service tag
910505101710	RC461B LED34S/930 SRD W60L60 VPC U4 W	RC461B	-
910505101711	RC461B LED34S/940 SRD W60L60 VPC U4 W	RC461B	-
910505101712	RC461B LED40S/940 SRD W60L60 VPC U4 W	RC461B	-
910505101713	RC463B LED28S/940 SRD W62L62 VPC U4 PIP	RC463B	-
910505101714	RC463B LED34S/940 SRD W62L62 VPC U4 PIP	RC463B	-
910505101715	RC463B LED40S/940 SRD W62L62 VPC U4 PIP	RC463B	-
910505101716	RC463B LED60S/940 SRD W62L62 VPC U4 PIP	RC463B	-

Order Code	Full Product Name	Product family code	Service tag
910505101717	RC461B LED34S/930 SRD W60L60 VPC U4 PIP	RC461B	-
910505101718	RC461B LED34S/940 SRD W60L60 VPC U4 PIP	RC461B	-
910505101719	RC461B LED34S/930 SRD W60L60 VPC U4PIPSC	RC461B	-
910505101720	RC461B LED34S/940 SRD W60L60 VPC U4PIPSC	RC461B	-
910505101721	RC461B LED34S/940 SRD W60L60 VPC U4 W SC	RC461B	-
910505101722	RC461B LED40S/940 SRD W60L60 VPC U4PIPSC	RC461B	-

Light Technical (1/2)

Order Code	Full Product Name	Beam angle of light source	Correlated Color Temperature (Nom)	Optical cover type	Color rendering index (CRI)
910505100265	RC461B LED34S/940 PSD W60L60 CPC W	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90
910505100271	RC463B LED34S/940 PSD W62L62 CPC W	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90
910505100425	RC463B LED34S/940 PSD W62L62 CPC PIP	120 degree(s)	4000 K	-	≥90
910505100426	RC463B LED40S/940 PSD W62L62 CPC PIP	120 degree(s)	4000 K	-	≥90
910505100489	RC463B LED34S/930 PSD W62L62 CPC PIP	120 degree(s)	3000 K	-	≥90
910505100490	RC463B LED40S/930 PSD W62L62 CPC PIP	120 degree(s)	3000 K	-	≥90
910505100277	RC461B LED34S/940 PSD W60L60 PCV PIP	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90
910505100251	RC463B LED28S/940 PSD W62L62 VPC W	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90
910505100259	RC463B LED34S/940 PSD W62L62 VPC W	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90
910505100278	RC463B LED40S/940 PSD W62L62 VPC PIP	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90
910505100416	RC463B LED28S/940 PSD W62L62 VPC PIP	120 degree(s)	4000 K	-	≥90
910505100417	RC463B LED34S/940 PSD W62L62 VPC PIP	120 degree(s)	4000 K	-	≥90
910505100418	RC463B LED34S/930 PSD W62L62 VPC PIP	120 degree(s)	3000 K	-	≥90
910505100488	RC463B LED28S/930 PSD W62L62 VPC PIP	120 degree(s)	3000 K	-	≥90
910505101680	RC463B LED80S/TW9 DIA W62L62 VPC PIP	120 degree(s)	Tunable white 2700-6500 K	-	≥90

Order Code	Full Product Name	Beam angle of light source	Correlated Color Temperature (Nom)	Optical cover type	Color rendering index (CRI)
910505101681	RC468B LED80S/TW9 DIA W67L67 VPC PIP	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505101684	RC463B LED28S/ BU840 PSD W62L62 VPC PIP	120 degree(s)	4000 K	-	≥80
910505101685	RC468B LED28S/ BU840 PSD W67L67 VPC PIP	120 degree(s)	4000 K	-	≥80
910505101688	RC463B LED80S/TW9 DIA W62L62 CPC W	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505101689	RC468B LED80S/TW9 DIA W67L67 VPC W	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505101692	RC463B LED40S/ BU840 PSD W62L62 CPC W	120 degree(s)	4000 K	-	≥80
910505101693	RC468B LED40S/ BU840 PSD W67L67 VPC W	120 degree(s)	4000 K	-	≥80
910505103386	RC463B LED80S/TW9 SIA W62L62 VPC U4 PIP	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505103393	RC463B LED80S/ TWBU SIA W62L62 VPC U4 PIP	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505103639	RC463B 28S/840 PSD W62L62 VPC PIP UE	120 degree(s)	4000 K	-	≥80
910505103640	RC463B 34S/840 PSD W62L62 VPC PIP UE	120 degree(s)	4000 K	-	≥80
910505103641	RC463B 34S/840 SRD W62L62 VPC U4 PIP UE	120 degree(s)	4000 K	-	≥80
910505103642	RC463B 40S/840 PSD W62L62 VPC PIP UE	120 degree(s)	4000 K	-	≥80
910505103643	RC463B 40S/840 SRD W62L62 VPC U4 PIP UE	120 degree(s)	4000 K	-	≥80
910505100419	RC463B LED40S/930 PSD W62L62 VPC PIP	120 degree(s)	3000 K	-	≥90
910505100245	RC461B LED34S/940 PSD W60L60 VPC PIP	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90
910505100249	RC461B LED40S/940 PSD W60L60 VPC W	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90
910505100250	RC461B LED40S/940 PSD W60L60 VPC PIP	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90
910505100252	RC461B LED40S/940 PSD W60L60 VPC ELD3 P	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90
910505100256	RC461B LED34S/940 PSD W60L60 VPC W	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90
910505100261	RC461B LED40S/930 PSD W60L60 VPC W	120 degree(s)	3000 K	Polycarbonate bowl/cover	≥90
910505100266	RC461B LED40S/940 PSD W60L60 VPC W AIR	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90
910505100269	RC461B LED34S/930 PSU W60L60 VPC PIP	120 degree(s)	3000 K	Polycarbonate bowl/cover	≥90

Order Code	Full Product Name	Beam angle of light source	Correlated Color Temperature (Nom)	Optical cover type	Color rendering index (CRI)
910505100270	RC461B LED34S/940 PSD W60L60 VPC W SC	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90
910505100595	RC461B LED40S/930 PSD W60L60 VPC PIP	120 degree(s)	3000 K	-	≥90
910505101678	RC461B LED80S/TW9 DIA W60L60 VPC PIP	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505101679	RC461B LED80S/TW9 DIA W60L60 VPC PIP SC	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505101682	RC461B LED28S/ BU840 PSD W60L60 VPC PIP	120 degree(s)	4000 K	-	≥80
910505101683	RC461B LED28S/ BU840 PSD W60L60 VPC PIPSC	120 degree(s)	4000 K	-	≥80
910505101690	RC461B LED40S/ BU840 PSD W60L60 PCV W	120 degree(s)	4000 K	-	≥80
910505101691	RC461B LED40S/ BU840 PSD W60L60 PCV W SC	120 degree(s)	4000 K	-	≥80
910505103383	RC461B LED80S/TW9 SIA W60L60 VPC U4 PIP	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505103385	RC461B 80S/TW9 SIA W60L60 VPC U4 PIP SC	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505103390	RC461B LED80S/ TWBU SIA W60L60 VPC U4 PIP	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505103392	RC461B 80S/ TWBU SIA W60L60 VPC U4 PIP SC	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505103620	RC461B 28S/840 PSD W60L60 VPC PIP UE	120 degree(s)	4000 K	-	≥80
910505103622	RC461B 28S/840 PSD W60L60 VPC PIP SC UE	120 degree(s)	4000 K	-	≥80
910505103624	RC461B 34S/840 PSD W60L60 VPC PIP UE	120 degree(s)	4000 K	-	≥80
910505103626	RC461B 34S/840 SRD W60L60 VPC U4 PIP UE	120 degree(s)	4000 K	-	≥80
910505103628	RC461B 34S/840 PSD W60L60 VPC PIP SC UE	120 degree(s)	4000 K	-	≥80
910505103630	RC461B 34S/840 SRD W60L60 VPC U4PIP SCUE	120 degree(s)	4000 K	-	≥80
910505103632	RC461B 40S/840 PSD W60L60 VPC PIP UE	120 degree(s)	4000 K	-	≥80
910505103634	RC461B 40S/840 SRD W60L60 VPC U4 PIP UE	120 degree(s)	4000 K	-	≥80
910505103636	RC461B 40S/840 PSD W60L60 VPC PIP SC UE	120 degree(s)	4000 K	-	≥80
910505103638	RC461B 40S/840 SRD W60L60 VPC U4PIP SCUE	120 degree(s)	4000 K	-	≥80
910505100236	RC463B LED40S/940 PSD W31L125 CPC PIP	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90

Order Code	Full Product Name	Beam angle of light source	Correlated Color Temperature (Nom)	Optical cover type	Color rendering index (CRI)
910505100422	RC463B LED34S/930 PSD W31L125 VPC PIP	120 degree(s)	3000 K	-	≥90
910505100423	RC463B LED40S/940 PSD W31L125 VPC PIP	120 degree(s)	4000 K	-	≥90
910505100424	RC463B LED40S/930 PSD W31L125 VPC PIP	120 degree(s)	3000 K	-	≥90
910505100427	RC463B LED34S/940 PSD W31L125 CPC PIP	120 degree(s)	4000 K	-	≥90
910505101668	RC463B LED80S/TW9 DIA W31L125 VPC PIP	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505101671	RC463B LED28S/ BU840 PSD W31L125 VPC PIP	120 degree(s)	4000 K	-	≥80
910505101674	RC463B LED80S/TW9 DIA W31L125 CPC PIP	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505101677	RC463B LED28S/ BU840 PSD W31L125 CPC PIP	120 degree(s)	4000 K	-	≥80
910505103388	RC463B LED80S/TW9 SIA W31L125 VPC IA4PIP	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505103395	RC463B 80S/ TWBU SIA W31L125 VPC IA4 PIP	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505103644	RC463B 34S/840 PSD W31L125 VPC PIP UE	120 degree(s)	4000 K	-	≥80
910505103645	RC463B 34S/840 SRD W31L125 VPC IA4 PIPUE	120 degree(s)	4000 K	-	≥80
910505103646	RC463B 40S/840 PSD W31L125 VPC PIP UE	120 degree(s)	4000 K	-	≥80
910505103647	RC463B 40S/840 SRD W31L125 VPC IA4 PIPUE	120 degree(s)	4000 K	-	≥80
910505100232	RC461B LED34S/940 PSD W30L120 VPC W	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90
910505100234	RC461B LED34S/930 PSD W30L120 VPC PIP	120 degree(s)	3000 K	Polycarbonate bowl/cover	≥90
910505100235	RC461B LED40S/940 PSD W30L120 VPC PIP	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90
910505100238	RC461B LED40S/940 PSD W30L120 VPC W	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90
910505100241	RC461B LED34S/940 PSD W30L120 VPC PIP	120 degree(s)	4000 K	Polycarbonate bowl/cover	≥90
910505101666	RC461B LED80S/TW9 DIA W30L120 VPC PIP	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505101667	RC461B LED80S/TW9 DIA W30L120 VPC PIP SC	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505101669	RC461B LED28S/ BU840 PSD W30L120 VPC PIP	120 degree(s)	4000 K	-	≥80
910505101670	RC461B LED28S/ BU840 PSD W30L120 VPCPIPSC	120 degree(s)	4000 K	-	≥80

Order Code	Full Product Name	Beam angle of light source	Correlated Color Temperature (Nom)	Optical cover type	Color rendering index (CRI)
910505101675	RC461B LED28S/ BU840 PSD W30L120 PCV PIP	120 degree(s)	4000 K	-	≥80
910505101676	RC461B LED28S/ BU840 PSD W30L120 PCVPIPSC	120 degree(s)	4000 K	-	≥80
910505103384	RC461B 80S/TW9 SIA W30L120 VPC IA4 PIPSC	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505103387	RC461B LED80S/TW9 SIA W30L120 VPC IA4PIP	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505103391	RC461B 80S/ TWBU SIA W30L120 VPC IA4PIPSC	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505103394	RC461B 80S/ TWBU SIA W30L120 VPC IA4 PIP	120 degree(s)	Tunable white 2700-6500 K	-	≥90
910505103619	RC461B 28S/840 PSD W30L120 VPC PIP UE	120 degree(s)	4000 K	-	≥80
910505103621	RC461B 28S/840 PSD W30L120 VPC PIP SC UE	120 degree(s)	4000 K	-	≥80
910505103623	RC461B 34S/840 PSD W30L120 VPC PIP UE	120 degree(s)	4000 K	-	≥80
910505103625	RC461B 34S/840 SRD W30L120 VPC IA4 PIPUE	120 degree(s)	4000 K	-	≥80
910505103627	RC461B 34S/840 PSD W30L120 VPC PIP SC UE	120 degree(s)	4000 K	-	≥80
910505103629	RC461B 34S/840 SRD W30L120 VPC IA4 SC UE	120 degree(s)	4000 K	-	≥80
910505103631	RC461B 40S/840 PSD W30L120 VPC PIP UE	120 degree(s)	4000 K	-	≥80
910505103633	RC461B 40S/840 SRD W30L120 VPC IA4 PIPUE	120 degree(s)	4000 K	-	≥80
910505103635	RC461B 40S/840 PSD W30L120 VPC PIP SC UE	120 degree(s)	4000 K	-	≥80
910505103637	RC461B 40S/840 SRD W30L120 VPC IA4 SC UE	120 degree(s)	4000 K	-	≥80
910505101727	RC461B LED34S/940 SRD W30L120 VPC IA4 W	- degree(s)	4000 K	-	≥90
910505101728	RC463B LED34S/940 SRD W31L125 VPC IA4PIP	- degree(s)	4000 K	-	≥90
910505101729	RC463B LED40S/940 SRD W31L125 VPC IA4PIP	- degree(s)	4000 K	-	≥90
910505101730	RC463B LED60S/940 SRD W31L125 VPC IA4PIP	- degree(s)	4000 K	-	≥90
910505101731	RC461B LED34S/940 SRD W30L120VPCI A4PIPSC	- degree(s)	4000 K	-	≥90
910505101710	RC461B LED34S/930 SRD W60L60 VPC U4 W	- degree(s)	3000 K	-	≥90
910505101711	RC461B LED34S/940 SRD W60L60 VPC U4 W	- degree(s)	4000 K	-	≥90
910505101712	RC461B LED40S/940	- degree(s)	4000 K	-	≥90

Order Code	Full Product Name	Beam angle of light source	Correlated Color Temperature (Nom)	Optical cover type	Color rendering index (CRI)
	SRD W60L60 VPC U4 W				
910505101713	RC463B LED28S/940 SRD W62L62 VPC U4 PIP	- degree(s)	4000 K	-	≥90
910505101714	RC463B LED34S/940 SRD W62L62 VPC U4 PIP	- degree(s)	4000 K	-	≥90
910505101715	RC463B LED40S/940 SRD W62L62 VPC U4 PIP	- degree(s)	4000 K	-	≥90
910505101716	RC463B LED60S/940 SRD W62L62 VPC U4 PIP	- degree(s)	4000 K	-	≥90
910505101717	RC461B LED34S/930	- degree(s)	3000 K	-	≥90

Order Code	Full Product Name	Beam angle of light source	Correlated Color Temperature (Nom)	Optical cover type	Color rendering index (CRI)
	SRD W60L60 VPC U4 PIP				
910505101718	RC461B LED34S/940 SRD W60L60 VPC U4 PIP	- degree(s)	4000 K	-	≥90
910505101719	RC461B LED34S/930 SRD W60L60 VPC U4PIPSC	- degree(s)	3000 K	-	≥90
910505101720	RC461B LED34S/940 SRD W60L60 VPC U4PIPSC	- degree(s)	4000 K	-	≥90
910505101721	RC461B LED34S/940 SRD W60L60 VPC U4 W SC	- degree(s)	4000 K	-	≥90
910505101722	RC461B LED40S/940 SRD W60L60 VPC U4PIPSC	- degree(s)	4000 K	-	≥90

Light Technical (2/2)

Order Code	Full Product Name	Luminous Efficacy (rated) (Nom)	Luminous Flux	Number of light sources
910505100265	RC461B LED34S/940 PSD W60L60 CPC W	139 lm/W	3,400 lm	1
910505100271	RC463B LED34S/940 PSD W62L62 CPC W	139 lm/W	3,400 lm	1
910505100425	RC463B LED34S/940 PSD W62L62 CPC PIP	139 lm/W	3,400 lm	-
910505100426	RC463B LED40S/940 PSD W62L62 CPC PIP	143 lm/W	4,000 lm	-
910505100489	RC463B LED34S/930 PSD W62L62 CPC PIP	133 lm/W	3,400 lm	-
910505100490	RC463B LED40S/930 PSD W62L62 CPC PIP	136 lm/W	4,000 lm	-
910505100277	RC461B LED34S/940 PSD W60L60 PCV PIP	139 lm/W	3,400 lm	1
910505100251	RC463B LED28S/940 PSD W62L62 VPC W	147 lm/W	2,800 lm	1
910505100259	RC463B LED34S/940 PSD W62L62 VPC W	139 lm/W	3,400 lm	1
910505100278	RC463B LED40S/940 PSD W62L62 VPC PIP	143 lm/W	4,000 lm	1

Order Code	Full Product Name	Luminous Efficacy (rated) (Nom)	Luminous Flux	Number of light sources
910505100416	RC463B LED28S/940 PSD W62L62 VPC PIP	147 lm/W	2,800 lm	-
910505100417	RC463B LED34S/940 PSD W62L62 VPC PIP	139 lm/W	3,400 lm	-
910505100418	RC463B LED34S/930 PSD W62L62 VPC PIP	133 lm/W	3,400 lm	-
910505100488	RC463B LED28S/930 PSD W62L62 VPC PIP	137 lm/W	2,800 lm	-
910505101680	RC463B LED80S/TW9 DIA W62L62 VPC PIP	130 lm/W	7,700 lm	-
910505101681	RC468B LED80S/TW9 DIA W67L67 VPC PIP	130 lm/W	7,700 lm	-
910505101684	RC463B LED28S/BU840 PSD W62L62 VPC PIP	122 lm/W	2,800 lm	-
910505101685	RC468B LED28S/BU840 PSD W67L67 VPC PIP	122 lm/W	2,800 lm	-
910505101688	RC463B LED80S/TW9 DIA W62L62 CPC W	130 lm/W	7,700 lm	-
910505101689	RC468B LED80S/TW9 DIA W67L67 VPC W	130 lm/W	7,700 lm	-

Order Code	Full Product Name	Luminous Efficacy (rated) (Nom)	Luminous Flux	Number of light sources
910505101692	RC463B LED40S/BU840 PSD W62L62 CPC W	119 lm/W	4,000 lm	-
910505101693	RC468B LED40S/BU840 PSD W67L67 VPC W	119 lm/W	4,000 lm	-
910505103386	RC463B LED80S/TW9 SIA W62L62 VPC U4 PIP	130 lm/W	7,700 lm	-
910505103393	RC463B LED80S/TWBU SIA W62L62 VPC U4 PIP	130 lm/W	7,700 lm	-
910505103639	RC463B 28S/840 PSD W62L62 VPC PIP UE	173 lm/W	2,800 lm	-
910505103640	RC463B 34S/840 PSD W62L62 VPC PIP UE	172 lm/W	3,400 lm	-
910505103641	RC463B 34S/840 SRD W62L62 VPC U4 PIP UE	172 lm/W	3,400 lm	-
910505103642	RC463B 40S/840 PSD W62L62 VPC PIP UE	174 lm/W	4,000 lm	-
910505103643	RC463B 40S/840 SRD W62L62 VPC U4 PIP UE	174 lm/W	4,000 lm	-
910505100419	RC463B LED40S/930 PSD W62L62 VPC PIP	136 lm/W	4,000 lm	-
910505100245	RC461B LED34S/940 PSD W60L60 VPC PIP	139 lm/W	3,400 lm	1
910505100249	RC461B LED40S/940 PSD W60L60 VPC W	143 lm/W	4,000 lm	1
910505100250	RC461B LED40S/940 PSD W60L60 VPC PIP	143 lm/W	4,000 lm	1
910505100252	RC461B LED40S/940 PSD W60L60 VPC ELD3 P	143 lm/W	4,000 lm	1
910505100256	RC461B LED34S/940 PSD W60L60 VPC W	139 lm/W	3,400 lm	1
910505100261	RC461B LED40S/930 PSD W60L60 VPC W	136 lm/W	4,000 lm	1
910505100266	RC461B LED40S/940 PSD W60L60 VPC W AIR	143 lm/W	4,000 lm	1
910505100269	RC461B LED34S/930 PSU W60L60 VPC PIP	133 lm/W	3,400 lm	1
910505100270	RC461B LED34S/940 PSD W60L60 VPC W SC	139 lm/W	3,400 lm	1
910505100595	RC461B LED40S/930 PSD W60L60 VPC PIP	136 lm/W	4,000 lm	-
910505101678	RC461B LED80S/TW9 DIA W60L60 VPC PIP	130 lm/W	7,700 lm	-
910505101679	RC461B LED80S/TW9 DIA W60L60 VPC PIP SC	130 lm/W	7,700 lm	-
910505101682	RC461B LED28S/BU840 PSD W60L60 VPC PIP	122 lm/W	2,800 lm	-
910505101683	RC461B LED28S/BU840 PSD W60L60 VPC PIPSC	122 lm/W	2,800 lm	-
910505101690	RC461B LED40S/BU840 PSD W60L60 PCV W	119 lm/W	4,000 lm	-
910505101691	RC461B LED40S/BU840 PSD W60L60 PCV W SC	119 lm/W	4,000 lm	-
910505103383	RC461B LED80S/TW9 SIA W60L60 VPC U4 PIP	130 lm/W	7,700 lm	-
910505103385	RC461B 80S/TW9 SIA W60L60 VPC U4 PIP SC	130 lm/W	7,700 lm	-
910505103390	RC461B LED80S/TWBU SIA W60L60 VPC U4 PIP	130 lm/W	7,700 lm	-
910505103392	RC461B 80S/TWBU SIA W60L60 VPC U4 PIP SC	130 lm/W	7,700 lm	-
910505103620	RC461B 28S/840 PSD W60L60 VPC PIP UE	173 lm/W	2,800 lm	-
910505103622	RC461B 28S/840 PSD W60L60 VPC PIP SC UE	173 lm/W	2,800 lm	-
910505103624	RC461B 34S/840 PSD W60L60 VPC PIP UE	172 lm/W	3,400 lm	-
910505103626	RC461B 34S/840 SRD W60L60 VPC U4 PIP UE	172 lm/W	3,400 lm	-
910505103628	RC461B 34S/840 PSD W60L60 VPC PIP SC UE	172 lm/W	3,400 lm	-
910505103630	RC461B 34S/840 SRD W60L60 VPC U4PIP SCUE	172 lm/W	3,400 lm	-
910505103632	RC461B 40S/840 PSD W60L60 VPC PIP UE	174 lm/W	4,000 lm	-
910505103634	RC461B 40S/840 SRD W60L60 VPC U4 PIP UE	174 lm/W	4,000 lm	-
910505103636	RC461B 40S/840 PSD W60L60 VPC PIP SC UE	174 lm/W	4,000 lm	-
910505103638	RC461B 40S/840 SRD W60L60 VPC U4PIP SCUE	174 lm/W	4,000 lm	-
910505100236	RC463B LED40S/940 PSD W31L125 CPC PIP	143 lm/W	4,000 lm	1
910505100422	RC463B LED34S/930 PSD W31L125 VPC PIP	133 lm/W	3,400 lm	-
910505100423	RC463B LED40S/940 PSD W31L125 VPC PIP	143 lm/W	4,000 lm	-
910505100424	RC463B LED40S/930 PSD W31L125 VPC PIP	136 lm/W	4,000 lm	-
910505100427	RC463B LED34S/940 PSD W31L125 CPC PIP	139 lm/W	3,400 lm	-
910505101668	RC463B LED80S/TW9 DIA W31L125 VPC PIP	130 lm/W	7,700 lm	-
910505101671	RC463B LED28S/BU840 PSD W31L125 VPC PIP	122 lm/W	2,800 lm	-
910505101674	RC463B LED80S/TW9 DIA W31L125 CPC PIP	130 lm/W	7,700 lm	-
910505101677	RC463B LED28S/BU840 PSD W31L125 CPC PIP	122 lm/W	2,800 lm	-
910505103388	RC463B LED80S/TW9 SIA W31L125 VPC IA4PIP	130 lm/W	7,700 lm	-

Order Code	Full Product Name	Luminous Efficacy (rated) (Nom)	Luminous Flux	Number of light sources
910505103395	RC463B 80S/TWBU SIA W31L125 VPC IA4 PIP	130 lm/W	7,700 lm	-
910505103644	RC463B 34S/840 PSD W31L125 VPC PIP UE	172 lm/W	3,400 lm	-
910505103645	RC463B 34S/840 SRD W31L125 VPC IA4 PIPUE	172 lm/W	3,400 lm	-
910505103646	RC463B 40S/840 PSD W31L125 VPC PIP UE	174 lm/W	4,000 lm	-
910505103647	RC463B 40S/840 SRD W31L125 VPC IA4 PIPUE	174 lm/W	4,000 lm	-
910505100232	RC461B LED34S/940 PSD W30L120 VPC W	139 lm/W	3,400 lm	1
910505100234	RC461B LED34S/930 PSD W30L120 VPC PIP	133 lm/W	3,400 lm	1
910505100235	RC461B LED40S/940 PSD W30L120 VPC PIP	143 lm/W	4,000 lm	1
910505100238	RC461B LED40S/940 PSD W30L120 VPC W	128 lm/W	4,000 lm	1
910505100241	RC461B LED34S/940 PSD W30L120 VPC PIP	139 lm/W	3,400 lm	1
910505101666	RC461B LED80S/TW9 DIA W30L120 VPC PIP	130 lm/W	7,700 lm	-
910505101667	RC461B LED80S/TW9 DIA W30L120 VPC PIP SC	130 lm/W	7,700 lm	-
910505101669	RC461B LED28S/BU840 PSD W30L120 VPC PIP	122 lm/W	2,800 lm	-
910505101670	RC461B LED28S/BU840 PSD W30L120 VPCPIPSC	122 lm/W	2,800 lm	-
910505101675	RC461B LED28S/BU840 PSD W30L120 PCV PIP	122 lm/W	2,800 lm	-
910505101676	RC461B LED28S/BU840 PSD W30L120 PCVPIPSC	122 lm/W	2,800 lm	-
910505103384	RC461B 80S/TW9 SIA W30L120 VPC IA4 PIPSC	130 lm/W	7,700 lm	-
910505103387	RC461B LED80S/TW9 SIA W30L120 VPC IA4PIP	130 lm/W	7,700 lm	-
910505103391	RC461B 80S/TWBU SIA W30L120 VPC IA4PIPSC	130 lm/W	7,700 lm	-
910505103394	RC461B 80S/TWBU SIA W30L120 VPC IA4 PIP	130 lm/W	7,700 lm	-
910505103619	RC461B 28S/840 PSD W30L120 VPC PIP UE	173 lm/W	2,800 lm	-
910505103621	RC461B 28S/840 PSD W30L120 VPC PIP SC UE	173 lm/W	2,800 lm	-
910505103623	RC461B 34S/840 PSD W30L120 VPC PIP UE	172 lm/W	3,400 lm	-
910505103625	RC461B 34S/840 SRD W30L120 VPC IA4 PIPUE	172 lm/W	3,400 lm	-
910505103627	RC461B 34S/840 PSD W30L120 VPC PIP SC UE	172 lm/W	3,400 lm	-
910505103629	RC461B 34S/840 SRD W30L120 VPC IA4 SC UE	172 lm/W	3,400 lm	-
910505103631	RC461B 40S/840 PSD W30L120 VPC PIP UE	174 lm/W	4,000 lm	-
910505103633	RC461B 40S/840 SRD W30L120 VPC IA4 PIPUE	174 lm/W	4,000 lm	-
910505103635	RC461B 40S/840 PSD W30L120 VPC PIP SC UE	174 lm/W	4,000 lm	-
910505103637	RC461B 40S/840 SRD W30L120 VPC IA4 SC UE	174 lm/W	4,000 lm	-
910505101727	RC461B LED34S/940 SRD W30L120 VPC IA4 W	142 lm/W	3,400 lm	-
910505101728	RC463B LED34S/940 SRD W31L125 VPC IA4PIP	142 lm/W	3,400 lm	-
910505101729	RC463B LED40S/940 SRD W31L125 VPC IA4PIP	143 lm/W	4,000 lm	-
910505101730	RC463B LED60S/940 SRD W31L125 VPC IA4PIP	133 lm/W	6,000 lm	-
910505101731	RC461B LED34S/940 SRD W30L120VPCIA4PIPSC	142 lm/W	3,400 lm	-
910505101710	RC461B LED34S/930 SRD W60L60 VPC U4 W	133 lm/W	3,400 lm	-
910505101711	RC461B LED34S/940 SRD W60L60 VPC U4 W	142 lm/W	3,400 lm	-
910505101712	RC461B LED40S/940 SRD W60L60 VPC U4 W	143 lm/W	4,000 lm	-
910505101713	RC463B LED28S/940 SRD W62L62 VPC U4 PIP	147 lm/W	2,800 lm	-
910505101714	RC463B LED34S/940 SRD W62L62 VPC U4 PIP	142 lm/W	3,400 lm	-
910505101715	RC463B LED40S/940 SRD W62L62 VPC U4 PIP	143 lm/W	4,000 lm	-
910505101716	RC463B LED60S/940 SRD W62L62 VPC U4 PIP	133 lm/W	6,000 lm	-
910505101717	RC461B LED34S/930 SRD W60L60 VPC U4 PIP	133 lm/W	3,400 lm	-
910505101718	RC461B LED34S/940 SRD W60L60 VPC U4 PIP	142 lm/W	3,400 lm	-
910505101719	RC461B LED34S/930 SRD W60L60 VPC U4PIPSC	133 lm/W	3,400 lm	-
910505101720	RC461B LED34S/940 SRD W60L60 VPC U4PIPSC	142 lm/W	3,400 lm	-
910505101721	RC461B LED34S/940 SRD W60L60 VPC U4 W SC	142 lm/W	3,400 lm	-
910505101722	RC461B LED40S/940 SRD W60L60 VPC U4PIPSC	143 lm/W	4,000 lm	-

Operating and Electrical

PowerBalance gen2

Order Code	Full Product Name	Power Consumption
910505100265	RC461B LED34S/940 PSD W60L60 CPC W	24 W
910505100271	RC463B LED34S/940 PSD W62L62 CPC W	24 W
910505100425	RC463B LED34S/940 PSD W62L62 CPC PIP	24 W
910505100426	RC463B LED40S/940 PSD W62L62 CPC PIP	28 W
910505100489	RC463B LED34S/930 PSD W62L62 CPC PIP	25.5 W
910505100490	RC463B LED40S/930 PSD W62L62 CPC PIP	29.5 W
910505100277	RC461B LED34S/940 PSD W60L60 PCV PIP	24 W
910505100251	RC463B LED28S/940 PSD W62L62 VPC W	19 W
910505100259	RC463B LED34S/940 PSD W62L62 VPC W	24 W
910505100278	RC463B LED40S/940 PSD W62L62 VPC PIP	28 W
910505100416	RC463B LED28S/940 PSD W62L62 VPC PIP	19 W
910505100417	RC463B LED34S/940 PSD W62L62 VPC PIP	24 W
910505100418	RC463B LED34S/930 PSD W62L62 VPC PIP	25.5 W
910505100488	RC463B LED28S/930 PSD W62L62 VPC PIP	20.5 W
910505101680	RC463B LED80S/TW9 DIA W62L62 VPC PIP	64 W
910505101681	RC468B LED80S/TW9 DIA W67L67 VPC PIP	64 W
910505101684	RC463B LED28S/BU840 PSD W62L62 VPC PIP	23 W
910505101685	RC468B LED28S/BU840 PSD W67L67 VPC PIP	23 W
910505101688	RC463B LED80S/TW9 DIA W62L62 CPC W	64 W
910505101689	RC468B LED80S/TW9 DIA W67L67 VPC W	64 W
910505101692	RC463B LED40S/BU840 PSD W62L62 CPC W	33.5 W
910505101693	RC468B LED40S/BU840 PSD W67L67 VPC W	33.5 W
910505103386	RC463B LED80S/TW9 SIA W62L62 VPC U4 PIP	64 W
910505103393	RC463B LED80S/TWBU SIA W62L62 VPC U4 PIP	64 W
910505103639	RC463B 28S/840 PSD W62L62 VPC PIP UE	16.2 W
910505103640	RC463B 34S/840 PSD W62L62 VPC PIP UE	19.8 W
910505103641	RC463B 34S/840 SRD W62L62 VPC U4 PIP UE	19.8 W
910505103642	RC463B 40S/840 PSD W62L62 VPC PIP UE	23 W
910505103643	RC463B 40S/840 SRD W62L62 VPC U4 PIP UE	23 W
910505100419	RC463B LED40S/930 PSD W62L62 VPC PIP	29.5 W
910505100245	RC461B LED34S/940 PSD W60L60 VPC PIP	24 W
910505100249	RC461B LED40S/940 PSD W60L60 VPC W	28 W
910505100250	RC461B LED40S/940 PSD W60L60 VPC PIP	28 W
910505100252	RC461B LED40S/940 PSD W60L60 VPC ELD3 P	28 W
910505100256	RC461B LED34S/940 PSD W60L60 VPC W	24 W
910505100261	RC461B LED40S/930 PSD W60L60 VPC W	29.5 W
910505100266	RC461B LED40S/940 PSD W60L60 VPC W AIR	28 W
910505100269	RC461B LED34S/930 PSU W60L60 VPC PIP	25.5 W
910505100270	RC461B LED34S/940 PSD W60L60 VPC W SC	24 W
910505100595	RC461B LED40S/930 PSD W60L60 VPC PIP	29.5 W
910505101678	RC461B LED80S/TW9 DIA W60L60 VPC PIP	64 W
910505101679	RC461B LED80S/TW9 DIA W60L60 VPC PIP SC	64 W
910505101682	RC461B LED28S/BU840 PSD W60L60 VPC PIP	23 W
910505101683	RC461B LED28S/BU840 PSD W60L60 VPC PIPSC	23 W
910505101690	RC461B LED40S/BU840 PSD W60L60 PCV W	33.5 W
910505101691	RC461B LED40S/BU840 PSD W60L60 PCV W SC	33.5 W
910505103383	RC461B LED80S/TW9 SIA W60L60 VPC U4 PIP	64 W
910505103385	RC461B 80S/TW9 SIA W60L60 VPC U4 PIP SC	64 W
910505103390	RC461B LED80S/TWBU SIA W60L60 VPC U4 PIP	64 W
910505103392	RC461B 80S/TWBU SIA W60L60 VPC U4 PIP SC	64 W
910505103620	RC461B 28S/840 PSD W60L60 VPC PIP UE	16.2 W

Order Code	Full Product Name	Power Consumption
910505103622	RC461B 28S/840 PSD W60L60 VPC PIP SC UE	16.2 W
910505103624	RC461B 34S/840 PSD W60L60 VPC PIP UE	19.8 W
910505103626	RC461B 34S/840 SRD W60L60 VPC U4 PIP UE	19.8 W
910505103628	RC461B 34S/840 PSD W60L60 VPC PIP SC UE	19.8 W
910505103630	RC461B 34S/840 SRD W60L60 VPC U4PIP SCUE	19.8 W
910505103632	RC461B 40S/840 PSD W60L60 VPC PIP UE	23 W
910505103634	RC461B 40S/840 SRD W60L60 VPC U4 PIP UE	23 W
910505103636	RC461B 40S/840 PSD W60L60 VPC PIP SC UE	23 W
910505103638	RC461B 40S/840 SRD W60L60 VPC U4PIP SCUE	23 W
910505100236	RC463B LED40S/940 PSD W31L125 CPC PIP	28 W
910505100422	RC463B LED34S/930 PSD W31L125 VPC PIP	25.5 W
910505100423	RC463B LED40S/940 PSD W31L125 VPC PIP	28 W
910505100424	RC463B LED40S/930 PSD W31L125 VPC PIP	29.5 W
910505100427	RC463B LED34S/940 PSD W31L125 CPC PIP	24 W
910505101668	RC463B LED80S/TW9 DIA W31L125 VPC PIP	64 W
910505101671	RC463B LED28S/BU840 PSD W31L125 VPC PIP	23 W
910505101674	RC463B LED80S/TW9 DIA W31L125 CPC PIP	64 W
910505101677	RC463B LED28S/BU840 PSD W31L125 CPC PIP	23 W
910505103388	RC463B LED80S/TW9 SIA W31L125 VPC IA4PIP	64 W
910505103395	RC463B 80S/TWBU SIA W31L125 VPC IA4 PIP	64 W
910505103644	RC463B 34S/840 PSD W31L125 VPC PIP UE	19.8 W
910505103645	RC463B 34S/840 SRD W31L125 VPC IA4 PIPUE	19.8 W
910505103646	RC463B 40S/840 PSD W31L125 VPC PIP UE	23 W
910505103647	RC463B 40S/840 SRD W31L125 VPC IA4 PIPUE	23 W
910505100232	RC461B LED34S/940 PSD W30L120 VPC W	24 W
910505100234	RC461B LED34S/930 PSD W30L120 VPC PIP	25.5 W
910505100235	RC461B LED40S/940 PSD W30L120 VPC PIP	28 W
910505100238	RC461B LED40S/940 PSD W30L120 VPC W	28 W
910505100241	RC461B LED34S/940 PSD W30L120 VPC PIP	24 W
910505101666	RC461B LED80S/TW9 DIA W30L120 VPC PIP	64 W
910505101667	RC461B LED80S/TW9 DIA W30L120 VPC PIP SC	64 W
910505101669	RC461B LED28S/BU840 PSD W30L120 VPC PIP	23 W
910505101670	RC461B LED28S/BU840 PSD W30L120 VPCPIPSC	23 W
910505101675	RC461B LED28S/BU840 PSD W30L120 PCV PIP	23 W
910505101676	RC461B LED28S/BU840 PSD W30L120 PCVPIPSC	23 W
910505103384	RC461B 80S/TW9 SIA W30L120 VPC IA4 PIPSC	64 W
910505103387	RC461B LED80S/TW9 SIA W30L120 VPC IA4PIP	64 W
910505103391	RC461B 80S/TWBU SIA W30L120 VPC IA4PIPSC	64 W
910505103394	RC461B 80S/TWBU SIA W30L120 VPC IA4 PIP	64 W
910505103619	RC461B 28S/840 PSD W30L120 VPC PIP UE	16.2 W
910505103621	RC461B 28S/840 PSD W30L120 VPC PIP SC UE	16.2 W
910505103623	RC461B 34S/840 PSD W30L120 VPC PIP UE	19.8 W
910505103625	RC461B 34S/840 SRD W30L120 VPC IA4 PIPUE	19.8 W
910505103627	RC461B 34S/840 PSD W30L120 VPC PIP SC UE	19.8 W
910505103629	RC461B 34S/840 SRD W30L120 VPC IA4 SC UE	19.8 W
910505103631	RC461B 40S/840 PSD W30L120 VPC PIP UE	23 W
910505103633	RC461B 40S/840 SRD W30L120 VPC IA4 PIPUE	23 W
910505103635	RC461B 40S/840 PSD W30L120 VPC PIP SC UE	23 W
910505103637	RC461B 40S/840 SRD W30L120 VPC IA4 SC UE	23 W
910505101727	RC461B LED34S/940 SRD W30L120 VPC IA4 W	24 W
910505101728	RC463B LED34S/940 SRD W31L125 VPC IA4PIP	24 W
910505101729	RC463B LED40S/940 SRD W31L125 VPC IA4PIP	28 W

Order Code	Full Product Name	Power Consumption
910505101730	RC463B LED60S/940 SRD W31L125 VPC IA4PIP	45 W
910505101731	RC461B LED34S/940 SRD W30L120VPCIA4PIPSC	24 W
910505101710	RC461B LED34S/930 SRD W60L60 VPC U4 W	25.5 W
910505101711	RC461B LED34S/940 SRD W60L60 VPC U4 W	24 W
910505101712	RC461B LED40S/940 SRD W60L60 VPC U4 W	28 W
910505101713	RC463B LED28S/940 SRD W62L62 VPC U4 PIP	19 W
910505101714	RC463B LED34S/940 SRD W62L62 VPC U4 PIP	24 W
910505101715	RC463B LED40S/940 SRD W62L62 VPC U4 PIP	28 W

Order Code	Full Product Name	Power Consumption
910505101716	RC463B LED60S/940 SRD W62L62 VPC U4 PIP	45 W
910505101717	RC461B LED34S/930 SRD W60L60 VPC U4 PIP	25.5 W
910505101718	RC461B LED34S/940 SRD W60L60 VPC U4 PIP	24 W
910505101719	RC461B LED34S/930 SRD W60L60 VPC U4PIPSC	25.5 W
910505101720	RC461B LED34S/940 SRD W60L60 VPC U4PIPSC	24 W
910505101721	RC461B LED34S/940 SRD W60L60 VPC U4 W SC	24 W
910505101722	RC461B LED40S/940 SRD W60L60 VPC U4PIPSC	28 W

Controls and Dimming

Order Code	Full Product Name	Dimmable
910505100265	RC461B LED34S/940 PSD W60L60 CPC W	Yes
910505100271	RC463B LED34S/940 PSD W62L62 CPC W	Yes
910505100425	RC463B LED34S/940 PSD W62L62 CPC PIP	Yes
910505100426	RC463B LED40S/940 PSD W62L62 CPC PIP	Yes
910505100489	RC463B LED34S/930 PSD W62L62 CPC PIP	Yes
910505100490	RC463B LED40S/930 PSD W62L62 CPC PIP	Yes
910505100277	RC461B LED34S/940 PSD W60L60 PCV PIP	Yes
910505100251	RC463B LED28S/940 PSD W62L62 VPC W	Yes
910505100259	RC463B LED34S/940 PSD W62L62 VPC W	Yes
910505100278	RC463B LED40S/940 PSD W62L62 VPC PIP	Yes
910505100416	RC463B LED28S/940 PSD W62L62 VPC PIP	Yes
910505100417	RC463B LED34S/940 PSD W62L62 VPC PIP	Yes
910505100418	RC463B LED34S/930 PSD W62L62 VPC PIP	Yes
910505100488	RC463B LED28S/930 PSD W62L62 VPC PIP	Yes
910505101680	RC463B LED80S/TW9 DIA W62L62 VPC PIP	Yes
910505101681	RC468B LED80S/TW9 DIA W67L67 VPC PIP	Yes
910505101684	RC463B LED28S/BU840 PSD W62L62 VPC PIP	Yes
910505101685	RC468B LED28S/BU840 PSD W67L67 VPC PIP	Yes
910505101688	RC463B LED80S/TW9 DIA W62L62 CPC W	Yes
910505101689	RC468B LED80S/TW9 DIA W67L67 VPC W	Yes
910505101692	RC463B LED40S/BU840 PSD W62L62 CPC W	Yes
910505101693	RC468B LED40S/BU840 PSD W67L67 VPC W	Yes
910505103386	RC463B LED80S/TW9 SIA W62L62 VPC U4 PIP	Yes
910505103393	RC463B LED80S/TWBU SIA W62L62 VPC U4 PIP	Yes
910505103639	RC463B 28S/840 PSD W62L62 VPC PIP UE	Yes
910505103640	RC463B 34S/840 PSD W62L62 VPC PIP UE	Yes
910505103641	RC463B 34S/840 SRD W62L62 VPC U4 PIP UE	Yes
910505103642	RC463B 40S/840 PSD W62L62 VPC PIP UE	Yes
910505103643	RC463B 40S/840 SRD W62L62 VPC U4 PIP UE	Yes
910505100419	RC463B LED40S/930 PSD W62L62 VPC PIP	Yes
910505100245	RC461B LED34S/940 PSD W60L60 VPC PIP	Yes
910505100249	RC461B LED40S/940 PSD W60L60 VPC W	Yes
910505100250	RC461B LED40S/940 PSD W60L60 VPC PIP	Yes
910505100252	RC461B LED40S/940 PSD W60L60 VPC ELD3 P	Yes
910505100256	RC461B LED34S/940 PSD W60L60 VPC W	Yes
910505100261	RC461B LED40S/930 PSD W60L60 VPC W	Yes
910505100266	RC461B LED40S/940 PSD W60L60 VPC W AIR	Yes
910505100269	RC461B LED34S/930 PSU W60L60 VPC PIP	No
910505100270	RC461B LED34S/940 PSD W60L60 VPC W SC	Yes
910505100595	RC461B LED40S/930 PSD W60L60 VPC PIP	Yes

Order Code	Full Product Name	Dimmable
910505101678	RC461B LED80S/TW9 DIA W60L60 VPC PIP	Yes
910505101679	RC461B LED80S/TW9 DIA W60L60 VPC PIP SC	Yes
910505101682	RC461B LED28S/BU840 PSD W60L60 VPC PIP	Yes
910505101683	RC461B LED28S/BU840 PSD W60L60 VPC PIPSC	Yes
910505101690	RC461B LED40S/BU840 PSD W60L60 PCV W	Yes
910505101691	RC461B LED40S/BU840 PSD W60L60 PCV W SC	Yes
910505103383	RC461B LED80S/TW9 SIA W60L60 VPC U4 PIP	Yes
910505103385	RC461B 80S/TW9 SIA W60L60 VPC U4 PIP SC	Yes
910505103390	RC461B LED80S/TWBU SIA W60L60 VPC U4 PIP	Yes
910505103392	RC461B 80S/TWBU SIA W60L60 VPC U4 PIP SC	Yes
910505103620	RC461B 28S/840 PSD W60L60 VPC PIP UE	Yes
910505103622	RC461B 28S/840 PSD W60L60 VPC PIP SC UE	Yes
910505103624	RC461B 34S/840 PSD W60L60 VPC PIP UE	Yes
910505103626	RC461B 34S/840 SRD W60L60 VPC U4 PIP UE	Yes
910505103628	RC461B 34S/840 PSD W60L60 VPC PIP SC UE	Yes
910505103630	RC461B 34S/840 SRD W60L60 VPC U4PIP SCUE	Yes
910505103632	RC461B 40S/840 PSD W60L60 VPC PIP UE	Yes
910505103634	RC461B 40S/840 SRD W60L60 VPC U4 PIP UE	Yes
910505103636	RC461B 40S/840 PSD W60L60 VPC PIP SC UE	Yes
910505103638	RC461B 40S/840 SRD W60L60 VPC U4PIP SCUE	Yes
910505100236	RC463B LED40S/940 PSD W31L125 CPC PIP	Yes
910505100422	RC463B LED34S/930 PSD W31L125 VPC PIP	Yes
910505100423	RC463B LED40S/940 PSD W31L125 VPC PIP	Yes
910505100424	RC463B LED40S/930 PSD W31L125 VPC PIP	Yes
910505100427	RC463B LED34S/940 PSD W31L125 CPC PIP	Yes
910505101668	RC463B LED80S/TW9 DIA W31L125 VPC PIP	Yes
910505101671	RC463B LED28S/BU840 PSD W31L125 VPC PIP	Yes
910505101674	RC463B LED80S/TW9 DIA W31L125 CPC PIP	Yes
910505101677	RC463B LED28S/BU840 PSD W31L125 CPC PIP	Yes
910505103388	RC463B LED80S/TW9 SIA W31L125 VPC IA4PIP	Yes
910505103395	RC463B 80S/TWBU SIA W31L125 VPC IA4 PIP	Yes
910505103644	RC463B 34S/840 PSD W31L125 VPC PIP UE	Yes
910505103645	RC463B 34S/840 SRD W31L125 VPC IA4 PIPUE	Yes
910505103646	RC463B 40S/840 PSD W31L125 VPC PIP UE	Yes
910505103647	RC463B 40S/840 SRD W31L125 VPC IA4 PIPUE	Yes
910505100232	RC461B LED34S/940 PSD W30L120 VPC W	Yes
910505100234	RC461B LED34S/930 PSD W30L120 VPC PIP	Yes
910505100235	RC461B LED40S/940 PSD W30L120 VPC PIP	Yes
910505100238	RC461B LED40S/940 PSD W30L120 VPC W	Yes
910505100241	RC461B LED34S/940 PSD W30L120 VPC PIP	Yes

Order Code	Full Product Name	Dimmable
910505101666	RC461B LED80S/TW9 DIA W30L120 VPC PIP	Yes
910505101667	RC461B LED80S/TW9 DIA W30L120 VPC PIP SC	Yes
910505101669	RC461B LED28S/BU840 PSD W30L120 VPC PIP	Yes
910505101670	RC461B LED28S/BU840 PSD W30L120 VPCPIPSC	Yes
910505101675	RC461B LED28S/BU840 PSD W30L120 PCV PIP	Yes
910505101676	RC461B LED28S/BU840 PSD W30L120 PCVPIPSC	Yes
910505103384	RC461B 80S/TW9 SIA W30L120 VPC IA4 PIPSC	Yes
910505103387	RC461B LED80S/TW9 SIA W30L120 VPC IA4PIP	Yes
910505103391	RC461B 80S/TWBU SIA W30L120 VPC IA4PIPSC	Yes
910505103394	RC461B 80S/TWBU SIA W30L120 VPC IA4 PIP	Yes
910505103619	RC461B 28S/840 PSD W30L120 VPC PIP UE	Yes
910505103621	RC461B 28S/840 PSD W30L120 VPC PIP SC UE	Yes
910505103623	RC461B 34S/840 PSD W30L120 VPC PIP UE	Yes
910505103625	RC461B 34S/840 SRD W30L120 VPC IA4 PIPUE	Yes
910505103627	RC461B 34S/840 PSD W30L120 VPC PIP SC UE	Yes
910505103629	RC461B 34S/840 SRD W30L120 VPC IA4 SC UE	Yes
910505103631	RC461B 40S/840 PSD W30L120 VPC PIP UE	Yes
910505103633	RC461B 40S/840 SRD W30L120 VPC IA4 PIPUE	Yes
910505103635	RC461B 40S/840 PSD W30L120 VPC PIP SC UE	Yes

Order Code	Full Product Name	Dimmable
910505103637	RC461B 40S/840 SRD W30L120 VPC IA4 SC UE	Yes
910505101727	RC461B LED34S/940 SRD W30L120 VPC IA4 W	Yes
910505101728	RC463B LED34S/940 SRD W31L125 VPC IA4PIP	Yes
910505101729	RC463B LED40S/940 SRD W31L125 VPC IA4PIP	Yes
910505101730	RC463B LED60S/940 SRD W31L125 VPC IA4PIP	Yes
910505101731	RC461B LED34S/940 SRD W30L120VPCIA4PIPSC	Yes
910505101710	RC461B LED34S/930 SRD W60L60 VPC U4 W	Yes
910505101711	RC461B LED34S/940 SRD W60L60 VPC U4 W	Yes
910505101712	RC461B LED40S/940 SRD W60L60 VPC U4 W	Yes
910505101713	RC463B LED28S/940 SRD W62L62 VPC U4 PIP	Yes
910505101714	RC463B LED34S/940 SRD W62L62 VPC U4 PIP	Yes
910505101715	RC463B LED40S/940 SRD W62L62 VPC U4 PIP	Yes
910505101716	RC463B LED60S/940 SRD W62L62 VPC U4 PIP	Yes
910505101717	RC461B LED34S/930 SRD W60L60 VPC U4 PIP	Yes
910505101718	RC461B LED34S/940 SRD W60L60 VPC U4 PIP	Yes
910505101719	RC461B LED34S/930 SRD W60L60 VPC U4PIPSC	Yes
910505101720	RC461B LED34S/940 SRD W60L60 VPC U4PIPSC	Yes
910505101721	RC461B LED34S/940 SRD W60L60 VPC U4 W SC	Yes
910505101722	RC461B LED40S/940 SRD W60L60 VPC U4PIPSC	Yes

Initial Performance (IEC Compliant)

Order Code	Full Product Name	Initial chromaticity
910505100265	RC461B LED34S/940 PSD W60L60 CPC W	(0.38, 0.38) SDCM <3
910505100271	RC463B LED34S/940 PSD W62L62 CPC W	(0.38, 0.38) SDCM <3
910505100425	RC463B LED34S/940 PSD W62L62 CPC PIP	(0.38, 0.38) SDCM <3
910505100426	RC463B LED40S/940 PSD W62L62 CPC PIP	(0.38, 0.38) SDCM <3
910505100489	RC463B LED34S/930 PSD W62L62 CPC PIP	(0.38, 0.38) SDCM <3
910505100490	RC463B LED40S/930 PSD W62L62 CPC PIP	(0.38, 0.38) SDCM <3
910505100277	RC461B LED34S/940 PSD W60L60 PCV PIP	(0.38, 0.38) SDCM <3
910505100251	RC463B LED28S/940 PSD W62L62 VPC W	(0.38, 0.38) SDCM <3
910505100259	RC463B LED34S/940 PSD W62L62 VPC W	(0.38, 0.38) SDCM <3
910505100278	RC463B LED40S/940 PSD W62L62 VPC PIP	(0.38, 0.38) SDCM <3
910505100416	RC463B LED28S/940 PSD W62L62 VPC PIP	(0.38, 0.38) SDCM <3
910505100417	RC463B LED34S/940 PSD W62L62 VPC PIP	(0.38, 0.38) SDCM <3
910505100418	RC463B LED34S/930 PSD W62L62 VPC PIP	(0.38, 0.38) SDCM <3
910505100488	RC463B LED28S/930 PSD W62L62 VPC PIP	(0.38, 0.38) SDCM <3
910505101680	RC463B LED80S/TW9 DIA W62L62 VPC PIP	(0.38, 0.38) SDCM <3
910505101681	RC468B LED80S/TW9 DIA W67L67 VPC PIP	(0.38, 0.38) SDCM <3
910505101684	RC463B LED28S/BU840 PSD W62L62 VPC PIP	(0.38, 0.38) SDCM <3
910505101685	RC468B LED28S/BU840 PSD W67L67 VPC PIP	(0.38, 0.38) SDCM <3
910505101688	RC463B LED80S/TW9 DIA W62L62 CPC W	(0.38, 0.38) SDCM <3
910505101689	RC468B LED80S/TW9 DIA W67L67 VPC W	(0.38, 0.38) SDCM <3
910505101692	RC463B LED40S/BU840 PSD W62L62 CPC W	(0.38, 0.38) SDCM <3
910505101693	RC468B LED40S/BU840 PSD W67L67 VPC W	(0.38, 0.38) SDCM <3
910505103386	RC463B LED80S/TW9 SIA W62L62 VPC U4 PIP	Tunable, SDCM <3
910505103393	RC463B LED80S/TWBU SIA W62L62 VPC U4 PIP	Tunable, SDCM <3
910505103639	RC463B 28S/840 PSD W62L62 VPC PIP UE	(0.384; 0.378)SDCM <3
910505103640	RC463B 34S/840 PSD W62L62 VPC PIP UE	(0.384; 0.378)SDCM <3
910505103641	RC463B 34S/840 SRD W62L62 VPC U4 PIP UE	(0.384; 0.378)SDCM <3
910505103642	RC463B 40S/840 PSD W62L62 VPC PIP UE	(0.384; 0.378)SDCM <3

Order Code	Full Product Name	Initial chromaticity
910505103643	RC463B 40S/840 SRD W62L62 VPC U4 PIP UE	(0.384; 0.378)SDCM <3
910505100419	RC463B LED40S/930 PSD W62L62 VPC PIP	(0.38, 0.38) SDCM <3
910505100245	RC461B LED34S/940 PSD W60L60 VPC PIP	(0.38, 0.38) SDCM <3
910505100249	RC461B LED40S/940 PSD W60L60 VPC W	(0.38, 0.38) SDCM <3
910505100250	RC461B LED40S/940 PSD W60L60 VPC PIP	(0.38, 0.38) SDCM <3
910505100252	RC461B LED40S/940 PSD W60L60 VPC ELD3 P	(0.38, 0.38) SDCM <3
910505100256	RC461B LED34S/940 PSD W60L60 VPC W	(0.38, 0.38) SDCM <3
910505100261	RC461B LED40S/930 PSD W60L60 VPC W	(0.38, 0.38) SDCM <3
910505100266	RC461B LED40S/940 PSD W60L60 VPC W AIR	(0.38, 0.38) SDCM <3
910505100269	RC461B LED34S/930 PSU W60L60 VPC PIP	(0.38, 0.38) SDCM <3
910505100270	RC461B LED34S/940 PSD W60L60 VPC W SC	(0.38, 0.38) SDCM <3
910505100595	RC461B LED40S/930 PSD W60L60 VPC PIP	(0.38, 0.38) SDCM <3
910505101678	RC461B LED80S/TW9 DIA W60L60 VPC PIP	(0.38, 0.38) SDCM <3
910505101679	RC461B LED80S/TW9 DIA W60L60 VPC PIP SC	(0.38, 0.38) SDCM <3
910505101682	RC461B LED28S/BU840 PSD W60L60 VPC PIP	(0.38, 0.38) SDCM <3
910505101683	RC461B LED28S/BU840 PSD W60L60 VPC PIPSC	(0.38, 0.38) SDCM <3
910505101690	RC461B LED40S/BU840 PSD W60L60 PCV W	(0.38, 0.38) SDCM <3
910505101691	RC461B LED40S/BU840 PSD W60L60 PCV W SC	(0.38, 0.38) SDCM <3
910505103383	RC461B LED80S/TW9 SIA W60L60 VPC U4 PIP	Tunable, SDCM <3
910505103385	RC461B 80S/TW9 SIA W60L60 VPC U4 PIP SC	Tunable, SDCM <3
910505103390	RC461B LED80S/TWBU SIA W60L60 VPC U4 PIP	Tunable, SDCM <3
910505103392	RC461B 80S/TWBU SIA W60L60 VPC U4 PIP SC	Tunable, SDCM <3
910505103620	RC461B 28S/840 PSD W60L60 VPC PIP UE	(0.384; 0.378)SDCM <3

Order Code	Full Product Name	Initial chromaticity
910505103622	RC461B 28S/840 PSD W60L60 VPC PIP SC UE	(0.384; 0.378)SDCM <3
910505103624	RC461B 34S/840 PSD W60L60 VPC PIP UE	(0.384; 0.378)SDCM <3
910505103626	RC461B 34S/840 SRD W60L60 VPC U4 PIP UE	(0.384; 0.378)SDCM <3
910505103628	RC461B 34S/840 PSD W60L60 VPC PIP SC UE	(0.384; 0.378)SDCM <3
910505103630	RC461B 34S/840 SRD W60L60 VPC U4PIP SCUE	(0.384; 0.378)SDCM <3
910505103632	RC461B 40S/840 PSD W60L60 VPC PIP UE	(0.384; 0.378)SDCM <3
910505103634	RC461B 40S/840 SRD W60L60 VPC U4 PIP UE	(0.384; 0.378)SDCM <3
910505103636	RC461B 40S/840 PSD W60L60 VPC PIP SC UE	(0.384; 0.378)SDCM <3
910505103638	RC461B 40S/840 SRD W60L60 VPC U4PIP SCUE	(0.384; 0.378)SDCM <3
910505100236	RC463B LED40S/940 PSD W31L125 CPC PIP	(0.38, 0.38) SDCM <3
910505100422	RC463B LED34S/930 PSD W31L125 VPC PIP	(0.38, 0.38) SDCM <3
910505100423	RC463B LED40S/940 PSD W31L125 VPC PIP	(0.38, 0.38) SDCM <3
910505100424	RC463B LED40S/930 PSD W31L125 VPC PIP	(0.38, 0.38) SDCM <3
910505100427	RC463B LED34S/940 PSD W31L125 CPC PIP	(0.38, 0.38) SDCM <3
910505101668	RC463B LED80S/TW9 DIA W31L125 VPC PIP	(0.38, 0.38) SDCM <3
910505101671	RC463B LED28S/BU840 PSD W31L125 VPC PIP	(0.38, 0.38) SDCM <3
910505101674	RC463B LED80S/TW9 DIA W31L125 CPC PIP	(0.38, 0.38) SDCM <3
910505101677	RC463B LED28S/BU840 PSD W31L125 CPC PIP	(0.38, 0.38) SDCM <3
910505103388	RC463B LED80S/TW9 SIA W31L125 VPC IA4PIP	Tunable, SDCM <3
910505103395	RC463B 80S/TWBU SIA W31L125 VPC IA4 PIP	Tunable, SDCM <3
910505103644	RC463B 34S/840 PSD W31L125 VPC PIP UE	(0.38, 0.38) SDCM <3
910505103645	RC463B 34S/840 SRD W31L125 VPC IA4 PIPUE	(0.38, 0.38) SDCM <3
910505103646	RC463B 40S/840 PSD W31L125 VPC PIP UE	(0.38, 0.38) SDCM <3
910505103647	RC463B 40S/840 SRD W31L125 VPC IA4 PIPUE	(0.38, 0.38) SDCM <3
910505100232	RC461B LED34S/940 PSD W30L120 VPC W	(0.38, 0.38) SDCM <3
910505100234	RC461B LED34S/930 PSD W30L120 VPC PIP	(0.38, 0.38) SDCM <3
910505100235	RC461B LED40S/940 PSD W30L120 VPC PIP	(0.38, 0.38) SDCM <3
910505100238	RC461B LED40S/940 PSD W30L120 VPC W	(0.38, 0.38) SDCM <3
910505100241	RC461B LED34S/940 PSD W30L120 VPC PIP	(0.38, 0.38) SDCM <3
910505101666	RC461B LED80S/TW9 DIA W30L120 VPC PIP	(0.38, 0.38) SDCM <3
910505101667	RC461B LED80S/TW9 DIA W30L120 VPC PIP SC	(0.38, 0.38) SDCM <3
910505101669	RC461B LED28S/BU840 PSD W30L120 VPC PIP	(0.38, 0.38) SDCM <3
910505101670	RC461B LED28S/BU840 PSD W30L120 VPCPIPSC	(0.38, 0.38) SDCM <3
910505101675	RC461B LED28S/BU840 PSD W30L120 PCV PIP	(0.38, 0.38) SDCM <3
910505101676	RC461B LED28S/BU840 PSD W30L120 PCVPIPSC	(0.38, 0.38) SDCM <3
910505103384	RC461B 80S/TW9 SIA W30L120 VPC IA4 PIPSC	Tunable, SDCM <3
910505103387	RC461B LED80S/TW9 SIA W30L120 VPC IA4PIP	Tunable, SDCM <3
910505103391	RC461B 80S/TWBU SIA W30L120 VPC IA4PIPSC	Tunable, SDCM <3
910505103394	RC461B 80S/TWBU SIA W30L120 VPC IA4 PIP	Tunable, SDCM <3
910505103619	RC461B 28S/840 PSD W30L120 VPC PIP UE	(0.384; 0.378)SDCM <3
910505103621	RC461B 28S/840 PSD W30L120 VPC PIP SC UE	(0.384; 0.378)SDCM <3
910505103623	RC461B 34S/840 PSD W30L120 VPC PIP UE	(0.384; 0.378)SDCM <3
910505103625	RC461B 34S/840 SRD W30L120 VPC IA4 PIPUE	(0.384; 0.378)SDCM <3
910505103627	RC461B 34S/840 PSD W30L120 VPC PIP SC UE	(0.384; 0.378)SDCM <3
910505103629	RC461B 34S/840 SRD W30L120 VPC IA4 SC UE	(0.384; 0.378)SDCM <3
910505103631	RC461B 40S/840 PSD W30L120 VPC PIP UE	(0.384; 0.378)SDCM <3
910505103633	RC461B 40S/840 SRD W30L120 VPC IA4 PIPUE	(0.384; 0.378)SDCM <3
910505103635	RC461B 40S/840 PSD W30L120 VPC PIP SC UE	(0.384; 0.378)SDCM <3
910505103637	RC461B 40S/840 SRD W30L120 VPC IA4 SC UE	(0.384; 0.378)SDCM <3
910505101727	RC461B LED34S/940 SRD W30L120 VPC IA4 W	(0.38, 0.38) SDCM >3
910505101728	RC463B LED34S/940 SRD W31L125 VPC IA4PIP	(0.38, 0.38) SDCM >3
910505101729	RC463B LED40S/940 SRD W31L125 VPC IA4PIP	(0.38, 0.38) SDCM >3
910505101730	RC463B LED60S/940 SRD W31L125 VPC IA4PIP	(0.38, 0.38) SDCM >3
910505101731	RC461B LED34S/940 SRD W30L120VPCIA4PIPSC	(0.38, 0.38) SDCM >3
910505101710	RC461B LED34S/930 SRD W60L60 VPC U4 W	(0.38, 0.38) SDCM >3
910505101711	RC461B LED34S/940 SRD W60L60 VPC U4 W	(0.38, 0.38) SDCM >3
910505101712	RC461B LED40S/940 SRD W60L60 VPC U4 W	(0.38, 0.38) SDCM >3
910505101713	RC463B LED28S/940 SRD W62L62 VPC U4 PIP	(0.38, 0.38) SDCM >3
910505101714	RC463B LED34S/940 SRD W62L62 VPC U4 PIP	(0.38, 0.38) SDCM >3
910505101715	RC463B LED40S/940 SRD W62L62 VPC U4 PIP	(0.38, 0.38) SDCM >3
910505101716	RC463B LED60S/940 SRD W62L62 VPC U4 PIP	(0.38, 0.38) SDCM >3
910505101717	RC461B LED34S/930 SRD W60L60 VPC U4 PIP	(0.38, 0.38) SDCM >3
910505101718	RC461B LED34S/940 SRD W60L60 VPC U4 PIP	(0.38, 0.38) SDCM >3
910505101719	RC461B LED34S/930 SRD W60L60 VPC U4PIPSC	(0.38, 0.38) SDCM >3
910505101720	RC461B LED34S/940 SRD W60L60 VPC U4PIPSC	(0.38, 0.38) SDCM >3
910505101721	RC461B LED34S/940 SRD W60L60 VPC U4 W SC	(0.38, 0.38) SDCM >3
910505101722	RC461B LED40S/940 SRD W60L60 VPC U4PIPSC	(0.38, 0.38) SDCM >3

Application Conditions

Order Code	Full Product Name	Suitable for random switching
910505100265	RC461B LED34S/940 PSD W60L60 CPC W	No
910505100271	RC463B LED34S/940 PSD W62L62 CPC W	No
910505100425	RC463B LED34S/940 PSD W62L62 CPC PIP	No
910505100426	RC463B LED40S/940 PSD W62L62 CPC PIP	No
910505100489	RC463B LED34S/930 PSD W62L62 CPC PIP	No
910505100490	RC463B LED40S/930 PSD W62L62 CPC PIP	No
910505100277	RC461B LED34S/940 PSD W60L60 PCV PIP	No
910505100251	RC463B LED28S/940 PSD W62L62 VPC W	No
910505100259	RC463B LED34S/940 PSD W62L62 VPC W	No
910505100278	RC463B LED40S/940 PSD W62L62 VPC PIP	No
910505100416	RC463B LED28S/940 PSD W62L62 VPC PIP	No
910505100417	RC463B LED34S/940 PSD W62L62 VPC PIP	No
910505100418	RC463B LED34S/930 PSD W62L62 VPC PIP	No
910505100488	RC463B LED28S/930 PSD W62L62 VPC PIP	No
910505101680	RC463B LED80S/TW9 DIA W62L62 VPC PIP	No
910505101681	RC468B LED80S/TW9 DIA W67L67 VPC PIP	No
910505101684	RC463B LED28S/BU840 PSD W62L62 VPC PIP	No
910505101685	RC468B LED28S/BU840 PSD W67L67 VPC PIP	No
910505101688	RC463B LED80S/TW9 DIA W62L62 CPC W	No
910505101689	RC468B LED80S/TW9 DIA W67L67 VPC W	No
910505101692	RC463B LED40S/BU840 PSD W62L62 CPC W	No
910505101693	RC468B LED40S/BU840 PSD W67L67 VPC W	No
910505103386	RC463B LED80S/TW9 SIA W62L62 VPC U4 PIP	Yes
910505103393	RC463B LED80S/TWBU SIA W62L62 VPC U4 PIP	Yes
910505103639	RC463B 28S/840 PSD W62L62 VPC PIP UE	No
910505103640	RC463B 34S/840 PSD W62L62 VPC PIP UE	No
910505103641	RC463B 34S/840 SRD W62L62 VPC U4 PIP UE	No
910505103642	RC463B 40S/840 PSD W62L62 VPC PIP UE	No
910505103643	RC463B 40S/840 SRD W62L62 VPC U4 PIP UE	No
910505100419	RC463B LED40S/930 PSD W62L62 VPC PIP	No
910505100245	RC461B LED34S/940 PSD W60L60 VPC PIP	No
910505100249	RC461B LED40S/940 PSD W60L60 VPC W	No
910505100250	RC461B LED40S/940 PSD W60L60 VPC PIP	No
910505100252	RC461B LED40S/940 PSD W60L60 VPC ELD3 P	No
910505100256	RC461B LED34S/940 PSD W60L60 VPC W	No
910505100261	RC461B LED40S/930 PSD W60L60 VPC W	No
910505100266	RC461B LED40S/940 PSD W60L60 VPC W AIR	No
910505100269	RC461B LED34S/930 PSU W60L60 VPC PIP	No
910505100270	RC461B LED34S/940 PSD W60L60 VPC W SC	No
910505100595	RC461B LED40S/930 PSD W60L60 VPC PIP	Yes (relates to presence/ movement detection and daylight harvesting)
910505101678	RC461B LED80S/TW9 DIA W60L60 VPC PIP	No
910505101679	RC461B LED80S/TW9 DIA W60L60 VPC PIP SC	No
910505101682	RC461B LED28S/BU840 PSD W60L60 VPC PIP	No
910505101683	RC461B LED28S/BU840 PSD W60L60 VPC PIPSC	No
910505101690	RC461B LED40S/BU840 PSD W60L60 PCV W	No
910505101691	RC461B LED40S/BU840 PSD W60L60 PCV W SC	No
910505103383	RC461B LED80S/TW9 SIA W60L60 VPC U4 PIP	Yes

Order Code	Full Product Name	Suitable for random switching
910505103385	RC461B 80S/TW9 SIA W60L60 VPC U4 PIP SC	Yes
910505103390	RC461B LED80S/TWBU SIA W60L60 VPC U4 PIP	Yes
910505103392	RC461B 80S/TWBU SIA W60L60 VPC U4 PIP SC	Yes
910505103620	RC461B 28S/840 PSD W60L60 VPC PIP UE	No
910505103622	RC461B 28S/840 PSD W60L60 VPC PIP SC UE	No
910505103624	RC461B 34S/840 PSD W60L60 VPC PIP UE	No
910505103626	RC461B 34S/840 SRD W60L60 VPC U4 PIP UE	No
910505103628	RC461B 34S/840 PSD W60L60 VPC PIP SC UE	No
910505103630	RC461B 34S/840 SRD W60L60 VPC U4PIP SCUE	No
910505103632	RC461B 40S/840 PSD W60L60 VPC PIP UE	No
910505103634	RC461B 40S/840 SRD W60L60 VPC U4 PIP UE	No
910505103636	RC461B 40S/840 PSD W60L60 VPC PIP SC UE	No
910505103638	RC461B 40S/840 SRD W60L60 VPC U4PIP SCUE	No
910505100236	RC463B LED40S/940 PSD W31L125 CPC PIP	No
910505100422	RC463B LED34S/930 PSD W31L125 VPC PIP	No
910505100423	RC463B LED40S/940 PSD W31L125 VPC PIP	No
910505100424	RC463B LED40S/930 PSD W31L125 VPC PIP	No
910505100427	RC463B LED34S/940 PSD W31L125 CPC PIP	No
910505101668	RC463B LED80S/TW9 DIA W31L125 VPC PIP	No
910505101671	RC463B LED28S/BU840 PSD W31L125 VPC PIP	No
910505101674	RC463B LED80S/TW9 DIA W31L125 CPC PIP	No
910505101677	RC463B LED28S/BU840 PSD W31L125 CPC PIP	No
910505103388	RC463B LED80S/TW9 SIA W31L125 VPC IA4PIP	Yes
910505103395	RC463B 80S/TWBU SIA W31L125 VPC IA4 PIP	Yes
910505103644	RC463B 34S/840 PSD W31L125 VPC PIP UE	No
910505103645	RC463B 34S/840 SRD W31L125 VPC IA4 PIPUE	No
910505103646	RC463B 40S/840 PSD W31L125 VPC PIP UE	No
910505103647	RC463B 40S/840 SRD W31L125 VPC IA4 PIPUE	No
910505100232	RC461B LED34S/940 PSD W30L120 VPC W	No
910505100234	RC461B LED34S/930 PSD W30L120 VPC PIP	No
910505100235	RC461B LED40S/940 PSD W30L120 VPC PIP	No
910505100238	RC461B LED40S/940 PSD W30L120 VPC W	No
910505100241	RC461B LED34S/940 PSD W30L120 VPC PIP	No
910505101666	RC461B LED80S/TW9 DIA W30L120 VPC PIP	No
910505101667	RC461B LED80S/TW9 DIA W30L120 VPC PIP SC	No
910505101669	RC461B LED28S/BU840 PSD W30L120 VPC PIP	No
910505101670	RC461B LED28S/BU840 PSD W30L120 VPCPIPSC	No
910505101675	RC461B LED28S/BU840 PSD W30L120 PCV PIP	No
910505101676	RC461B LED28S/BU840 PSD W30L120 PCVPIPSC	No
910505103384	RC461B 80S/TW9 SIA W30L120 VPC IA4 PIPSC	Yes
910505103387	RC461B LED80S/TW9 SIA W30L120 VPC IA4PIP	Yes
910505103391	RC461B 80S/TWBU SIA W30L120 VPC IA4PIPSC	Yes
910505103394	RC461B 80S/TWBU SIA W30L120 VPC IA4 PIP	Yes
910505103619	RC461B 28S/840 PSD W30L120 VPC PIP UE	No
910505103621	RC461B 28S/840 PSD W30L120 VPC PIP SC UE	No
910505103623	RC461B 34S/840 PSD W30L120 VPC PIP UE	No
910505103625	RC461B 34S/840 SRD W30L120 VPC IA4 PIPUE	No
910505103627	RC461B 34S/840 PSD W30L120 VPC PIP SC UE	No
910505103629	RC461B 34S/840 SRD W30L120 VPC IA4 SC UE	No
910505103631	RC461B 40S/840 PSD W30L120 VPC PIP UE	No
910505103633	RC461B 40S/840 SRD W30L120 VPC IA4 PIPUE	No

PowerBalance gen2

Order Code	Full Product Name	Suitable for random switching
910505103635	RC461B 40S/840 PSD W30L120 VPC PIP SC UE	No
910505103637	RC461B 40S/840 SRD W30L120 VPC IA4 SC UE	No
910505101727	RC461B LED34S/940 SRD W30L120 VPC IA4 W	No
910505101728	RC463B LED34S/940 SRD W31L125 VPC IA4PIP	No
910505101729	RC463B LED40S/940 SRD W31L125 VPC IA4PIP	No
910505101730	RC463B LED60S/940 SRD W31L125 VPC IA4PIP	No
910505101731	RC461B LED34S/940 SRD W30L120VPCIA4PIPSC	No
910505101710	RC461B LED34S/930 SRD W60L60 VPC U4 W	No
910505101711	RC461B LED34S/940 SRD W60L60 VPC U4 W	No
910505101712	RC461B LED40S/940 SRD W60L60 VPC U4 W	No
910505101713	RC463B LED28S/940 SRD W62L62 VPC U4 PIP	No

Order Code	Full Product Name	Suitable for random switching
910505101714	RC463B LED34S/940 SRD W62L62 VPC U4 PIP	No
910505101715	RC463B LED40S/940 SRD W62L62 VPC U4 PIP	No
910505101716	RC463B LED60S/940 SRD W62L62 VPC U4 PIP	No
910505101717	RC461B LED34S/930 SRD W60L60 VPC U4 PIP	No
910505101718	RC461B LED34S/940 SRD W60L60 VPC U4 PIP	No
910505101719	RC461B LED34S/930 SRD W60L60 VPC U4PIPSC	No
910505101720	RC461B LED34S/940 SRD W60L60 VPC U4PIPSC	No
910505101721	RC461B LED34S/940 SRD W60L60 VPC U4 W SC	No
910505101722	RC461B LED40S/940 SRD W60L60 VPC U4PIPSC	No

© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.