



# Circular shaped, basic fluorescent lighting

## TL-E Circular Standard Colours

This circular TL lamp (tube diameter 29 mm) enables omni-directional light distribution. It is suitable for use in a wide range of luminaires for various purposes where color rendering is not important.

### Benefits

- Create atmospheres from warm white to cool daylight
- Create atmospheres from warm white to cool daylight
- Symmetrical, omnidirectional light distribution
- Symmetrical, omnidirectional light distribution

### Features

- Standard colors with moderate color rendering and varying color designations
- Standard colors with moderate color rendering and varying color designations

### Application

- Suitable for use in a wide range of luminaires for various purposes, including many decorative luminaires where color rendering is not important
- Suitable for use in a wide range of luminaires for various purposes, including many decorative luminaires where color rendering is not important

### Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.


# TL-E Circular Standard Colours

## Versions



LPPR TL-ESTD G10q

## Dimensional drawing



Product	D (max)	D (min)	E (min)	E (max)	I (min)	I (max)
TL-E 32W/33-640 1CT/12	30.9 mm	27.1 mm	299.0 mm	303.5 mm	241.0 mm	246.0 mm

