



# Digital Cinema Xenon Stype lamps

## Sony digital cinema projectors

Digital Xenon Cinema S-type lamps are ideal for today's demanding 3D and 2D digital cinema presentations. There is a choice of three power ratings in the S-type Digital Cinema Xenon lamps range: 2000W, 3000W, or 4200W. These lamps produce the very high light output needed to maximize screen brightness and enhance the dramatic effect for the viewer. These long-life digital lamps also provide constant color temperature characteristics, and meet all of the stringent arc-stability requirements for consistent customer satisfaction. In addition to S-type Digital Cinema Xenon lamps there are B-, C-, N-, and TA-type Digital Cinema Xenon lamps. These are all individually customized per projector, so there is a different, perfect-fitting lamp for each projector model to ensure optimized projector performance.

#### **Benefits**

- · Increased brightness on the screen
- · Optimum projector performance
- · Constant color temperature
- · High arc stability and long life

#### **Features**

- Higher light output than standard lamps
- · Customized by projector model
- · Pure xenon fill gas
- Proprietary, advanced electrode design

#### Application

· Cinema projection


# Sony digital cinema projectors


#### Versions



## Dimensional drawing







General Information	
Main Application	Cinema
Operating Position	P15

Product	0	D	B (max)	C (max)	Α
XDC 4200 S	4.2 mm	60 mm	295 mm	336 mm	128 mm

Product	0	D	x	B (max)	C (max)	Α
XDC 2000 S	3.9 mm	60 mm	203 mm	295 mm	336 mm	128 mm
XDC 3000 S	4.1 mm	60 mm	203 mm	295 mm	336 mm	128 mm

### Operating and Electrical

					Power
	Full Product	Lamp Current	Lamp Current	Voltage	(Rated)
Order Code	Name	Span	(Nom)	(Nom)	(Nom)

					Power
	Full Product	Lamp Current	Lamp Current	Voltage	(Rated)
Order Code	Name	Span	(Nom)	(Nom)	(Nom)

#### **General Information**

# Sony digital cinema projectors

Order Code	Full Product Name	Nominal Lifetime (Nom)
928411806201	XDC 3000 S	1000 h

Order Code	Full Product Name	Nominal Lifetime (Nom)
928413406301	XDC 2000 S	2400 h

