



Vaya Linear LP – exterior cove lighting and low-level grazing

Vaya Linear LP

Philips Vaya Linear LP white, mono and RGB is a reliable and cost effective LED lighting fixture designed for static or dynamic lighting effects. Vaya Linear LP is ideal for exterior cove lighting and low-level grazing applications with a wide 120° beam or elliptical 28 x 84° optics. Two lengths and a wide range of available color temperatures make this product versatile and easy to use. Input and output connectors make installations fast, easy and reliable.

Benefits

- · Suitable for space-restricted and low-profile applications (indoor and outdoor)
- Fast and easy installation
- · Allows low-level grazing or exterior cove lighting applications

Features

- · Reliable, cost-effective LED lighting fixture
- · Slim outdoor IP66-rated housing and connectors
- Available with 28 x 84° or 120° beams
- DMX512 control (RGB version)

Application

- Exterior cove lighting
- Low-level grazing

Specifications

Vaya Linear LP

| Туре | BCP421 (RGB version) |
|------------------------|---------------------------------------|
| | BCP422 (white light version) |
| | BCP423 (mono-colour light version) |
| Light source | Built-in LED module |
| Power | 14 or 28 W (RGB) |
| | 10 or 20 W (3,000K and 4,000 K) |
| Beam angle | 28 x 84 or 120° |
| Luminous flux | 300 or 600 lm (RGB) |
| | 600 or 1,200 lm (3,000 K and 4,000 K) |
| Luminaire efficacy | 62 lm/W |
| Correlated Colour | 2,700, 3,000, 4,000 or 5,000 K |
| Temperature | Red, green, blue, amber, RGB |
| Colour Rendering Index | 80 (for 4,000 K) |
| Maintenance of lumen | 60,000 hours at 25 °C |
| output – L70 | |
| | |

| Operating temperature | -40 to +40 °C |
|-----------------------|--|
| range | |
| Driver | Integrated |
| Mains voltage | 100-240 VAC/ 50-60 Hz |
| Control system input | DMX control for RGB versions |
| Optic | Elliptical or wide beam |
| Optical cover | Glass, flat |
| Material | Housing: extruded aluminium, anodised finish |
| | Cover: clear tempered glass |
| Colour | Grey, anodised |
| Connection | Push-in connector |
| Installation | Surface mounting |
| | Location-adjustable and tilting surface-mounting bracket |
| | |

Versions



Vaya Linear LP BCP421/422/423 floodlight, 0.6 m, wide beam



Vaya Linear LP BCP421/422/423 floodlight, 0.6 m, elliptical beam



Vaya Linear LP BCP421/422/423 floodlight, 1.2 m, wide beam



Vaya Linear LP BCP421/422/423 floodlight, 1.2 m, elliptical beam

Vaya Linear LP

Product details





Accessories



Leader cable for white version, 15 m

Ordercode 912400130044



Jumper cable for white version, 1,5 \mbox{m}

Ordercode 912400130046



Leader cable for RGB version, 15 m

Ordercode 912400130047



Ordercode 912400130049

Vaya Linear LP

Accessories



Glare shield

Ordercode 912400130180, 912400130181

