



Product Description

SPOTONE Ring Mirror Spotlight

Reflector lamps based on advanced spotlighting technology

Benefits

- Centre-beam intensities up to 100% higher than with conventional reflector lamps

Features

- Optic gives double reflection of part of the light emitted by the filament
- Beam spread and luminous intensity make these lamps especially suitable wherever space is limited and in small luminaires
- Wide choice of diameters and wattages
- Direct replacement for conventional reflector lamps of all kinds
- Easy fitting and removal thanks to tapered profile
- Universal burning position

Application

- All the benefits of high-performance, high-efficiency spotlighting, simply by replacing conventional reflector lamps with ring mirror lamps of the same size and wattage
- Display lighting in shops, hotels, restaurants and homes


SPOTONE Ring Mirror Spotline

Versions



E27

Dimensional drawing



Product	D
SPOTONE 40W E27 220-240V NR63 30D FR 1CT	63 mm
SPOTONE 60W E27 220-240V NR63 30D FR 1CT	63 mm

Controls and Dimming

Dimmable	Yes
----------	-----

Operating and Electrical

Voltage (Nom)	220-240 V
---------------	-----------

General Information

Cap-Base	E27
Nominal Lifetime (Nom)	1000 h
Operating Position	UNIVERSAL
Rated Lifetime (Hours)	1000 h

Light Technical

Beam Angle (Nom)	30 °
Colour Rendering Index (Nom)	100


Mechanical and Housing

Bulb Finish	Frosted
Bulb Shape	NR63


Operating and Electrical

Order Code	Full Product Name	Power (Rated) (Nom)
923339243326	SPOTONE 40W E27 220-240V NR63 30D FR 1CT	40 W
923339443326	SPOTONE 60W E27 220-240V NR63 30D FR 1CT	60 W

SPOTONE Ring Mirror Spotline




Accent Diagrams



LDAC_IREFESP_60W_NR63_30D-Accent diagram

Beam Diagrams



LDBE_IREFESP_60W_NR63_30D-Beam diagram

