



# Less Hassle, More Savings

## Essential SmartBright LED Downlight G2 DN028B

Essential SmartBright G2 DN028B LED Downlight is value for money product with high efficacy, good quality and reliability. It offers multiple configurations from 300lm to 2000lm output, to replace conventional downlight. It can be used for shopping mall, retail store, residential and office. It's an ideal product family to distribute in trade market.

### Benefits

- Reliability and safety: meets Australia and New Zealand regulations
- Energy saving: High system efficacy with lower power consumption
- Easy to install with slim design; flex and plug for Australia or remote terminal block for New Zealand

### Features

- Long life time: 20Khrs (L70B50@25°C)
- System efficacy: up to 85lm/W and with dimmable offer (available in selected models)
- Slim design: 33mm housing body height

### Application

- Retail
- Office
- Residential

# Essential SmartBright LED Downlight G2 DN028B

## Versions



DN028B

## Product details



### Application Conditions

Ambient temperature range	-20 to +40 °C
Suitable for random switching	Not applicable

### Approval and Application

Mech. impact protection code	IK02
Ingress protection code	IP20

### Operating and Electrical

Input Voltage	220-240 V
---------------	-----------

### General Information

Protection class IEC	Safety class II (II)
Driver included	Yes
Light source replaceable	No
Number of gear units	1 unit
Optic type	110

### Initial Performance (IEC Compliant)

Initial chromaticity	SDCM<5
Init. Colour Rendering Index	80
Luminous flux tolerance	+/-10%

### Mechanical and Housing

Colour	White
--------	-------

### Initial Performance (IEC Compliant)

Order Code	Full Product Name	Init. Corr. Colour Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
911401816897	DN028B LED8/WW PSR-E I D90 CAU	3000 K	80.00 lm/W	800 lm	10 W
911401817097	DN028B LED12/WW PSU II D150 CAU	3000 K	80.00 lm/W	1200 lm	15 W
911401817197	DN028B LED12/NW PSU II D150 CAU	4000 K	80.00 lm/W	1200 lm	15 W
911401817497	DN028B LED20/WW PSU II D200 CAU	3000 K	86.96 lm/W	2000 lm	23 W
911401817597	DN028B LED20/NW PSU II D200 CAU	4000 K	86.96 lm/W	2000 lm	23 W

## Essential SmartBright LED Downlight G2 DN028B

