# **PHILIPS** Lighting



# Domus - simplicity, refinement, and elegance in a series of luminaires

## Domus Post Top Small (DOS-YM)

Harmonizing beautifully with virtually any urban setting, the Domus luminaires are representative of the new generation of lighting units. The Domus, Domus 55, and Domus Small luminaires have undeniable charm. Simplicity, refinement, and elegance, all fuse together to create harmonious beauty through designed equilibrium. Whereas the Domus is a street and public area luminaire, the Domus 55 is well suited for boulevards and parking lots because it is built with high performance optics and has the capacity to receive high wattages. You could install the Domus 55 in a parking lot, and the Domus Small along the paths leading from that parking lot to the building, creating a subtly refined design that balances shape, dimension and proportion. The Domus, Domus 55, and Domus Small are all designed to complement each other and bring balance to any environment. ~LT~a href="http://www.lumec.com/Lumec3Dv3/home/index\_en.php" target="\_blank"~GT~LT~b~GT~Lumec3D: Online 3D Configurator~LT~/b~GT~LT~/a~GT~

#### Benefits

- · Maintains excellent performance in the most demanding of environments
- Reduced glare
- Exceptional performance and cut-off
- Dark-sky friendly
- · Ensures safe and easy maintenance

### Domus Post Top Small (DOS-YM)

#### Features

- · Constructed from top-quality materials
- IP66 Smartseal optical system
- Optical chambers use a unique combination of reflectors and internal prism refractor
- SG optics provide full cut-off in five distributions
- Easy access to internal components

#### Application

- Bridges, Monuments, Facades
- Road and Street



© 2018 Philips Lighting Holding B.V. All rights reserved. Philips Lighting reserves the right to make changes in specifications and/or to discontinue any product at any timewithout notice or obligation and will not be liable for any consequences resulting from the use of this publication.

www.lighting.philips.com 2018, November 30 - data subject to change