



Crestbay HPK888

HPK888 1xHPI-P400W-BUS IC R-L GR

1 pc - MASTER HPI Plus - 400 W - Base-Up/internal Starter (BUS) -
Inductive parallel compensated - Reflector large - Grey


Reliable, effective lighting in any setting is a crucial factor that promotes the senses, productivity, safety and even architecture. Crestbay™ from Philips is precisely designed with this in mind. This highly versatile luminaire delivers outstanding performance in large spaces and in the toughest of environments while assuring quality lighting across a variety of industrial and commercial applications. Moreover, Crestbay™'s innovative SWING-2-BRIGHT™ technology makes maintenance easy, hassle-free and faster than ever before."

Product data

General Information	
Number of light sources	1 [1 pc]
Lamp family code	HPI-P [MASTER HPI Plus]
Lamp power	400 W
Lamp system description	Base-Up/internal Starter (BUS)
Compensation circuit	Inductive parallel compensated
Gear	CONV [Conventional]
Optic type	R-L [Reflector large]
Optical cover/lens type	No [-]
Operating and Electrical	
Input voltage	220 V
Input frequency	50 Hz


Approval and Application	
Ingress protection code	IP66 [Dust penetration-protected, jet-proof]
Product Data	
Full product code	910402001080
Order product name	HPK888 1xHPI-P400W-BUS IC R-L GR
Order code	910402001080
Numerator – quantity per pack	1
Numerator – packs per outer box	1
Material no. (12NC)	910402001080
Net weight (piece)	11.499 kg

Dimensional drawing




HPK888

Photometric data



LVCM54800


2012-03-26



LYC0004700

2012-03-28


IFGU1 HPK888 P-MB 1xHPI-P400W-BUS R-L.EPS



L'ESPRESSO

2013/03/26

IFGU1_HPK888 P-WB 1xHPI-P400W-BUS R-L.EPS




LYC0604800


2012-03-26

IFPC1_HPK888 P-MB 1xHPI-P400W-BUS R-L.EPS

Photometric data



IFPC1_HPK888 P-NB 1xHPI-P400W-BUS R-L.EPS



IFPC1_HPK888 P-WB 1xHPI-P400W-BUS R-L.EPS

