



Celino TPS680 C

TPS680 C 2xTL5-28W HFP D8 FU SM2 ALU

2, TL5, 28 W, HF Performer, Semi-high-gloss optic 3D micro-lamellae, Fuse included, Aluminum

Celino is a complete luminaire range that reflects the market trend towards miniaturization and architectural integration, while at the same time delivering a significant advance in optical performance. Celino features Philips' aluminum micro optic with 3D lamellae, which ensures optimum visual comfort and efficiency in compliance with the latest office-lighting norm (EN 12464-1). Made of natural anodized aluminum, the housing of Celino is a mere 71 mm wide and has die-cast-aluminum end caps. The design allows multiple luminaires to be connected in a line arrangement. Celino is available as a full range – suspended, surface-mounted, free-standing, recessed and wall-mounted – for maximum freedom in application.

Product data


General Information		
Lamp family code	TL5 [TL5]	
Gear	HFP [HF Performer]	
Light Technical		
Number of light sources	2	
Optic type	Semi-high-gloss optic 3D micro-lamellae	
Operating and Electrical		
Power Consumption	28 W	
Mechanical and Housing		
Housing Color	Aluminum	


Product Data		
Order product name	TPS680 C 2xTL5-28W HFP D8 FU SM2 ALU	
Full product name	TPS680 C 2xTL5-28W HFP D8 FU SM2 ALU	
Full product code	910403630047	
Order code	910403630047	
Material Nr. (12NC)	910403630047	
Numerator - Quantity Per Pack	1	
Numerator - Packs per outer box	1	

Datasheet, 2023, October 24 data subject to change

Celino TPS680 C

Dimensional drawing





Product	Α	В
TPS680 C 2xTL5-28W HFP D8 FU SM2 ALU	1,220 mm	808 mm

