



Vaya Flood MP

BCP415 30xLED-HB/4000 220-240 10 CE CQC

30 pcs - LED High Brightness - Narrow beam angle 10°

Vaya Flood MP gen2 is a reliable and cost effective LED flood lighting solution for both interior and exterior use that minimizes the initial investment, while providing exceptional flexibility to create eye-catching flood, wash and accent lighting effects. A wide choice of beam angles and color options let you bring a property to life with either static or dynamically changing colors. Extended light throw and high efficacy set this compact & robust luminaire apart. Its integrated power and adjustable tilt angle make this product versatile and easy to use.

Product data


| General Information | | Light Technical | |
|-------------------------------|-------------------------------|--------------------------------|---|
| Number of light sources | 30 pcs | Standard tilt angle posttop | 0° |
| Lamp family code | LED-HB [LED High Brightness] | Standard tilt angle side entry | 0° |
| Light source replaceable | No | Operating and Electrical | |
| Driver included | Yes | Input Voltage | 220 to 240 V |
| Optical cover/lens type | Flat glass | Input Frequency | 50 to 60 Hz |
| Protection class IEC | Safety class I | Controls and Dimming | |
| Type description | - | Dimmable | Yes |
| CE mark | CE mark | Mechanical and Housing | |
| ENEC mark | ENEC mark | Housing Material | Aluminum |
| UL mark | UL mark | Optical cover/lens material | Glass |
| CQC mark | CQC-mark | Approval and Application | |
| Lifetime to 70% luminous flux | 50000 h | Ingress protection code | IP66 [Dust penetration-protected, jet-proof] |
| Optic type outdoor | Narrow beam angle 10° | | |
| PSE mark | No | | |
| RoHS mark | - | | |
| WEEE mark | - | | |

Vaya Flood MP

| | |
|--|-----------------|
| Mech. impact protection code | IK06 [1 J] |
| Initial Performance (IEC Compliant) | |
| Initial LED luminaire efficacy | 45 lm/W |
| Init. Corr. Color Temperature | 4000 K |
| Init. Color Rendering Index | 80 |
| Initial input power | 73 W |
| Application Conditions | |
| Ambient temperature range | -20 to +40 °C |
| Product Data | |
| Full product code | 871829160107499 |

| | |
|---------------------------------|---|
| Order product name | BCP415 30xLED-HB/4000 220-240 10 CE CQC |
| EAN/UPC - Product | 8718291601074 |
| Order code | 910503703094 |
| Numerator - Quantity Per Pack | 1 |
| Numerator - Packs per outer box | 2 |
| Material Nr. (12NC) | 910503703094 |
| Net Weight (Piece) | 5.700 kg |

Dimensional drawing



Vaya

