



Mini 300 Cube DGP300

DGP300 CDM-TD150W/942 IC 240V A-MB SI

DGP300, MASTERColour CDM-TD, 150 W, Asymmetrical medium beam

Mini 300 Cube is an extremely efficient low-glare luminaire specially designed for downlighting. The efficiency is achieved by a special optic coating, which reflects 97% of the light, and by the use of CDM-TD 4200 K lamps. The combination of this lamp and the white-coated reflector creates an inviting atmosphere with color rendering of 96. Mini 300 Cube delivers a uniform light distribution with an asymmetric or bi-directional beam creating outstanding illuminances in industrial and retail environments. The range comprises versions for recessed (DBP300), surface mounted (DCP300) and post/wall mounted (DGP300). Within the Mini 300 product family there is also a dedicated floodlight version (Mini 300 Stealth). Mini 300 is also available in LED versions (Mini 300 LED) in high efficiency for substantial energy savings.

Product data

General Information	
Lamp family code	CDM-TD [MASTERColour CDM-TD]
Gear	CONV [Conventional]
Product family code	DGP300 [DGP300]
Value ladder	Performance
CE mark	Yes
Flammability mark	For mounting on normally flammable surfaces
ENEC mark	ENEC mark

Light Technical	
Number of light sources	1
Light source color	942 neutral white
Optical cover type	Flat glass
Optic type outdoor	Asymmetrical medium beam

Operating and Electrical	
Input Voltage	240 V
Power Consumption	150 W

Mini 300 Cube DGP300

Cable	-
Mechanical and Housing	
Housing Color	Silver
Approval and Application	
Ingress protection code	IP65 [Dust penetration-protected, jet-proof]
Mech. impact protection code	IK09 [10 J]
Protection class IEC	Safety class I
Product Data	
Order product name	DGP300 CDM-TD150W/942 IC 240V A-MB SI

Full product name	DGP300 CDM-TD150W/942 IC 240V A-MB SI
Full product code	869065318106900
Order code	18106900
Material Nr. (12NC)	910925492412
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8690653181069
Numerator - Packs per outer box	1
EAN/UPC - Case	8690653181069

Dimensional drawing

