



Maxos fusion

LL500E ACW

Maxos fusion Electrical

Maxos fusion is an adaptable LED trunking system that offers an excellent quality of light while more than halving energy costs compared to fluorescent lamps. For retail applications, a family of linear panels, non-linear modules and a spot portfolio can be smoothly integrated into the track backbone to let your merchandise sparkle and stand out. For industrial applications, the focus is on reducing installation and maintenance cost by using fewer linear panels. With an electrical set-up of up to 13 wires, the freedom to position these fixtures as required and the integration of other services/third-party hardware, the system allows you to reduce ceiling clutter. It can also be easily re-configured to accommodate future layout changes. The infrastructure is enabled to integrate sensors for data collection, giving you the opportunity to use insightful granular information to support your business.

Product data

General Information	
Accessory colour	White
Product family code	LL500E [Maxos fusion Electrical]
Value ladder	Specification
Operating and Electrical	
Input Voltage	220-240 V
Line Frequency	50 to 60 Hz
Mechanical and Housing	
Overall length	310 mm
Overall width	62 mm
Overall height	55 mm
Dimensions (height x width x depth)	55 x 62 x 310 mm

Material	Polypropylene
Approval and Application	
Ingress protection code	IP20 [Finger-protected]
Mech. impact protection code	IK00 [No protection]
Protection class IEC	-
Product Data	
Order product name	LL500E ACW
Full product name	LL500E ACW
Full EOC	871869638373500
Order code	38373500
Material no. (12 NC)	910925864255
SAP numerator – quantity per pack	1

Maxos fusion

EAN/UPC — Product/Case	8718696383735
Numerator – packs per outer box	1
EAN/UPC - Case	8718696383735

Dimensional drawing

