



# GreenVision Flexi LED

## BRP310 LED102/NW 125W 220-240V DM2

LED module 10200 lm, Neutral white, 125 W, 220 to 240 V,  
Distribution medium version 2

Our GreenVision luminaire range provides two road-lighting solutions, one conventional (Flexi) and one LED-based (Flexi LED), offering customers flexibility in energy consumption and an easy transition to LED in the future. The LED version is based on a modular concept, enabling LED upgrades and a choice of high system efficacy levels to match energy saving targets.

### Product data

General Information	
Lamp family code	LED102 [LED module 10200 lm]
Light Technical	
Light source color	Neutral white
Optical cover type	Flat glass
Optic type outdoor	Distribution medium version 2
Operating and Electrical	
Input Voltage	220 to 240 V
Line Frequency	50 to 60 Hz
Power Consumption	125 W
Temperature	
Ambient temperature range	-20 to +35 °C

Approval and Application	
Ingress protection code	IP66 [Dust penetration-protected, jet-proof]
Mech. impact protection code	IK08 [5 J vandal-protected]
Protection class IEC	Safety class I
Product Data	
Order product name	BRP310 LED102/NW 125W 220-240V DM2
Full product name	BRP310 LED102/NW 125W 220-240V DM2
Full product code	911401608301
Order code	911401608301
Material Nr. (12NC)	911401608301
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	1

## GreenVision Flexi LED

### Dimensional drawing

