



# Dynalite Integration Devices

## DDMIDC8

Within any modern project, many third-party systems can be found performing different roles. Each separate system may use a different protocol for communication. Philips Dynalite has developed a range of gateway devices that can be used to synchronize these systems' functions into one integrated system solution. By utilizing the correct gateway, different systems can be integrated, allowing end-users access to a fully automated site from one interface. By successfully integrating third-party systems with a Dynalite solution, repetitive end-user interaction is reduced.

### Product data

|                                  |   |  |                 |
|----------------------------------|---|--|-----------------|
| <b>General Information</b>       |   | <b>Full product name</b>               | DDMIDC8         |
| <b>Remarks</b>                   | Please download the Lighting - Product Data Sheet for more information and ordering options | <b>Full product code</b>               | 871016350784200 |
| <b>CE mark</b>                   | CE mark   | <b>Order code</b>                      | 50784200        |
| <b>EU RoHS compliant</b>         | Yes   | <b>Material Nr. (12NC)</b>             | 913703081109    |
| <b>Temperature</b>               |   | <b>Numerator - Quantity Per Pack</b>   | 1               |
| <b>Ambient temperature range</b> | 0 to +50 °C   | <b>EAN/UPC - Product/Case</b>          | 8710163507842   |
| <b>Product Data</b>              |   | <b>Numerator - Packs per outer box</b> | 1               |
| <b>Order product name</b>        | DDMIDC8   | <b>EAN/UPC - Case</b>                  | 8710163507859   |

Dimensional drawing

