



Electronic semiparallel ignitor for HID lamp circuits

SN 58

HID ignitors for semi-parallel systems

Product data


Operating and Electrical		
Input Voltage	220 to 240 V	
Line Frequency	50 to 60 Hz	
Input Frequency	50 to 60 Hz	
Wiring		
Connector Type	Screw	
Temperature		
Ambient temperature range	-20 °C to 85 °C	
T-Case Maximum (Max)	90 ℃	
Mechanical and Housing		
Housing	Akulon S223	

Approval and Application		
Approval Marks	CE marking ENEC certificate	
Product Data		
rder product name	SN 58	
ull product name	SN 58	
ıll product code	871016303305130	
der code	913710010514	
aterial Nr. (12NC)	913710010514	
umerator - Quantity Per Pack	1	
AN/UPC - Product/Case	8710163033051	
umerator - Packs per outer box	48	
AN/UPC - Case	8710163033365	

Datasheet, 2023, April 30 data subject to change

Electronic semi-parallel ignitor for HID lamp circuits

Dimensional drawing



Product	C1	A1	A2	B1
SN 58	38.5 mm	85.5 mm	65.0 mm	41.5 mm



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.