



PAR38

PAR38 120W E27/51 220-240V PAR38 12D 1CT

Pressed-glass 121 mm diameter reflector lamps of high luminous intensity

Product data


General Information			
Cap-Base	E27/51		
Operating Position	UNIVERSAL [Any or Universal (U)]		
Nominal lifetime	2,000 hour(s)		
Rated Lifetime (Hours)	2,000 hour(s)		
Lighting Technology	Incandescent		
Light Technical			
Beam Angle (Nom)	12 degree(s)		
Luminous Flux	1,150 lm		
Color rendering index (CRI)	100		
Operating and Electrical			
Power Consumption	120 W		
Starting Time (Nom)	0.0 s		
Voltage (Nom)	220-240 V		

Mechanical and Housing				
Bulb Shape	PAR38			
Product Data				
Order product name	PAR38 120W E27/51 220-240V PAR38 12D 1CT			
Full product name	PAR38 120W E27/51 220-240V PAR38 12D 1CT			
Full product code	871016317088601			
Order code	923815343301			
Material Nr. (12NC)	923815343301			
Numerator - Quantity Per Pack	1			
EAN/UPC - Product/Case	8710163170886			
Numerator - Packs per outer box	12			
EAN/UPC - Case	8718291115816			

Datasheet, 2024, January 30 data subject to change


PAR38

Dimensional drawing



Product	D	C (max)	C1
PAR38 120W E27/51 220-240V PAR38 12D 1CT	121 mm	137 mm	123 mm

Photometric data



Light Distribution Diagram - PAR38 120W E27/51 220-240V PAR38 12D 1CT



© 2024 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.