



Halogen reflector

13164 200W GX5.3 24V 1CT/24

Philips' halogen reflector lamps offer the ideal no-fuss solution for a wide variety of medical, projection and scientific illumination systems. Their proven reliability makes them ideal for retrofit installations. The burners are precisely aligned for optimal light performance. Dichroic reflectors ensure heat dissipation towards the back of the optical system, which helps the optical system remain within temperature limits. A special blue-filter version blocking out unwanted light above 700 nm is available for dental curing applications. In addition, you get all the proven advantages of halogen technology such as a CRI of 100 – the same as natural sunlight for the best possible color rendering. Halogen lamps also create a comfortable warm white light, and they maintain their high lumen output with almost no lumen reduction throughout their lifetime.

Product data


General Information	
Cap-Base	GX5.3
Operating Position	S90 [Standing +/-90D or Base Down (BDH)]
Life to 50% Failures (Nom)	50 hour(s)
Light Technical	
Color rendering index (CRI)	100
Operating and Electrical	
Power Consumption	200 W
Voltage (Nom)	24 V
Voltage (Nom)	24 V
Controls and Dimming	
Dimmable	Yes

Mechanical and Housing		
Bulb Material	Quartz-UV Open	
Reflector Finish	Smooth	
Product Data		
Order product name	13164 200W GX5.3 24V 1CT/24	
Full product name	13164 200W GX5.3 24V 1CT/24	
Full product code	871150041058030	
Order code	923921120594	
Material Nr. (12NC)	923921120594	
Numerator - Quantity Per Pack	1	
EAN/UPC - Product/Case	8711500410580	
Numerator - Packs per outer box	24	
EAN/UPC - Case	8711500419026	

Datasheet, 2024, January 16 data subject to change

Halogen reflector

Dimensional drawing



Product	D (max)	C (max)
13164 200W GX5.3 24V 1CT/24	50.7 mm	44.5 mm

