



HPL

7008 750W/Heat Sink 230V 1CT/10


HPL lamps include a barrel-shaped filament that is approved by ETC for use in its Source Four™ fixtures. Bright, high quality light and high beam intensity is assured by the optimal filament design, while the unique P3 technology, developed by Philips, allows the lamp to be used at higher temperatures, which extends lifetime and consistency of high-quality light output, resulting in fewer early failures and fewer maintenance man hour costs.

Product data

General Information	
Cap-Base	HEATSINK [Heat Sink]
Operating Position	UNIVERSAL [Any or Universal (U)]
Life to 50% Failures (Nom)	300 hour(s)
Light Technical	
Correlated Color Temperature (Nom)	3200 K
Color rendering index (CRI)	100
Operating and Electrical	
Power Consumption	750 W
Voltage (Nom)	230 V
Voltage (Nom)	230 V
Controls and Dimming	
Dimmable	Yes

Mechanical and Housing	
Bulb Finish	Clear
Product Data	
Order product name	7008 750W/Heat Sink 230V 1CT/10
Full product name	7008 750W/Heat Sink 230V 1CT/10
Full product code	871150049658425
Order code	924555144228
Material Nr. (12NC)	924555144228
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8711500496584
Numerator - Packs per outer box	10
EAN/UPC - Case	8711500496850

Dimensional drawing



Product	D (max)	H	W	D1	L	C (max)
7008 750W/Heat Sink 230V	19 mm	11.5 mm	8.6 mm	7.5 mm	60.3 mm	104 mm
1CT/10						

