



PAR56 and PAR64

PAR64 250W 28V VNSP

These self-contained spotlights are ideal for intensifying the visual experience in all kinds of clubs, that is because their accurate beam control picks out even the smallest of details even over long distances. This beam control makes the PAR 56 and PAR 64 excellent for long-range light projections. In addition, the universal burning feature provides complete flexibility of luminaires angle and position, while the front glass of the PAR56 provides thermal and physical protection. The result? Complete creative freedom to achieve the desired effect. Immediate re-strike also ensures instant resumption of entertainment after any power interruption.

Product data


General Information		
Cap-Base	MULTIPURPOSE [AKA:Screw Terminal]	
Operating Position	UNIVERSAL [Any or Universal (U)]	
Nominal lifetime	50 hour(s)	
Light Technical		
Correlated Color Temperature (Nom)	3200 K	
Operating and Electrical		
Power Consumption	250 W	
Voltage (Nom)	28 V	
Voltage (Nom)	28 V	
Mechanical and Housing		
Bulb Shape	PAR64 [PAR 8inch/200mm]	

Product Data		
Order product name	PAR64 250W 28V VNSP	
Full product name	PAR64 250W 28V VNSP	
Full product code	872790081274900	
Order code	81274900	
Material Nr. (12NC)	924783221704	
Numerator - Quantity Per Pack	1	
EAN/UPC - Product/Case	8727900812749	
Numerator - Packs per outer box	6	
EAN/UPC - Case	8727900812756	

Datasheet, 2023, May 1 data subject to change

PAR56 and PAR64

Dimensional drawing



Product	D (max)	C (max)
PAR64 250W 28V VNSP	204 mm	150 mm



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.