



Halogen Classic Ashape

Halogen 140W B22 230V A55 CL 1CT/10

Philips Halogen Classic light bulbs offer the classical shapes you are used to. This new 'classic' gives high-quality light, is dimmable and starts immediately.

Product data


General Information	
Cap-Base	B22 [B22]
Operating Position	UNIVERSAL [Any or Universal (U)]
Nominal lifetime	2,000 hour(s)
Switching Cycle	8,000
Rated Lifetime (Hours)	2,000 hour(s)
Lighting Technology	Halogen
Light Technical	
Luminous Flux	2,840 lm
Correlated Color Temperature (Nom)	2800 K
Luminous Efficacy (rated) (Nom)	20.3 lm/W
Color rendering index (CRI)	100
Operating and Electrical	
Power Consumption	140.0 W
Lamp Current (Nom)	0.61 A
Starting Time (Nom)	0.0 s
Warm-up time to 60% light	instant full light s
Power Factor (Fraction)	1
Voltage (Nom)	230 V
Voltage (Nom)	230 V

Controls and Dimming		
Dimmable	Yes	
Mechanical and Housing		
Bulb Finish	Clear	
Bulb Shape	A55 [A 55mm]	
Approval and Application		
Energy Consumption kWh/1000 h	140 kWh	
Product Data		
Order product name	Halogen 140W B22 230V A55 CL 1CT/10	
Full product name	Halogen 140W B22 230V A55 CL 1CT/10	
Full product code	872790025257600	
Order code	925701444202	
Material Nr. (12NC)	925701444202	
Numerator - Quantity Per Pack	1	
EAN/UPC - Product/Case	8727900252576	
Numerator - Packs per outer box	15	
EAN/UPC - Case	8718696462690	

Datasheet, 2023, September 4 data subject to change

Halogen Classic A-shape

Dimensional drawing



Product	D (max)	C (max)
Halogen 140W B22 230V A55 CL 1CT/10	56 mm	95.5 mm



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.