



# **Standard Candle B35** clear

# Stan 40W E14 230V B35 CL 1CT/10X10F

Flame-shaped bulb with clear glass and vacuum- or gas-filled bulb with B- or E-base  $\,$ 

#### **Product data**


General Information  Cap-Base E14 [E14]  Operating Position UNIVERSAL [Any or Universal (U)]  Nominal lifetime 1,000 hour(s)  Rated Lifetime (Hours) 1,000 hour(s)  Lighting Technology Incandescent  Light Technical  Luminous Flux 410 lm  Color rendering index (CRI) 100  Operating and Electrical  Power Consumption 40 W  Voltage (Nom) 230 V  Controls and Dimming  Dimmable Yes		
Operating Position  Nominal lifetime  1,000 hour(s)  Rated Lifetime (Hours)  Lighting Technology  Incandescent  Light Technical  Luminous Flux  Color rendering index (CRI)  Operating and Electrical  Power Consumption  40 W  Voltage (Nom)  230 V  Controls and Dimming	General Information	
Nominal lifetime 1,000 hour(s)  Rated Lifetime (Hours) 1,000 hour(s)  Lighting Technology Incandescent  Light Technical  Luminous Flux 410 lm  Color rendering index (CRI) 100  Operating and Electrical  Power Consumption 40 W  Voltage (Nom) 230 V  Controls and Dimming	Cap-Base	E14 [E14]
Rated Lifetime (Hours)  Lighting Technology  Incandescent  Light Technical  Luminous Flux  410 lm  Color rendering index (CRI)  Operating and Electrical  Power Consumption  40 W  Voltage (Nom)  230 V  Controls and Dimming	Operating Position	UNIVERSAL [Any or Universal (U)]
Lighting Technology Incandescent  Light Technical Luminous Flux 410 lm  Color rendering index (CRI) 100  Operating and Electrical Power Consumption 40 W  Voltage (Nom) 230 V  Voltage (Nom) 230 V  Controls and Dimming	Nominal lifetime	1,000 hour(s)
Light Technical Luminous Flux 410 lm  Color rendering index (CRI) 100  Operating and Electrical Power Consumption 40 W  Voltage (Nom) 230 V  Voltage (Nom) 230 V  Controls and Dimming	Rated Lifetime (Hours)	1,000 hour(s)
Luminous Flux 410 lm  Color rendering index (CRI) 100  Operating and Electrical  Power Consumption 40 W  Voltage (Nom) 230 V  Voltage (Nom) 230 V  Controls and Dimming	Lighting Technology	Incandescent
Luminous Flux 410 lm  Color rendering index (CRI) 100  Operating and Electrical  Power Consumption 40 W  Voltage (Nom) 230 V  Voltage (Nom) 230 V  Controls and Dimming		
Color rendering index (CRI) 100  Operating and Electrical  Power Consumption 40 W  Voltage (Nom) 230 V  Voltage (Nom) 230 V  Controls and Dimming	Light Technical	
Operating and Electrical  Power Consumption 40 W  Voltage (Nom) 230 V  Voltage (Nom) 230 V  Controls and Dimming	Luminous Flux	410 lm
Power Consumption         40 W           Voltage (Nom)         230 V           Voltage (Nom)         230 V	Color rendering index (CRI)	100
Power Consumption         40 W           Voltage (Nom)         230 V           Voltage (Nom)         230 V		
Voltage (Nom) 230 V Voltage (Nom) 230 V  Controls and Dimming	Operating and Electrical	
Voltage (Nom) 230 V  Controls and Dimming	Power Consumption	40 W
Controls and Dimming	Voltage (Nom)	230 V
	Voltage (Nom)	230 V
Dimmable Yes	Controls and Dimming	
	Dimmable	Yes

Mechanical and Housing		
Bulb Finish	Clear	
Bulb Shape	B35 [B 35mm]	
Product Data		
Order product name	Stan 40W E14 230V B35 CL 1CT/10X10F	
Full product name	Stan 40W E14 230V B35 CL 1CT/10X10F	
Full product code	871869658978600	
Order code	926000006897	
Material Nr. (12NC)	926000006897	
Numerator - Quantity Per Pack	1	
EAN/UPC - Product/Case	8718696589786	
Numerator - Packs per outer box	100	
EAN/UPC - Case	8718696589809	

Datasheet, 2023, October 11 data subject to change

## Standard Candle B35 clear

### Dimensional drawing



Product	D	C (max)
Stan 40W E14 230V B35 CL 1CT/10X10F	35 mm	100 mm



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.