



PL-S 2 Pin

PL-S 9W/827/2P 1CT/25

PL-S is an efficient low-wattage compact fluorescent lamp, typically used for decorative and orientation purposes. The original Philips-invented bridge technology guarantees optimum performance in the application, enabling more light and higher efficacy than the bended technology. The 2-pin version is designed for operation on electromagnetic gear and is provided with a plug-in/pull-out lamp base.

Product data


General Information			
Cap-Base	G23 [G23]		
Life to 50% Failures (Nom)	8,000 hour(s)		
Light Technical			
Color Code	827 [CCT of 2700K]		
Luminous Flux	600 lm		
Color Designation	Incandescent White		
Correlated Color Temperature (Nom)	2700 K		
Luminous Efficacy (rated) (Nom)	69 lm/W		
Color rendering index (CRI)	>80		
Operating and Electrical			
Power Consumption	8.6 W		
Lamp Current (Nom)	0.170 A		
Voltage (Nom)	60 V		
Voltage (Nom)	60 V		

No	
1.4 mg	
PL-S 9W/827/2P 1CT/25	
PL-S 9W/827/2P 1CT/25	
871150070679900	
927901708265	
927901708265	
1	
8711500706799	
25	
8711500534033	

Datasheet, 2023, May 1 data subject to change


PL-S 2 Pin

Dimensional drawing



Product	D (max)	D1 (max)	C (max)
PL-S 9W/827/2P 1CT/25	27.1 mm	13 mm	167.5 mm

Photometric data



Spectral Power Distribution Colour - PL-S 9W/827/2P 1CT/25



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.