



MASTER PL-L Xtra 4 Pin



MASTER PL-L XTRA 36W/840/4P 1CT/25

Energy-saving compact fluorescent lamps. Compact long-arc low-pressure mercury discharge lamp. Envelope consists of 2 parallel fluorescent tubes

Warnings and Safety

- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position as well as applied control gear
- Shorter lamp life when often switching and not well pre-heated electrodes
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data


General Information		Operating and Electrical	
Cap base	2G11 [2G11]	Power Consumption	36.3 W
Flux measurement reference	Sphere	Lamp current (nom.)	0.435 A
Life to 50% failures (nom.)	21,000 h		
Light Technical		Controls and Dimming	
Colour Code	840 [CCT of 4000K]	Dimmable	Yes
Luminous Flux	2,800 lm		
Colour designation	Cool White (CW)	Approval and Application	
Chromaticity Coordinate X (Nom)	0.38	Energy Efficiency Class	G
Chromaticity Coordinate Y (Nom)	0.38	Mercury (Hg) content (max.)	3 mg
Correlated Colour Temperature	4000 K	Mercury (Hg) content (nom.)	3.0 mg
Luminous efficacy (rated) (nom.)	81 lm/W	Energy consumption kWh/1,000 hours	37 kWh
Colour rendering index (CRI)	80	EPREL registration number	423277

MASTER PL-L Xtra 4 Pin

Product Data	
Order product name	MASTER PL-L Xtra 36W/840/4P 1CT/25
Full product name	MASTER PL-L XTRA 36W/840/4P 1CT/25
Full EOC	871150089760240
Order code	89760240
Material no. (12 NC)	927904784014
Local order code	36PLL840XTRA


SAP numerator – quantity per pack	1
EAN/UPC – Product/Case	8711500897602
Numerator – packs per outer box	25
EAN/UPC – Case	8711500897619

Dimensional drawing



Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
MASTER PL-L Xtra 36W/840/4P 1CT/25	39.0 mm	18.0 mm	384.2 mm	410 mm	416.6 mm

Photometric data



Spectral Power Distribution Colour - MASTER PL-L Xtra 36W/840/4P 1CT/25

