



# **MASTER PL-C 4 Pin**

## MASTER PL-C 13W/840/4P 1CT/5X10BOX

Energy-saving compact fluorescent lamps. Compact long-arc low-pressure mercury discharge lamp. Envelope consists of 4 parallel narrow fluorescent tubes

### Warnings and Safety


- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position as well as applied HF control gear
- · Shorter lamp life when often switching and not well pre-heated electrodes
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

#### **Product data**

General Information		Approval and Application		
Cap-Base	G24q-1	Mercury (Hg) Content (Nom)	1.4 mg	
		Energy Consumption kWh/1000 h	15 kWh	
Light Technical				
Color Code	840 [CCT of 4000K]	Product Data		
Luminous Flux	925 lm	Order product name	MASTER PL-C 13W/840/4P 1CT/5X10BOX	
Color Designation	Cool White (CW)	Full product name	MASTER PL-C 13W/840/4P 1CT/5X10BOX	
Correlated Color Temperature (Nom)	4000 K	Full product code	871150062332400	
Luminous Efficacy (rated) (Nom)	69 lm/W	Order code	927907184002	
Color rendering index (CRI)	82	Material Nr. (12NC)	927907184002	
		Numerator - Quantity Per Pack	1	
Operating and Electrical		EAN/UPC - Product/Case	8711500623324	
Power Consumption	13.0 W	Numerator - Packs per outer box	50	
Lamp Current (Nom)	0.170 A	EAN/UPC - Case	8711500715739	
Controls and Dimming				
Dimmable	Yes			

## **MASTER PL-C 4 Pin**

## Dimensional drawing





Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
MASTER PL-C 13W/840/4P 1CT/	27.1 mm	27.1 mm	97.5 mm	117.0 mm	131.9 mm
5X10BOX					


Photometric data

#### Spectral Power Distribution Colour - MASTER PL-C 13W/840/4P 1CT/5X10BOX










Life Expectancy Diagram - MASTER PL-C 13W/840/4P 1CT/5X10BOX

## MASTER PL-C 4 Pin

## Lifetime



Lumen Maintenance Diagram - MASTER PL-C 13W/840/4P 1CT/5X10BOX



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, April 17 - data subject to change