



# **MASTER PL-C 4 Pin**

## MASTER PL-C 13W/840/4P 1CT/5X10BOX

Energy-saving compact fluorescent lamps. Compact long-arc low-pressure mercury discharge lamp. Envelope consists of 4 parallel narrow fluorescent tubes

## Warnings and Safety

- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position as well as applied HF control gear
- · Shorter lamp life when often switching and not well pre-heated electrodes
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

### **Product data**

- 11 f - 11				
General Information				
Cap-Base	G24Q-1 [G24q-1]			
Light Technical				
Color Code	840 [CCT of 4000K]			
Luminous Flux	925 lm			
Color Designation	Cool White (CW)			
Correlated Color Temperature (Nom)	840 [CCT of 4000K] 925 lm			
Luminous Efficacy (rated) (Nom)	69 lm/W			
Color rendering index (CRI)	82			
Operating and Electrical				
Power Consumption	13.0 W			
Lamp Current (Nom)	0.170 A			


Controls and Dimming				
Dimmable	Yes			
Approval and Application				
Mercury (Hg) Content (Nom)	1.4 mg			
Energy Consumption kWh/1000 h	15 kWh			
Product Data				
Order product name	MASTER PL-C 13W/840/4P 1CT/5X10BOX			
Full product name	MASTER PL-C 13W/840/4P 1CT/5X10BOX			
Full product code	871150062332400			
Order code	927907184002			
Material Nr. (12NC)	927907184002			
Local order code	PLC13W8404P			
Numerator - Quantity Per Pack	1			
EAN/UPC - Product/Case	8711500623324			
Numerator - Packs per outer box	50			

## MASTER PL-C 4 Pin

EAN/UPC - Case


8711500715739

#### **Dimensional drawing**




Product	D (max)	D1 (max)	A (max)	B (max)	C (max)	
MASTER PL-C 13W/840/4P 1CT/	27.1 mm	27.1 mm	97.5 mm	117.0 mm	131.9 mm	
5X10BOX						

### Photometric data




Spectral Power Distribution Colour - MASTER PL-C 13W/840/4P 1CT/5X10BOX

## Lifetime



Life Expectancy Diagram - MASTER PL-C 13W/840/4P 1CT/5X10BOX



Life Expectancy Diagram - MASTER PL-C 13W/840/4P 1CT/5X10BOX

## **MASTER PL-C 4 Pin**

Lifetime



Lumen Maintenance Diagram - MASTER PL-C 13W/840/4P 1CT/5X10BOX



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, April 17 - data subject to change