



# PL-C Cluster 4-Pin Base

# PL-C 26W/35/4P/ALTO 10PK

Philips Linear Compact Fluorescent Lamps offer designers, specifiers and end-users new levels of efficiencies and versatility in sizes, configurations and application possibilities. With so many elegant fixtures available to complement their small size, high light output and advanced technology, Philips Energy Advantage lamps are fast becoming the preferred choice when maximum effciency and sleek design solutions are required.

### **Product data**


General Information				
Cap-Base	G24q-3			
Light Technical				
Color Code	835 [CCT of 3500K]			
Luminous Flux	1,800 lm			
Color Designation	White (WH)			
Correlated Color Temperature (Nom)	3500 K			
Luminous Efficacy (rated) (Nom)	67 lm/W			
Color rendering index (CRI)	82			
Operating and Electrical				
Power Consumption	26.0 W			
Lamp Current (Nom)	0.335 A			
Controls and Dimming				
Dimmable	Yes			

Approval and Application			
Mercury (Hg) Content (Nom)	1.4 mg		
Energy Consumption kWh/1000 h	29 kWh		
Product Data			
Order product name	PL-C 26W/835/4P/ALTO 10PK		
Full product name	PL-C 26W/35/4P/ALTO 10PK		
Order code	383364		
Material Nr. (12NC)	927907383530		
Numerator - Quantity Per Pack	1		
EAN/UPC - Product/Case	046677111748		
Numerator - Packs per outer box	10		
EAN/UPC - Case	60046677111740		

Datasheet, 2023, April 15 data subject to change


# PL-C Cluster 4-Pin Base

### Dimensional drawing




Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
PL-C 26W/835/4P/ALTO 10PK	27.1 mm	27.1 mm	130.5 mm	149.0 mm	163.9 mm


### Photometric data



Spectral Power Distribution Colour - PL-C 26W/835/4P/ALTO 10PK

## Lifetime






Life Expectancy Diagram - PL-C 26W/835/4P/ALTO 10PK

Life Expectancy Diagram - PL-C 26W/835/4P/ALTO 10PK

# PL-C Cluster 4-Pin Base

### Lifetime



Lumen Maintenance Diagram - PL-C 26W/835/4P/ALTO 10PK

