



# **MASTER PL-T 2 Pin**

## MASTER PL-T 26W/827/2P 1CT/5X10CC

Energy saving compact fluorescent lamp. Compact long-arc low-pressure mercury discharge lamp. Envelope consists of 6 parallel narrow fluorescent tubes

#### **Warnings and Safety**

- $\cdot$  Use only with electromagnetic control gear
- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position
- · Dimming is not possible
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

#### **Product data**

General Information			
Cap base	GX24D-3 [GX24d-3]		
Life to 50% failures (nom.)	10,000 h		
Light Technical			
Colour Code	827 [CCT of 2700K]		
Luminous Flux	1,800 lm		
Colour designation	Incandescent White		
Correlated Colour Temperature	2700 K		
Luminous efficacy (rated) (min.)	66 lm/W		
Colour rendering index (CRI)	82		
Operating and Electrical			
Power Consumption	26.0 W		
Lamp current (nom.)	0.335 A		


Controls and Dimming					
Dimmable	No				
Approval and Application					
Mercury (Hg) content (nom.)	1.4 mg				
Energy consumption kWh/1,000 hours	32 kWh				
Product Data					
Order product name	MASTER PL-T 26W/827/2P 1CT/5X10BOX				
Full product name	MASTER PL-T 26W/827/2P 1CT/5X10CC				
Full EOC	871150055988370				
Order code	55988370				
Material no. (12 NC)	927914582771				
Local order code	26PLT8272PINCS				
SAP numerator – quantity per pack	1				
EAN/UPC — Product/Case	8711500559883				

Datasheet, 2023, April 30 data subject to change

## **MASTER PL-T 2 Pin**


Numerator – packs per outer box	50
EAN/UPC - Case	8711500559906

#### Dimensional drawing




Product	D (max)	A (max)	B (max)	C (max)
MASTER PL-T 26W/827/2P 1CT/5X10BOX	41 mm	86.7 mm	111.0 mm	134.2 mm


#### Photometric data



Spectral Power Distribution Colour - MASTER PL-T 26W/827/2P 1CT/5X10BOX

#### Lifetime






Life Expectancy Diagram - MASTER PL-T 26W/827/2P 1CT/5X10BOX

Life Expectancy Diagram - MASTER PL-T 26W/827/2P 1CT/5X10BOX

## **MASTER PL-T 2 Pin**

#### Lifetime



Lumen Maintenance Diagram - MASTER PL-T 26W/827/2P 1CT/5X10BOX



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.