



MASTER PL-T 4 Pin

MASTER PL-T 26W/827/4P 1CT/5X10BOX

Energy saving compact fluorescent lamp. Compact long-arc low-pressure mercury discharge lamp. Envelope consists of 6 parallel narrow fluorescent tubes

Warnings and Safety

- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position as well as applied HF control gear
- · Shorter lamp life when often switching and not well pre-heated electrodes
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data


General Information		Approval and Application			
Cap-Base	GX24Q-3 [GX24q-3]	Mercury (Hg) Content (Nom)	1.4 mg		
		Energy Consumption kWh/1000 h	29 kWh		
Light Technical					
Color Code	827 [CCT of 2700K]	Product Data	Product Data		
Luminous Flux	1,800 lm	Order product name	Order product name MASTER PL-T 26W/827/4P 1CT/5X10B		
Color Designation	Incandescent White	Full product name	MASTER PL-T 26W/827/4P 1CT/5X10BOX		
Correlated Color Temperature (Nom)	2700 K	Full product code	871150055993770		
Luminous Efficacy (Rated) (Min)	66 lm/W	Order code	927914682771		
Color rendering index (CRI)	82	Material Nr. (12NC)	927914682771		
		Numerator - Quantity Per Pack	1		
Operating and Electrical		EAN/UPC - Product/Case	8711500559937		
Power Consumption	24.0 W	Numerator - Packs per outer box	50		
Lamp Current (Nom)	0.300 A	EAN/UPC - Case	8711500272171		
Controls and Dimming					
Dimmable	Yes				

MASTER PL-T 4 Pin

Dimensional drawing


Product	D (max)	A (max)	B (max)	C (max)
MASTER PL-T 26W/827/4P 1CT/5X10BOX	41.0 mm	86.7 mm	111.0 mm	126.7 mm

Photometric data




Spectral Power Distribution Colour - MASTER PL-T 26W/827/4P 1CT/5X10BOX

Lifetime








Life Expectancy Diagram - MASTER PL-T 26W/827/4P 1CT/5X10BOX

MASTER PL-T 4 Pin

Lifetime



Lumen Maintenance Diagram - MASTER PL-T 26W/827/4P 1CT/5X10BOX



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, April 15 - data subject to change