

# Lighting

**PHILIPS** 

# MASTER TL5 High Efficiency

# MASTER TL5 HE 21W/840 SLV/40

Low-pressure mercury discharge lamps with a tubular 16 mm envelope

#### Warnings and Safety

• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.


#### **Product data**

General Information		Controls and Dimming			
Cap-Base	G5	Dimmable	Yes		
Features	na [Not Applicable]				
Flux measurement reference	Sphere	Mechanical and Housing			
		Bulb Shape	Т5		
Light Technical					
Color Code	840 [CCT of 4000K]	Approval and Application	Application		
Luminous Flux	1,900 lm	Energy Efficiency Class	G		
Color Designation	Cool White (CW)	Mercury (Hg) Content (Nom)	1.2 mg		
Chromaticity Coordinate X (Nom)	0.38	Energy Consumption kWh/1000 h	21 kWh		
Chromaticity Coordinate Y (Nom)	0.38	EPREL Registration Number	423455		
Correlated Color Temperature (Nom)	4000 K				
Luminous Efficacy (rated) (Nom)	90 lm/W	Product Data			
Color rendering index (CRI)	80	Order product name	MASTER TL5 HE 21W/840 SLV/40		
		Full product name	MASTER TL5 HE 21W/840 SLV/40		
Operating and Electrical		Full product code	871150063944855		
Power Consumption	20.8 W	Order code	927926284055		
Lamp Current (Nom)	0.165 A	Material Nr. (12NC)	927926284055		
		Numerator - Quantity Per Pack	1		

# **MASTER TL5 High Efficiency**


EAN/UPC - Product/Case	8711500639448		
Numerator - Packs per outer box	40		
EAN/UPC - Case	8711500867551		

### **Dimensional drawing**




Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL5 HE 21W/840	17 mm	849.0 mm	856.1 mm	853.7 mm	863.2 mm
SLV/40					

#### Photometric data




Spectral Power Distribution Colour - MASTER TL5 HE 21W/840 SLV/40

## Lifetime




Life Expectancy Diagram - MASTER TL5 HE 21W/840 SLV/40



Life Expectancy Diagram - MASTER TL5 HE 21W/840 SLV/40

# **MASTER TL5 High Efficiency**

Lifetime



Lumen Maintenance Diagram - MASTER TL5 HE 21W/840 SLV/40



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, April 16 - data subject to change