



# MASTER TL5 High Output

# **MASTER TL5 HO 39W/827 SLV/40**

This TL5 lamp (tube diameter 16 mm) offers high light output. The TL5 HO lamp is optimized for installations requiring high light output and offers excellent lumen maintenance and color rendering. Application areas vary from offices and industry to schools and retail environments.

### **Warnings and Safety**

• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

#### **Product data**

General Information				
Cap-Base	G5 [G5]			
Features	na [Not Applicable]			
Light Technical				
Color Code	827 [CCT of 2700K]			
Luminous Flux	3,500 lumen			
Color Designation	Incandescent White			
Correlated Color Temperature (Nom)	2700 K			
Luminous Efficacy (rated) (Nom)	82 lm/W			
Color rendering index (CRI)	82			
Operating and Electrical				
Power Consumption	38.0 W			
Lamp Current (Nom)	0.325 A			

Controls and Dimming					
Dimmable	Yes				
Mechanical and Housing					
Bulb Shape	T5 [16 mm (T5)]				
Approval and Application					
Mercury (Hg) Content (Nom)	1.4 mg				
Energy Consumption kWh/1000 h	42 kWh				
Product Data					
Full product code	871150064310055				
Order product name	MASTER TL5 HO 39W/827 SLV/40				
Order code	927928582739				
Numerator - Quantity Per Pack	1				
Numerator - Packs per outer box	40				


Datasheet, 2023, September 21 data subject to change

# **MASTER TL5 High Output**

Material Nr. (12NC)	927928582739		
Full product name	MASTER TL5 HO 39W/827 SLV/40		
EAN/UPC - Case	8711500260000		


EAN/UPC - Product/Case 8711500643100	EAN/UPC - Product/Case	8711500643100
--------------------------------------	------------------------	---------------

## Dimensional drawing




Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL5 HO 39W/827	17 mm	849.0 mm	856.1 mm	853.7 mm	863.2 mm
SLV/40					


#### Photometric data



Spectral Power Distribution Colour - MASTER TL5 HO 39W/827 SLV/40

#### Lifetime





Life Expectancy Diagram - MASTER TL5 HO 39W/827 SLV/40

Life Expectancy Diagram - MASTER TL5 HO 39W/827 SLV/40

# **MASTER TL5 High Output**

Lifetime

Lumen Maintenance Diagram - MASTER TL5 HO 39W/827 SLV/40



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.