

Lighting

PHILIPS

MASTER TL5 High Output

MASTER TL5 HO 80W/840 SLV/40

Low-pressure mercury discharge lamps with a tubular 16 mm envelope

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information		Operating and Electrical		
Cap-Base	G5	Power Consumption	79.8 W	
Features	HO Alto® [High Output Alto]	Lamp Current (Nom)	0.530 A	
Flux measurement reference	Sphere			
		Controls and Dimming		
Light Technical		Dimmable	Yes	
Color Code	840 [CCT of 4000K]			
Luminous Flux	6,550 lm	Mechanical and Housing		
Color Designation	Cool White (CW)	Bulb Shape	T5	
Chromaticity Coordinate X (Nom)	0.38			
Chromaticity Coordinate Y (Nom)	0.38	Approval and Application		
Correlated Color Temperature (Nom)	4000 K	Energy Efficiency Class	G	
Luminous Efficacy (rated) (Nom)	82 lm/W	Mercury (Hg) Content (Nom)	1.2 mg	
Color rendering index (CRI)	81	Energy Consumption kWh/1000 h	80 kWh	
		EPREL Registration Number	423571	


MASTER TL5 High Output

Product Data	
Order product name	MASTER TL5 HO 80W/840 SLV/40
Full product name	MASTER TL5 HO 80W/840 SLV/40
Full product code	871150071045155
Order code	927929584057
Material Nr. (12NC)	927929584057


Numerator - Quantity Per Pack	1		
EAN/UPC - Product/Case	8711500710451		
Numerator - Packs per outer box	40		
EAN/UPC - Case	8711500868862		

Dimensional drawing

Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL5 HO 80W/840	17 mm	1,449.0 mm	1,456.1 mm	1,453.7 mm	1,463.2 mm
SLV/40					





Photometric data




Spectral Power Distribution Colour - MASTER TL5 HO 80W/840 SLV/40

Lifetime







Lumen Maintenance Diagram - MASTER TL5 HO 80W/840 SLV/40

MASTER TL5 High Output

Lifetime

Life Expectancy Diagram - MASTER TL5 HO 80W/840 SLV/40



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, April 16 - data subject to change