

PL-T Triple 4-Pin Base Non Amalgam

PL-T 32W/841/4P/ALTO

Philips Non-Amalgam PL-T Compact Fluorescent lamps offer designers, specifiers, and end-users new levels of efficiencies and versatility in sizes, configurations and application possibilities.

Product data

General Information	
Cap-Base	GX24Q-3 [GX24q-3]

Light Technical	
Color Code	841 [CCT of 4100K]
Luminous Flux	2,300 lumen
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (Rated) (Min)	71.9 lm/W
Luminous Efficacy (rated) (Nom)	71.9 lm/W
Color rendering index (CRI)	80

Operating and Electrical	
Power Consumption	32 W
Lamp Current (Nom)	0.320 A


Controls and Dimming	
Dimmable	Yes

Approval and Application	
Mercury (Hg) Content (Nom)	1.4 mg
Energy Consumption kWh/1000 h	29 kWh

Product Data	
Order product name	PL-T 32W/841/4P/ALTO
Order code	927933184130
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	927933184130
Full product name	PL-T 32W/841/4P/ALTO
EAN/UPC - Case	50046677433456
EAN/UPC - Product/Case	046677433451


PL-T Triple 4-Pin Base Non Amalgam

Dimensional drawing




Product	D (max)	A (max)	B (max)	C (max)
PL-T 32W/841/4P/ALTO	41.0 mm	86.7 mm	123.0 mm	138.7 mm


Lifetime



Life Expectancy Diagram - PL-T 32W/841/4P/ALTO



Life Expectancy Diagram - PL-T 32W/841/4P/ALTO



Lumen Maintenance Diagram - PL-T 32W/841/4P/ALTO

PL-T Triple 4-Pin Base Non Amalgam

© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.