



MASTER PL-S 4 Pin

MASTER PL-S 9W/840/4P 1CT/5X10BOX

Energy-saving compact fluorescent lamps. Compact long-arc low-pressure mercury discharge lamp. Envelope consists of 2 parallel narrow fluorescent tubes

Warnings and Safety

- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position as well as applied HF control gear
- · Shorter lamp life when often switching and not well pre-heated electrodes
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data


General Information		Lamp Current (Nom)	0.170 A	
Cap-Base	2G7 [2G7]			
Flux measurement reference	Sphere	Controls and Dimming		
		Dimmable	Yes	
Light Technical				
Color Code	840 [CCT of 4000K]	Approval and Application		
Luminous Flux	570 lm	Energy Efficiency Class	G	
Color Designation	Cool White (CW)	Mercury (Hg) Content (Max)	1.4 mg	
Chromaticity Coordinate X (Nom)	0.38	Mercury (Hg) Content (Nom)	1.4 mg	
Chromaticity Coordinate Y (Nom)	0.38	Energy Consumption kWh/1000 h	9 kWh	
Correlated Color Temperature (Nom)	4000 K	EPREL Registration Number	423594	
Luminous Efficacy (rated) (Nom)	73 lm/W			
Color rendering index (CRI)	80	Product Data		
		Order product name	MASTER PL-S 9W/840/4P 1CT/5X10BOX	
Operating and Electrical		Full product name	MASTER PL-S 9W/840/4P 1CT/5X10BOX	
Power Consumption	8.8 W	Full product code	871150026096370	
		Order code	927936284011	

MASTER PL-S 4 Pin

Material Nr. (12NC)	927936284011		
Numerator - Quantity Per Pack	1		
EAN/UPC - Product/Case	8711500260963		
Numerator - Packs per outer box	50		


EAN/UPC - Case	8711500260987		

Dimensional drawing




Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
MASTER PL-S 9W/840/4P 1CT/	28 mm	13 mm	128 mm	145 mm	151.1 mm
5X10BOX					

Photometric data




Spectral Power Distribution Colour - MASTER PL-S 9W/840/4P 1CT/5X10BOX

Lifetime



Life Expectancy Diagram - MASTER PL-S 9W/840/4P 1CT/5X10BOX



Life Expectancy Diagram - MASTER PL-S 9W/840/4P 1CT/5X10BOX

MASTER PL-S 4 Pin

Lifetime



Lumen Maintenance Diagram - MASTER PL-S 9W/840/4P 1CT/5X10BOX



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, April 15 - data subject to change