



# PL-S consumer products



## PL-S 11W/827/2P 1PP/10

The 2-pin version is designed for operation on electromagnetic gear and is provided with a plug-in/pull-out lamp base. Not suitable for dimming

### Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

### Product data

| General Information                |                    |
|------------------------------------|--------------------|
| Cap-Base                           | G23                |
| Flux measurement reference         | Sphere             |
| Life to 50% Failures (Nom)         | 10,000 hour(s)     |
| Light Technical                    |                    |
| Color Code                         | 827 [CCT of 2700K] |
| Luminous Flux                      | 900 lm             |
| Color Designation                  | Incandescent White |
| Chromaticity Coordinate X (Nom)    | 0.463              |
| Chromaticity Coordinate Y (Nom)    | 0.42               |
| Correlated Color Temperature (Nom) | 2700 K             |
| Luminous Efficacy (rated) (Nom)    | 77 lm/W            |
| Color rendering index (CRI)        | 82                 |
| Operating and Electrical           |                    |
| Power Consumption                  | 11.9 W             |


| Lamp Current (Nom)            | 0.155 A                |
|-------------------------------|------------------------|
| Controls and Dimming          |                        |
| Dimmable                      | No                     |
| Approval and Application      |                        |
| Energy Efficiency Class       | G                      |
| Mercury (Hg) Content (Max)    | 1.4 mg                 |
| Mercury (Hg) Content (Nom)    | 1.4 mg                 |
| Energy Consumption kWh/1000 h | 12 kWh                 |
| EPREL Registration Number     | 423596                 |
| Product Data                  |                        |
| Order product name            | PL-S 11W/827/2P 1PP/10 |
| Full product name             | PL-S 11W/827/2P 1PP/10 |
| Full product code             | 871150070312525        |
| Order code                    | 927936482767           |
| Material Nr. (12NC)           | 927936482767           |

PL-S consumer products

|                                 |               |
|---------------------------------|---------------|
| Numerator - Quantity Per Pack   | 1             |
| EAN/UPC - Product/Case          | 8711500703125 |
| Numerator - Packs per outer box | 10            |


|                |               |
|----------------|---------------|
| EAN/UPC - Case | 8711500897398 |
|----------------|---------------|

Dimensional drawing




| Product                | D (max) | D1 (max) | A (max) | B (max) | C (max)  |
|------------------------|---------|----------|---------|---------|----------|
| PL-S 11W/827/2P 1PP/10 | 28 mm   | 13 mm    | 198 mm  | 214 mm  | 235.8 mm |

Photometric data




Spectral Power Distribution Colour - PL-S 11W/827/2P 1PP/10

Lifetime




Life Expectancy Diagram - PL-S 11W/827/2P 1PP/10



Life Expectancy Diagram - PL-S 11W/827/2P 1PP/10

PL-S consumer products

Lifetime



Lumen Maintenance Diagram - PL-S 11W/827/2P 1PP/10

