



PL-Q 2 Pin



PL-Q 16W/827/2P 1CT/10BOX

Compact fluorescent lamps with a quadrant-like shape

Warnings and Safety

- $\boldsymbol{\cdot}$ Use only with electromagnetic control gear
- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position
- Dimming is not possible
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information	
Cap base	GR8 [GR8]
Flux measurement reference	Sphere
Life to 50% failures (nom.)	8,000 h
Light Technical	
Colour Code	827 [CCT of 2700K]
Luminous Flux	1,050 lm
Colour designation	Incandescent White
Chromaticity Coordinate X (Nom)	0.463
Chromaticity Coordinate Y (Nom)	0.42
Correlated Colour Temperature	2700 K
Luminous efficacy (rated) (nom.)	66.6 lm/W
Colour rendering index (CRI)	81
Operating and Electrical	
Power Consumption	16.2 W

Lamp current (nom.)	0.196 A				
Controls and Dimming					
Dimmable	No				
Approval and Application					
Energy Efficiency Class	G				
Mercury (Hg) content (max.)	3 mg				
Mercury (Hg) content (nom.)	4.0 mg				
Energy consumption kWh/1,000 hours	17 kWh				
EPREL registration number	423603				
Product Data					
Order product name	PL-Q 16W/827/2P 1CT/10BOX				
Full product name	PL-Q 16W/827/2P 1CT/10BOX				
Full EOC	871150026965225				
Order code	26965225				


Datasheet, 2023, April 16 data subject to change

PL-Q 2 Pin

Material no. (12 NC)	927939082740
Local order code	16PLQ8272PIN
SAP numerator – quantity per pack	1
EAN/UPC — Product/Case	8711500269652


Numerator – packs per outer box	10
EAN/UPC - Case	8711500269003

Dimensional drawing




Product	U (max)	D (max)	D1 (max)	C (max)	C1 (max)	F (max)	E (max)
PL-Q 16W/827/2P	40 mm	13.7 mm	27.0 mm	138 mm	49 mm	40.5 mm	135 mm
1CT/10BOX							


Photometric data



Spectral Power Distribution Colour - PL-Q 16W/827/2P 1CT/10BOX

Lifetime






Life Expectancy Diagram - PL-Q 16W/827/2P 1CT/10BOX

Life Expectancy Diagram - PL-Q 16W/827/2P 1CT/10BOX

PL-Q 2 Pin

Lifetime



Lumen Maintenance Diagram - PL-Q 16W/827/2P 1CT/10BOX

