



PL-Q 2 Pin

PL-Q 16W/827/2P 1CT/10BOX

Compact fluorescent lamps with a quadrant-like shape

Warnings and Safety

- $\boldsymbol{\cdot}$ Use only with electromagnetic control gear
- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position
- Dimming is not possible
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information					
Cap-Base	GR8 [GR8]				
Flux measurement reference	Sphere				
Life to 50% Failures (Nom)	8,000 hour(s)				
Light Technical					
Color Code	827 [CCT of 2700K]				
Luminous Flux	1,050 lm				
Color Designation	Incandescent White				
Chromaticity Coordinate X (Nom)	0.463				
Chromaticity Coordinate Y (Nom)	0.42				
Correlated Color Temperature (Nom)	2700 K				
Luminous Efficacy (rated) (Nom)	66.6 lm/W				
Color rendering index (CRI)	81				
Operating and Electrical					
Power Consumption	16.2 W				

Lamp Current (Nom)	0.196 A
Controls and Dimming	
Dimmable	No
Approval and Application	
Energy Efficiency Class	G
Mercury (Hg) Content (Max)	3 mg
Mercury (Hg) Content (Nom)	4.0 mg
Energy Consumption kWh/1000 h	17 kWh
EPREL Registration Number	423603
Product Data	
Order product name	PL-Q 16W/827/2P 1CT/10BOX
Full product name	PL-Q 16W/827/2P 1CT/10BOX
Full product code	871150026965225
Order code	927939082740


Datasheet, 2023, April 16 data subject to change

PL-Q 2 Pin

Material Nr. (12NC)	927939082740
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8711500269652
Numerator - Packs per outer box	10


EAN/UPC - Case	8711500269003

Dimensional drawing




Product	U (max)	D (max)	D1 (max)	C (max)	C1 (max)	F (max)	E (max)
PL-Q 16W/827/2P	40 mm	13.7 mm	27.0 mm	138 mm	49 mm	40.5 mm	135 mm
1CT/10BOX							


Photometric data



Spectral Power Distribution Colour - PL-Q 16W/827/2P 1CT/10BOX

Lifetime






Life Expectancy Diagram - PL-Q 16W/827/2P 1CT/10BOX

Life Expectancy Diagram - PL-Q 16W/827/2P 1CT/10BOX

PL-Q 2 Pin

Lifetime



Lumen Maintenance Diagram - PL-Q 16W/827/2P 1CT/10BOX

