

PHILIPS

PL-Q 4 Pin

PHILIPS

Lighting

PL-Q 16W/835/4P 1CT/10BOX

Compact fluorescent lamps with a quadrant-like shape

Warnings and Safety

- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position as well as applied HF control gear
- · Shorter lamp life when often switching and not well pre-heated electrodes
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.


Product data

General Information		Controls and Dimming		
Cap-Base	GR10Q [GR10q]	Dimmable	Yes	
Flux measurement reference	Sphere			
		Approval and Application		
Light Technical		Energy Efficiency Class	G	
Color Code	835 [CCT of 3500K]	Mercury (Hg) Content (Max)	3 mg	
Luminous Flux	1,050 lm	Mercury (Hg) Content (Nom)	4 mg	
Color Designation	White (WH)	Energy Consumption kWh/1000 h	17 kWh	
Chromaticity Coordinate X (Nom)	0.409	EPREL Registration Number	423608	
Chromaticity Coordinate Y (Nom)	0.394			
Correlated Color Temperature (Nom)	3500 K	Product Data		
Luminous Efficacy (rated) (Nom)	66.6 lm/W	Order product name	PL-Q 16W/835/4P 1CT/10BOX	
Color rendering index (CRI)	81	Full product name	PL-Q 16W/835/4P 1CT/10BOX	
		Full product code	871150027206525	
Operating and Electrical		Order code	927939183540	
Power Consumption	16.2 W	Material Nr. (12NC)	927939183540	
Lamp Current (Nom)	0.195 A	Numerator - Quantity Per Pack	1	
		EAN/UPC - Product/Case	8711500272065	

PL-Q 4 Pin


Numerator - Packs per outer box	10			
EAN/UPC - Case	8711500270047			

Dimensional drawing




Product	U (max)	D (max)	D1 (max)	C (max)	C1 (max)	F (max)	E (max)
PL-Q 16W/835/4P	40 mm	13.7 mm	27.5 mm	138 mm	49 mm	40.5 mm	135 mm
1CT/10BOX							

Photometric data



Spectral Power Distribution Colour - PL-Q 16W/835/4P 1CT/10BOX

Lifetime




Lumen Maintenance Diagram - PL-Q 16W/835/4P 1CT/10BOX

Life Expectancy Diagram - PL-Q 16W/835/4P 1CT/10BOX

PL-Q 4 Pin

Lifetime



Life Expectancy Diagram - PL-Q 16W/835/4P 1CT/10BOX



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, April 15 - data subject to change