



# PL-Q 4 Pin

## PL-Q 38W/827/4P 1CT/10BOX

Compact fluorescent lamps with a quadrant-like shape

### Warnings and Safety

- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position as well as applied HF control gear
- Shorter lamp life when often switching and not well pre-heated electrodes
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.


### Product data

General Information	
Cap base	GR10Q [GR10q]
Light Technical	
Colour Code	827 [CCT of 2700K]
Luminous Flux	2,850 lm
Colour designation	Incandescent White
Correlated Colour Temperature	2700 K
Luminous efficacy (rated) (nom.)	75 lm/W
Colour rendering index (CRI)	82
Operating and Electrical	
Power Consumption	35.5 W
Lamp current (nom.)	0.430 A
Controls and Dimming	
Dimmable	Yes

Approval and Application	
Mercury (Hg) content (nom.)	4 mg
Energy consumption kWh/1,000 hours	42 kWh
Product Data	
Order product name	PL-Q 38W/827/4P 1CT/10BOX
Full product name	PL-Q 38W/827/4P 1CT/10BOX
Full EOC	871150027171625
Order code	27171625
Material no. (12 NC)	927939482740
Local order code	38PLQ8274PIN
SAP numerator – quantity per pack	1
EAN/UPC – Product/Case	8711500271716
Numerator – packs per outer box	10
EAN/UPC – Case	8711500271631


PL-Q 4 Pin

Dimensional drawing




Product	U (max)	D (max)	D1 (max)	C (max)	C1 (max)	F (max)	E (max)
PL-Q 38W/827/4P 1CT/10BOX	46.5 mm	18.9 mm	33 mm	203 mm	76 mm	41 mm	200 mm

Photometric data




Spectral Power Distribution Colour - PL-Q 38W/827/4P 1CT/10BOX

Lifetime



Lumen Maintenance Diagram - PL-Q 38W/827/4P 1CT/10BOX



Life Expectancy Diagram - PL-Q 38W/827/4P 1CT/10BOX

PL-Q 4 Pin

Lifetime



Life Expectancy Diagram - PL-Q 38W/827/4P 1CT/10BOX

