



T5 High Output

F39T5/835/HO/ALTO 40PK

Philips T5 HO lamps are environmentally-responsible, ultra-slim and have extraordinary light output and longer life.


Product data

| General Information | |
|------------------------------------|-----------------------------|
| Cap-Base | G5 |
| Features | HO Alto® [High Output Alto] |
| Light Technical | |
| Color Code | 835 [CCT of 3500K] |
| Luminous Flux | 3,500 lm |
| Color Designation | White (WH) |
| Correlated Color Temperature (Nom) | 3500 K |
| Luminous Efficacy (rated) (Nom) | 82 lm/W |
| Color rendering index (CRI) | 82 |
| Operating and Electrical | |
| Power Consumption | 38.0 W |
| Lamp Current (Nom) | 0.325 A |
| Controls and Dimming | |
| Dimmable | Yes |

| Mechanical and Housing | |
|---------------------------------|----------------------------------|
| Bulb Shape | T5 |
| Approval and Application | |
| Mercury (Hg) Content (Nom) | 1.4 mg |
| Product Data | |
| Order product name | 39W/835 Min Bipin T5 HO ALTO UNP |
| Full product name | F39T5/835/HO/ALTO 40PK |
| Order code | 290239 |
| Material Nr. (12NC) | 927992683522 |
| Numerator - Quantity Per Pack | 1 |
| EAN/UPC - Product/Case | 046677290238 |
| Numerator - Packs per outer box | 40 |
| EAN/UPC - Case | 50046677290233 |


T5 High Output

Dimensional drawing




| Product | D (max) | A (max) | B (max) | B (min) | C (max) |
|----------------------------------|---------|----------|----------|----------|----------|
| 39W/835 Min Bipin T5 HO ALTO UNP | 17 mm | 849.0 mm | 856.1 mm | 853.7 mm | 863.2 mm |

Photometric data




Spectral Power Distribution Colour - 39W/835 Min Bipin T5 HO ALTO UNP

Lifetime



Life Expectancy Diagram - 39W/835 Min Bipin T5 HO ALTO UNP



Lumen Maintenance Diagram - 39W/835 Min Bipin T5 HO ALTO UNP

T5 High Output

Lifetime

Life Expectancy Diagram - 39W/835 Min Bipin T5 HO ALTO UNP

