PHILIPS Lighting

T5 Preheat

F6T5/CW PH 25PK

Philips T5 Fluorescent Lamps are incredibly powerful, environmentally responsible, long life lamps with an ultra-slim profile. This translates into reduced maintenance and disposal costs and also allows the use of smaller fixtures—which reduces ceiling clutter.

Product data


General Information			
Cap-Base	G5 [G5]		
Life to 50% Failures (Nom)	10,000 hour(s)		
Light Technical			
Color Code	33-640		
Luminous Flux	260 lm		
Color Designation	Cool White (CW)		
Correlated Color Temperature (Nom)	4100 K		
Luminous Efficacy (rated) (Nom)	43 lm/W		
Color rendering index (CRI)	60		
Operating and Electrical			
Power Consumption	6.0 W		
Lamp Current (Nom)	0.160 A		
Voltage (Nom)	42 V		
Voltage (Nom)	42 V		
Controls and Dimming			
Dimmable	Yes		

Mechanical and Housing			
Bulb Shape	T5 [16 mm (T5)]		
Approval and Application			
Mercury (Hg) Content (Nom)	4.4 mg		
Energy Consumption kWh/1000 h	7 kWh		
Product Data			
Order product name	F6T5/CW FAM/25		
Full product name	F6T5/CW PH 25PK		
Order code	332411		
Material Nr. (12NC)	928000503321		
Numerator - Quantity Per Pack	1		
EAN/UPC - Product/Case	046677114633		
Numerator - Packs per outer box	25		
EAN/UPC - Case	50046677114638		


T5 Preheat

Dimensional drawing

Product	D (max)	A (max)	B (max)	B (min)	C (max)
F6T5/CW FAM/25	16 mm	212.1 mm	219.2 mm	216.8 mm	226.3 mm



Photometric data



Spectral Power Distribution Colour - F6T5/CW FAM/25



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, April 29 - data subject to change