



Blue (/52) TL/TL-D

TL 20W/52 SLV/25

By emitting light almost entirely within the 400 to 500 nm bandwidth these Medical Therapy Jaundice TL/TL-D /52 lamps have no radiation from the short wave UVB waveband. They are therefore ideal for treating new born babies suffering from hyperbilirubinemia (neonatal jaundice) and Crigler-Najjar Syndrome (CNS). Moreover, the bandwidth of these lamps peak at the most effective treatment wavelength of 450 nm. This highly efficacious phototherapy treatment has eliminated the need for blood transfusions in almost all jaundiced infants.

Warnings and Safety

• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information					
Cap-Base	G13 [Medium Bi-Pin Fluorescent]				
Life to 50% Failures (Nom)	9,000 hour(s)				
Useful Life (Nom)	2,000 hour(s)				
Light Technical					
Color Code	52				
Luminous Flux	318 lm				
Chromaticity Coordinate X (Nom)	154				
Chromaticity Coordinate Y (Nom)	69				
Operating and Electrical					
Power Consumption	19.3 W				
Lamp Current (Nom)	0.36 A				
Voltage (Nom)	59 V				

Voltage (Nom)	59 V		
Controls and Dimming			
Dimmable	No		
Mechanical and Housing			
Bulb Shape	T38 [T 38mm]		
Approval and Application			
Mercury (Hg) Content (Nom)	8.0 mg		
Product Data			
Order product name	TL 20W/52 SLV/25		
Full product name	TL 20W/52 SLV/25		
Full product code	871150064302540		


Datasheet, 2023, April 14 data subject to change

Blue (/52) TL/TL-D

Order code	928003505203
Material Nr. (12NC)	928003505203
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8711500643025


Numerator - Packs per outer box	25
EAN/UPC - Case	8711500643032

Dimensional drawing



Product	D (max)	A (max)	B (max)	B (min)	C (max)
TL 20W/52 SLV/25	40.5 mm	589.8 mm	596.9 mm	594.5 mm	604 mm

Photometric data



Spectral Power Distribution Colour - TL 20W/52 SLV/25



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.