



# **MASTER TL-D Food**

## MASTER TL-D Food 30W/79 SLV/25

Low-pressure mercury discharge lamps with a tubular 26 mm envelope

#### Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

#### **Product data**

General Information				
Cap-Base	G13 [Medium Bi-Pin Fluorescent]			
Life to 50% Failures (Nom)	15,000 hour(s)			
Light Technical				
Color Code	79			
Luminous Flux	1,300 lm			
Color Designation	Food			
Correlated Color Temperature (Nom)	3800 K			
Luminous Efficacy (rated) (Nom)	43 lm/W			
Color rendering index (CRI)	74			
Operating and Electrical				
Power Consumption	30.0 W			
Lamp Current (Nom)	0.360 A			
Voltage (Nom)	98 V			
Voltage (Nom)	98 V			


Controls and Dimming			
Dimmable	Yes		
Mechanical and Housing			
Bulb Shape	T8 [26 mm (T8)]		
Approval and Application			
Mercury (Hg) Content (Nom)	5.0 mg		
Energy Consumption kWh/1000 h	37 kWh		
Product Data			
Order product name	MASTER TL-D Food 30W/79 SLV/25		
Full product name	MASTER TL-D Food 30W/79 SLV/25		
Full product code	871150070624940		
Order code	928025402043		
Material Nr. (12NC)	928025402043		
Local order code	9280-254-02006		
Numerator - Quantity Per Pack	1		

Datasheet, 2023, April 16 data subject to change

## **MASTER TL-D Food**


EAN/UPC - Product/Case	8711500706249	
Numerator - Packs per outer box	25	
EAN/UPC - Case	8711500613103	

## Dimensional drawing




Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL-D Food 30W/79	28 mm	894.6 mm	901.7 mm	899.3 mm	908.8 mm
SLV/25					


#### Photometric data



Spectral Power Distribution Colour - MASTER TL-D Food 30W/79 SLV/25

#### Lifetime






Life Expectancy Diagram - MASTER TL-D Food 30W/79 SLV/25

Life Expectancy Diagram - MASTER TL-D Food 30W/79 SLV/25

## **MASTER TL-D Food**

#### Lifetime



Lumen Maintenance Diagram - MASTER TL-D Food 30W/79 SLV/25



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.