

MASTER TL-D 90 De Luxe

MASTER TL-D 90 De Luxe 58W/952 SLV/10

Low-pressure mercury discharge lamps with a tubular 26 mm envelope

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information	
Cap-Base	G13 [Medium Bi-Pin Fluorescent]
Flux measurement reference	Sphere
Life to 50% Failures (Nom)	15,000 hour(s)

Light Technical	
Color Code	952
Luminous Flux	4,550 lm
Color Designation	Daylight
Chromaticity Coordinate X (Nom)	0.34
Chromaticity Coordinate Y (Nom)	0.351
Correlated Color Temperature (Nom)	5200 K
Luminous Efficacy (rated) (Nom)	76.1 lm/W
Color rendering index (CRI)	92

Operating and Electrical	
Power Consumption	59.8 W
Lamp Current (Nom)	0.670 A

Controls and Dimming	
Dimmable	Yes

Mechanical and Housing	
Bulb Shape	T8 [26 mm (T8)]

Approval and Application	
Energy Efficiency Class	G
Mercury (Hg) Content (Nom)	1.7 mg
Energy Consumption kWh/1000 h	60 kWh
EPREL Registration Number	423530


Product Data	
Order product name	MASTER TL-D 90 De Luxe 58W/952 SLV/10
Full product name	MASTER TL-D 90 De Luxe 58W/952 SLV/10
Full product code	871150088871625
Order code	928045095081
Material Nr. (12NC)	928045095081
Local order code	TLD58W950

MASTER TL-D 90 De Luxe

Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8711500888716
Numerator - Packs per outer box	10


EAN/UPC - Case	8711500888723

Dimensional drawing




Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL-D 90 De Luxe 58W/952 SLV/10	28 mm	1,500.0 mm	1,507.1 mm	1,504.7 mm	1,514.2 mm

Photometric data




Spectral Power Distribution Colour - MASTER TL-D 90 De Luxe 58W/952 SLV/10

Lifetime




Life Expectancy Diagram - MASTER TL-D 90 De Luxe 58W/952 SLV/10



Life Expectancy Diagram - MASTER TL-D 90 De Luxe 58W/952 SLV/10

MASTER TL-D 90 De Luxe

Lifetime



Lumen Maintenance Diagram - MASTER TL-D 90 De Luxe 58W/952 SLV/10

© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.