



MASTER TL-D Reflex

MST TL-D Reflex 36W/865 1 SLV/25

The MASTER TL-D Reflex lamp directs most of the light to where you need it, thanks to an internal reflector. This results in having the same lighting level while using only half the number of lamps in the luminaire. It is therefore extremely suitable for use in luminaires with only a simple reflector or without any.

Warnings and Safety

• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information	
Cap-Base	G13 [Medium Bi-Pin Fluorescent]
Life to 50% Failures (Nom)	15,000 hour(s)
Light Technical	
Color Code	865 [CCT of 6500K]
Luminous Flux	3,250 lm
Color Designation	Cool Daylight
Correlated Color Temperature (Nom)	6500 K
Luminous Efficacy (rated) (Nom)	90.3 lm/W
Color rendering index (CRI)	>80
Operating and Electrical	
Power Consumption	36.0 W
Lamp Current (Nom)	0.440 A


Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb Finish	Reflector
Bulb Shape	T8 [26 mm (T8)]
Approval and Application	
Mercury (Hg) Content (Nom)	5.0 mg
Energy Consumption kWh/1000 h	42 kWh
Product Data	
Order product name	MST TL-D Reflex 36W/8651SLV/25
Full product name	MST TL-D Reflex 36W/8651SLV/25
Full product code	871150026031440
Order code	928048486579
Material Nr. (12NC)	928048486579
Numerator - Quantity Per Pack	1

Datasheet, 2023, September 21 data subject to change

MASTER TL-D Reflex


EAN/UPC - Product/Case	8711500260314
Numerator - Packs per outer box	25
EAN/UPC - Case	8711500260321

Dimensional drawing







Photometric data



Spectral Power Distribution Colour - MST TL-D Reflex 36W/865 1 SLV/25

Lifetime






Life Expectancy Diagram - MST TL-D Reflex 36W/865 1 SLV/25

Life Expectancy Diagram - MST TL-D Reflex 36W/865 1 SLV/25

MASTER TL-D Reflex

Lifetime



Lumen Maintenance Diagram - MST TL-D Reflex 36W/8651SLV/25



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.