# **PHILIPS** Lighting

# **MASTER TL-D Food**

# MASTER TL-D Food 36W/79 1SL/25

The TL-D Food lamp makes the appearance of meat and bakery products more fresh and tasty. It can be applied for food illumination in butcher shops, bakeries, supermarkets etc.

#### Warnings and Safety

• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

### **Product data**

General Information		Controls
Cap-Base	G13 [Medium Bi-Pin Fluorescent]	Dimmable
Life to 50% Failures (Nom)	15,000 hour(s)	
		Mechan
Light Technical		Bulb Shap
Color Code	79	
Luminous Flux	1,750 lm	Approva
Color Designation	Food	Mercury (
Correlated Color Temperature (Nom)	3800 K	Energy Co
Luminous Efficacy (rated) (Nom)	49 lm/W	
Color rendering index (CRI)	74	Product
		Order pro
Operating and Electrical		Full produ
Power Consumption	36.0 W	Full produ
Lamp Current (Nom)	0.440 A	Order coo
Voltage (Nom)	103 V	Material I
Voltage (Nom)	103 V	Numerato
		EAN/UPC


Controls and Dimming			
Dimmable	Yes		
Mechanical and Housing			
Bulb Shape	T8 [26 mm (T8)]		
Approval and Application			
Mercury (Hg) Content (Nom)	5.0 mg		
Energy Consumption kWh/1000 h	43 kWh		
Product Data			
Order product name	MASTER TL-D Food 36W/79 SLV/25		
Full product name	MASTER TL-D Food 36W/79 1SL/25		
Full product code	871150070622540		
Order code	70622540		
Material Nr. (12NC)	928048502043		
Numerator - Quantity Per Pack	1		
EAN/UPC - Product/Case	8711500706225		
Numerator - Packs per outer box	25		

# MASTER TL-D Food

EAN/UPC - Case


8711500613127

#### **Dimensional drawing**




Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL-D Food 36W/79	28 mm	1,199.4 mm	1,206.5 mm	1,204.1 mm	1,213.6 mm
SLV/25					

#### Photometric data




Spectral Power Distribution Colour - MASTER TL-D Food 36W/79 SLV/25

## Lifetime




Life Expectancy Diagram - MASTER TL-D Food 36W/79 SLV/25



Life Expectancy Diagram - MASTER TL-D Food 36W/79 SLV/25

# **MASTER TL-D Food**

Lifetime



Lumen Maintenance Diagram - MASTER TL-D Food 36W/79 SLV/25



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, May 8 - data subject to change