HPL-N

HPL-N 250W E40 HG SLV/12

Standard High Pressure Mercury lamp

Warnings and Safety

- For use with control gear designed for high-pressure mercury lamps
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information	
Cap-Base	E40 [E40]
Operating Position	UNIVERSAL [Any or Universal (U)]
Life to 50% Failures (Nom)	16,000 hour(s)

Light Technical	
Color Code	542 [CCT of 4200K]
Color Designation	Cool White (CW)
Chromaticity Coordinate X (Nom)	381
Chromaticity Coordinate Y (Nom)	383
Correlated Color Temperature (Nom)	4100 K
Luminous Efficacy (rated) (Nom)	51 lm/W
Color rendering index (CRI)	45

Operating and Electrical	
Power Consumption	250.0 W
Voltage (Nom)	135 V
Voltage (Nom)	135 V

Controls and Dimming	
Dimmable	No

Mechanical and Housing	
Bulb Finish	Coated glass
Bulb Material	Hard Glass
Bulb Shape	ED90 [ED 90mm]

Approval and Application	
Mercury (Hg) Content (Nom)	38 mg
Energy Consumption kWh/1000 h	275 kWh

Product Data	
Order product name	HPL-N 250W E40 HG SLV/12
Full product name	HPL-N 250W E40 HG SLV/12
Full product code	871150018060599
Order code	928053007496
Material Nr. (12NC)	928053007496
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8711500180605

HPL-N

Numerator - Packs per outer box	12
EAN/UPC - Case	8711500180612

Dimensional drawing



Product	D (max)	C (max)
HPL-N 250W E40 HG SLV/12	91 mm	226 mm

Photometric data



Light Distribution Diagram - HPL-N 250W E40 HG SLV/12



Spectral Power Distribution Colour - HPL-N 250W E40 HG SLV/12

Lifetime



Life Expectancy Diagram - HPL-N 250W E40 HG SLV/12



Lumen Maintenance Diagram - HPL-N 250W E40 HG SLV/12

© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com
2023, April 29 - data subject to change