



MASTER CosmoWhite CPO-TT Xtra

MST CosmoWhite CPO-TT Xtra 140W/628 E40

New-generation ceramic metal-halide tubular lamps used in outdoor applications, offering efficient and pleasant white light

安全提示

- Use only in a totally enclosed luminaire, even during testing (IEC 61167, IEC 62035, IEC 60598)
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- Use only with suitable electronic control gear
- Control gear must include end-of-life protection (IEC 61167, IEC 62035)
- E27 lamp holders and other parts in luminaires should be designed to withstand the ignition voltage of the electronic control gear (rated at 5 kV ignition pulse)
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

产品数据

一般信息	
底座	E40 [E40]
操作位置	P20 [并行 +/-20D 或水平 (HOR)]
光通量测量参考	Sphere
50% 故障条件下的使用寿命 (标称)	32,000 小时
灯技术	
颜色代码	628 [CCT of 2800K]
光通量	16,400 lm
颜色名称	暖白色 (WW)
色度坐标 x (标称)	0.447
色度坐标 y (标称)	0.4


相关色温 (标称)	2800 K
光效 (额定) (标称)	116.31 lm/W
显色指数 (CRI)	68
弧长 O (标称)	23 mm
操作和电气	
功耗	141.0 W
电压 (标称)	90 V
电压 (标称)	90 V

MASTER CosmoWhite CPO-TT Xtra

控制和调光	
可调光	是
机械和外壳	
灯泡外观	透明
灯泡外形	T46 [T 46 毫米]
审批和申请	
能效等级	F
汞 (Hg) 含量 (最高)	3.9 mg
汞 (Hg) 含量 (标称)	3.90 mg
能耗 kWh/1000 h	141 kWh
EPREL 注册号	473309


产品数据	
订单产品名称	MST CosmoWhite CPO-TT Xtra 140W/628 E40
完整的产品名称	MST CosmoWhite CPO-TT Xtra 140W/628 E40
完整产品代码	871829169032000
订购代码	928060309227
材料编号 (12NC)	928060309227
计算器 - 每包数量	1
EAN/UPC - 产品/箱	8718291690320
计算器 - 每个外包装箱中的包数	12
EAN/UPC - 案例	8718291690337

二维绘图




Product	D (max)	D	O	L	C (max)
MST CosmoWhite CPO-TT Xtra 140W/628 E40	47 mm	46 mm	23 mm	132 mm	211 mm

光度数据




Light Distribution Diagram - MST CosmoWhite CPO-TT Xtra 140W/628 E40




Spectral Power Distribution Colour - MST CosmoWhite CPO-TT Xtra 140W/628 E40

MASTER CosmoWhite CPO-TT Xtra

寿命



Life Expectancy Diagram - MST CosmoWhite CPO-TT Xtra 140W/628 E40



Lumen Maintenance Diagram - MST CosmoWhite CPO-TT Xtra 140W/628 E40

