



MASTERColour CDM-R

MASTERC CDM-R 35W/830 E27 PAR20 10D 1CT

Range of compact, high-efficiency, discharge reflector lamps with a stable colour over lifetime and a crisp, sparkling light

Warnings and Safety

- · Control gear must include end-of-life protection (IEC61167, IEC 62035)
- \cdot Use only with electronic control gear. Colour 830 lamps may also use electromagnetic gear.

Product data

General Information		
Cap-Base	E27 [E27]	
Operating Position	UNIVERSAL [Any or Universal (U)]	
Switching Cycle	800	
Life to 50% Failures (Nom)	8,000 hour(s)	
Light Technical		
Color Code	830 [CCT of 3000K]	
Beam Angle (Nom)	10 degree(s)	
Luminous Intensity (Nom)	21,000 cd	
Color Designation	Warm White (WW)	
Chromaticity Coordinate X (Nom)	0.433	
Chromaticity Coordinate Y (Nom)	0.402	
Correlated Color Temperature (Nom)	3000 K	
Color rendering index (CRI)	81	
LLMF At End Of Nominal Lifetime (Nom) 52 %		
Luminous Flux in 90° Cone (Rated)	1,700 lm	

Operating and Electrical	
Power Consumption	38 W
Warm-up time to 60% light	120 s
Voltage (Nom)	88 V
Voltage (Nom)	88 V
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Clear
Bulb Shape	PAR20 [PAR 2.5 inch/63mm]
Approval and Application	
Mercury (Hg) Content (Nom)	2.8 mg
Energy Consumption kWh/1000 h	42 kWh
·	


Datasheet, 2023, April 29 data subject to change

MASTERColour CDM-R

Product Data	
Order product name	MASTERC CDM-R 35W/830 E27 PAR20 10D
	1CT
Full product name	MASTERC CDM-R 35W/830 E27 PAR20 10D
	1CT
Full product code	871150021186600
Order code	928084100691


Material Nr. (12NC)	928084100691
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8711500211866
Numerator - Packs per outer box	12
EAN/UPC - Case	8711500211873

Dimensional drawing




Product	D (max)	D	C (max)	C
MASTERC CDM-R 35W/830 E27 PAR20 10D 1CT	65 mm	64 mm	95 mm	92 mm

Photometric data








Spectral Power Distribution Colour - MASTERC CDM-R 35W/830 E27 PAR20 10D 1CT

MASTERColour CDM-R

Lifetime





Life Expectancy Diagram - MASTERC CDM-R 35W/830 E27 PAR20 10D 1CT

Lumen Maintenance Diagram - MASTERC CDM-R 35W/830 E27 PAR20 10D 1CT



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.