



ML

ML 250W E27 225-235V SG SLV/12

Mixed Light lamps

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.


Product data

General Information			
Cap-Base	E27 [E27]		
Operating Position	VBU/VBD30 [Vertical or Base Up/Base Down +/-30D]		
Life to 50% Failures (Nom)	10,000 hour(s)		
Light Technical			
Chromaticity Coordinate X (Nom)	402		
Chromaticity Coordinate Y (Nom)	382		
Luminous Efficacy (rated) (Nom)	20.4 lm/W		
Color rendering index (CRI)	65		
Operating and Electrical			
Power Consumption	265.0 W		
Voltage (Nom)	230 V		
Voltage (Nom)	230 V		

Controls and Dimming				
Dimmable	No			
Mechanical and Housing				
Bulb Finish	Coated glass			
Bulb Material	Soft Glass			
Bulb Shape	ED90 [ED 90mm]			
Approval and Application				
Mercury (Hg) Content (Nom)	16.3 mg			
Energy Consumption kWh/1000 h 291 kWh				
Product Data				
Order product name	ML 250W E27 225-235V SG SLV/12			
Full product name	ML 250W E27 225-235V SG SLV/12			
Full product code	871150020139399			
Order code	928096056898			
Material Nr. (12NC)	928096056898			


Numerator - Quantity Per Pack	1	EAN/UPC - Case	8711500201409
EAN/UPC - Product/Case	8711500201393		
Numerator - Packs per outer box	x 12		


Dimensional drawing



Product D (max) C (max) ML 250W E27 225-235V SG SLV/12 91 mm 212 mm


Photometric data






Light Distribution Diagram - ML 250W E27 225-235V SG SLV/12

 $+ \underbrace{600}_{(Xn)} \underbrace{600}_{(Xn)} \underbrace{400}_{(Xn)} \underbrace{400}_{(Xn)} \underbrace{400}_{(Xn)} \underbrace{400}_{(Xn)} \underbrace{600}_{(Xn)} \underbrace{600}_{(Xn)} \underbrace{700}_{(Xn)} \underbrace{400}_{(Xn)} \underbrace{400}_{(Xn)} \underbrace{600}_{(Xn)} \underbrace{700}_{(Xn)} \underbrace{400}_{(Xn)} \underbrace{100}_{(Xn)} \underbrace{100}_{(Xn)$



Lifetime



Life Expectancy Diagram - ML 250W E27 225-235V SG SLV/12

Lumen Maintenance Diagram - ML 250W E27 225-235V SG SLV/12

4000

6000

8000

10000

Burning hours

Lumen in %

100

80

60

40

20

0

0

2000

ML



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, April 29 - data subject to change